

Author Index, Volume 45 (1990)

c = correspondence; f = forum

- ABRAMOWITZ, H. B. *See* ELDOR, J., 70 (c)
 ACHOLA, K. J. *See* HAYSE-GREGSON, P. B., 7
 ADAMS, A. P. *See* O'FLAHERTY, D., 653
 ADRIAENSEN, H. *See* VERCAUTEREN, M., 531
 AHUJA, S. *See* KUMAR, A., 949
 AINSWORTH, J. R. *See* STONE, P. A., 259 (c)
 AINSWORTH, Q. P. & CALDER, I. The oesophageal detector device and the laryngeal mask, 794 (c)
 AITKEN, H. A. & HOWIE, J. C. Possible malignant hyperpyrexia, 60 (c)
 AITKEN, H. A., CLARK, E. C., MCARDLE, C. S., DIMITRI, W. & KENNY, G. N. C. Evaluation of two formulations of dihydrocodeine using patient-controlled analgesia, 535
 AITKENHEAD, A. R. Awareness during anaesthesia: what should the patient be told?: editorial, 351
 AITKENHEAD, A. R. *See* RUIZ, K., 978 (f)
 AITKENHEAD, A. R. Regional anaesthesia must be properly managed: a reply, 984 (c)
 AKHTAR, T. M. Failure of oxygen flush device, 176 (c)
 AKHTAR, T. M. *See* LAWRIE, S. C., 1074 (f)
 ALBANESE, R. *See* HOPKINS, K. J., 502 (c)
 ALBANESE, R. *See* HOPKINS, K. J., 996 (c)
 ALBANESE, R. *See* PATTERSON, J. S., 1002 (C)
 ALDERSON, J. D. Intrathecal diamorphine and multiple sclerosis, 1084 (c)
 ALEXANDER, C. A. A modified Intavent laryngeal mask for ENT and dental anaesthesia, 892 (c)
 ALEXANDER, J. P., WATTERS, C. H., DODDS, W. J. C. & MCNEILL, W. E. The Engström Elsa anaesthetic machine. An electronic system for anaesthesia, 746
 ALI-MELKKILÄ, T., KAILA, T., KANTO, J. & IISALO, E. Pharmacokinetics of glycopyrronium in parturients, 634
 ALLISON, A. & MCCRORY, J. Tracheal placement of a gum elastic bougie using the laryngeal mask airway, 419 (c)
 ALLISON, C. W. & WARDLAW, D. Anaphylaxis and chymopapain, 164 (c)
 ALLT-GRAHAM, J. *See* FAWCETT, W. J., 886 (c)
 AMMAR, T. & TOWEY, R. M. The laryngeal mask airway, 75 (c)
 ANANTHANARAYAN, C. & KASHTAN, H. Pneumothorax after interpleural block in a spontaneously breathing patient, 342 (c)
 ANASTASIADIS, J. *See* KATSAROS, G. A., 381
 ANDERSEN, C. & MADSEN, G. M. Rate-responsive pacemakers and anaesthesia. A consideration of possible implications, 472
 ANDERSON, S. *See* COOK, R., 826
 ANDERSON, S. K. An unusual occlusion of an anaesthetic system by a polythene drape, 258 (c)
 ANDERTON, J. M. *See* THOMAS, A. N., 383
 ANDREWS, P. *See* ARMSTRONG, P., 419 (c)
 ANDREWS, P. J. D., WRIGHT, D. J. & LAMONT, M. C. Flumazenil in the outpatient. A study following midazolam as sedation for upper gastrointestinal endoscopy, 445
 ARMSTRONG, P., BROCKWAY, M. & WILDSMITH, J. A. W. Alkalinisation of prilocaine for intravenous regional anaesthesia, 11
 ARMSTRONG, P. & ANDREWS, P. The Finapres and collateral circulation in the hand, 419 (c)
 ARMSTRONG, P. *See* DODD, F. M., 666
 ARMSTRONG, P., WATTERS, J. & WHITFIELD, A. Alkalinisation of prilocaine for intravenous regional anaesthesia. Suitability for clinical use, 935
 ARON, T. Damage to Manley ventilators: a reply, 74 (c)
 ASADA, A. *See* KUBOTA, Y., 842
 ASBURY, A. J. *See* WORSLEY, M. H., 449
 ASBURY, A. J. *See* HICKEY, S., 629
 ASSEM, E. S. K. Anaphylactic anaesthetic reactions. The value of paper radioallergosorbent tests for IgE antibodies to muscle relaxants and thiopentone, 1032
 AU, J., WALKER, W. S. & SCOTT, D. H. T. Withdrawal syndrome after propofol infusion, 741
 AUN, L. T. *See* INBASEGARAN, K., 891 (c)
 BACH, A. *See* BÖHRER, H., 853
 BÄCKSTRÖM, T. *See* CARL, P., 189
 BACON, R. J. *See* DAYKIN, A. P., 235
 BACZKOWSKI, A. J. Cold statistics, 1090 (c)
 BAGSHAW, P. *See* LEE, A., 1028
 BAGSHAW, R. *See* BAUMGARDNER, J. E., 493 (c)
 BAKER, D. A. *See* PETRIKOVSKY, B. M., 988 (c)
 BALDOCK, G. J. Quality assurance, standards and accreditation: editorial, 617
 BALLANCE, J. H. W. Ephedrine and hypotension, 258 (c)
 BALLANCE, J. H. W. Local anaesthesia and the eye, 695 (c)
 BAMBRIDGE, A. D. *See* MENDHAM, J. E., 63 (c)
 BANERJEE, A., KIRAN, U. & GHAMBEER, D. A complication of tumour of the oesophagus, 494 (c)
 BANGHAM, J. A. *See* MORGAN-HUGHES, J. O., 427
 BARANOWSKI, A. P. & PITHER, C. E. A comparison of three methods of axillary brachial plexus anaesthesia, 362
 BARNES, P. K. *See* BELLIS, D. J., 118

- BARRY, J. E. *See* ISAAC, P. A., 46 (f)
- BARTHRAM, C. N. *See* HUTCHISON, G. L., 987 (c)
- BASKETT, P. J. F. CHAMBERLAIN, D. A. & ZIDEMAN, D. Resuscitation procedures, 62 (c)
- BASKETT, P. J. F. Anaesthetists and trauma: editorial, 805
- BATRA, R. *See* MADAN, R., 49 (f)
- BATRA, R. K. *See* MADAN, R., 592 (c)
- BAUMGARDNER, J. E. & BAGSHAW, R. Acute versus chronic phenytoin therapy and neuromuscular blockade, 493 (c)
- BAXENDALE, B. *See* FREEMAN, R., 1094 (c)
- BAX-VERMEIRE, B. M. J. *See* VAN NIEKERK, J., 722
- BAYLY, P. J. M. Frequency of repeated neuromuscular stimulation, 171 (c)
- BECKER, U. *See* PHILLIPS, G. H., 870 (f)
- BEDFORD, T. A. & THOMPSON, M. C. Pre-induction behaviour in children, 994 (c)
- BEECHY, A. P. G. *See* POWELL, H., 458
- BEECHY, A. P. G. *See* POWELL, H., 1086 (c)
- BELLAMY, M. C., NATARAJAN, V. & LENZ, R. J. An unusual presentation of cardiac tamponade, 135
- BELLIS, D. J., DAY, S. & BARNES, P. K. The chronotropic effect of acetylcholine in the presence of vecuronium and atracurium. A study in the isolated perfused rabbit heart, 118
- BEM, M. J. & WILSON, I. H. A drawover breathing system for weaning, 1102 (c)
- BEMBRIDGE, M. *See* LESSER, P., 767 (f)
- BEN-DAVID, B. *See* LEE, E., 337 (c)
- BENZER, A., MITTERSCHIFFTHALER, G., POMAROLI, A. & MÜLLER, L. Atracurium in whole body hyperthermia, 991 (c)
- BERNTMAN, L., LUTTROPP, H. H. & WERNER, O. Mechanical ventilation during low-flow anaesthesia. Experience with an alternative to the bag-in-bottle, 855
- BERRY, M. *See* WHITTAKER, M., 57 (c)
- BETHUNE, D. W. *See* GHOSH, S., 672 (f)
- BEVAN, D. R. *See* GILL, S. S., 543
- BHATTACHARYA, A. *See* KUMAR, A., 949
- BHATTACHARYA, A. *See* CHAWLA, R., 992 (c)
- BHAVANI, S. S. *See* MEHTA, Y., 1087 (c)
- BILL, K. M. *See* MOORE, J. A., 165 (c)
- BINGHAM, R. M. *See* MASON, D. G., 760 (f)
- BINNIE, N., JANCZAK, J. & WRIGHT, D. Misassembly of Laerdal masks, 70 (c)
- BIRD, J. *See* MACKENZIE, J. W., 600 (c)
- BISWAS, A. *See* EDWARDS, N. D., 1096 (c)
- BLACK, A. E. Extraordinary oxygen pipeline failure, 599 (c)
- BLOGG, C. E. *See* COOK, R., 826
- BLOM, L. *See* JAKOBSEN, C.-J., 40 (f)
- BLOM, L. *See* JAKOBSEN, C.-J., 600 (c)
- BLUMGART, C. H., HUGHES, D. G. & REDFERN, N. Obstetric anaesthesia in dystrophia myotonica, 26
- BOEKE, S. *See* BONKE, B., 493 (c)
- BOEY, W. K. & LAI, F. O. Comparison of propofol and thiopentone as anaesthetic agents for electroconvulsive therapy, 623
- BOGOD, D. G., ORTON, J. K., YAU, H. M. & OH, T. E. Detecting awareness during general anaesthetic Caesarean section. An evaluation of two methods, 279
- BOGOD, D. G. General anaesthesia in the presence of a spouse, 422 (c)
- BOGOD, D. G. Detecting awareness during general anaesthesia, 590 (c)
- BOGOD, D. G. Isolated forearm technique: a reply, 687 (c)
- BOGOD, D. G. Awareness during Caesarean section: a reply, 784 (c)
- BOGOD, D. G. Continuous epidural infusion, 988 (c)
- BOGOD, D. G. Provoked gastro-oesophageal reflux: a reply, 999 (c)
- BOHEIMER, N. O., FELDMAN, S. A. & SONI, N. A self-retaining nasopharyngeal airway, 72 (c)
- BOHEIMER, N. O., THOMAS, J. S. & BOWEN-SIMPKINS, P. Pain after laparoscopy, 253 (c)
- BOHEIMER, N. O. & THOMAS, J. S. Amorous behaviour and sexual fantasy following anaesthesia or sedation, 699 (c)
- BÖHRER, H., FLEISCHER, F. & WERNING, P. Tussive effect of a fentanyl bolus administered through a central venous catheter, 18
- BÖHRER, H. Declaration of Helsinki: a reply, 496 (c)
- BÖHRER, H. *See* WEHLAGE, D. R., 549
- BÖHRER, H. Tussive effect of fentanyl: a reply, 595 (c)
- BÖHRER, H., BACH, A., FLEISCHER, F. & LANG, J. Adverse haemodynamic effects of high-dose aprotinin in a paediatric cardiac surgical patient, 853
- BOIARDI, A. *See* SGHIRLANZONI, A., 340 (c)
- BOLDT, J., KLING, D., HEROLD, C., DAPPER, F. & HEMPELMANN, G. Volume therapy with hypertonic saline hydroxyethyl starch solution in cardiac surgery, 928
- BONE, M. E., WILKINSON, D. J., YOUNG, J. R., MCNEIL, J. & CHARLTON, S. Ginger root—a new antiemetic. The effect of ginger root on postoperative nausea and vomiting after major gynaecological surgery, 669 (f)
- BONKE, B., BOEKE, S. & JELICIC, M. Information processing during general anaesthesia, 493 (c)
- BOOMSMA, F., RUPREHT, J., MAN IN 'T VELD, A. J., DE JONG, F. H., DZOLJIC, M. & LACHMANN, B. Haemodynamic and neurohumoral effects of xenon anaesthesia. A comparison with nitrous oxide, 273
- BOON, D. *See* LEE, A., 1028
- BOSTRÖM, U. *See* SARMA, V. J., 769 (f)
- BOURNE, T. M. & TATE, K. Failed cuff deflation, 76 (c)
- BOVILL, J. G. *See* CHOPRA, V., 3
- BOWDEN, M. I. *See* KING, M. J., 285
- BOWEN WRIGHT, R. M. Precautions against injection into the spinal artery during coeliac plexus block, 247 (c)
- BOWEN-SIMPKINS, P. *See* BOHEIMER, N. O., 253 (c)
- BOWLES, H. F., THANGATHURAI, D., MORGAN, G. E. & MIKHAIL, M. Management of supraventricular tachycardia in septic patients, 787 (c)
- BRAHAMS, D. Caesarean section: pain and awareness without negligence, 161
- BRAHAMS, D. Series of errors which culminated in death, 332
- BRAHAMS, D. A difficult tracheal intubation as a result of obesity and absence of teeth: anaesthesia and the law, 586
- BRAHAMS, D. Accountability and anonymity, 782 (c)

- BRAHAMS, D. Two locum anaesthetists convicted of manslaughter, 981
- BRAID, D. P. Resuscitation procedures, 409 (c)
- BRAMPTON, W. J. & WATSON, R. J. Arterial to end-tidal carbon dioxide tension difference during laparoscopy. Magnitude and effect of anaesthetic technique, 210
- BRAMPTON, W. J. & JAGO, R. H. Acute viral myocarditis. A death associated with anaesthesia, 215
- BRAMPTON, W. J. & JAGO, R. H. Acute viral myocarditis?; a reply, 882 (c)
- BRANCH, K. G. See CHALKIADIS, G. A., 22
- BRANTHWAITE, M. A. Myotonic dystrophy and respiratory function, 250 (c)
- BREEN, D. P. Failure of a valve in a Bain system: a dangerous design?, 417 (c)
- BREEN, D. P. & GERRISH, S. P. Deliberate oesophageal fiberoptic intubation, 1103 (c)
- BRICCHI, M. See FIACCHINO, F., 128
- BRICKER, S. R. W., MCGALLIARD, J. N. & MOSTAFA, S. M. The Keeler Pulsair air impulse tonometer. Comparison with the Perkins hand-held applanation tonometer for operative measurement of intra-ocular pressure, 36
- BRICKER, S. R. W. See MOSTAFA, S. M., 595 (c)
- BRIGHOUSE, D. & MCQUILLAN, P. An unusual complication of varicose vein surgery, 68 (c)
- BRIMACOMBE, J. R. & CAUNT, J. A. Anaesthesia in a gravid achondroplastic dwarf, 132
- BRIMACOMBE, J. R. & SPARGO, P. M. Postspinal headache, 414 (c)
- BRITTEN, J. See TAYLOR, B. L., 649
- BRITTEN, J. J. See WHITTAKER, M., 57 (c)
- BROADWAY, P. J. & ROYLE, P. Supplementary oxygen and the laryngeal mask airway, 792 (c)
- BROCKWAY, M. See ARMSTRONG, P., 11
- BRODIE, M. J. See WORSLEY, M. H., 449
- BRONDBJERG, M. See JAKOBSEN, C.-J., 40 (f)
- BROOME, I. J. A dangerous failure of a pulse oximeter, 166 (c)
- BROOME, I. J. & GOULDING, H. The sterility of lubricant jelly used on tracheal tubes, 177 (c)
- BROSE, W. G. See OWEN, H., 452
- BROWN, T. A. See MCCARTHY, G. J., 243 (f)
- BROWNE, D. A., DE BOECK, R. & MORGAN, M. An evaluation of the Level 1 blood warmer series, 960
- BROWNLIE, G. S. See HEATH, P. J., 297
- BRUCE, W. E. See CRISWELL, J., 113
- BUKOFZER, M. See VAN HEERDEN, P. V., 685 (c)
- BURKE, A. M. See RAFFERTY, R., 590 (c)
- BURNS, A. M. See SHELLY, M. P., 596 (c)
- BUTLER, P. J., WHEELER, R. A. & SPARGO, P. M. Life-threatening complications during anaesthesia in a patient with a ventriculo-atrial shunt and pulmonary hypertension, 946
- BYRNE, A. J. See COAD, N. R., 456
- CABIRO, C. See CESARINI, M., 656
- CADDY, J. Inadequate reversal, 1102 (c)
- CALDER, I., ORDMAN, A. J., JACKOWSKI, A. & CROCKARD, H. A. The Brain laryngeal mask airway. An alternative to emergency tracheal intubation, 137
- CALDER, I. See LUMB, A. B., 252 (c)
- CALDER, I. See AINSWORTH, Q. P., 794 (c)
- CALDER, I., SMITH, M. & NEWTON, M. The Fenem CO₂ detector device, 1092 (c)
- CALLEJA, M. A. Autonomic dysfunction and Guillain-Barré syndrome. The use of esmolol in its management, 736
- CALLESEN, T. & FONNEST, G. 25-or 26-G needles for spinal anaesthesia in young patients?, 1099 (c)
- CAMERON, A. E. See HICKEY, S., 629
- CAMPBELL, J. R. The laryngeal mask: cautionary tales, 167 (c)
- CAMPBELL, N. See O'SULLIVAN, G., 885 (c)
- CAMPBELL, N. N. Respiratory tract infection and anaesthesia. *Haemophilus influenzae* pneumonia that developed under anaesthesia, 561
- CAMPBELL, N. N. Exacerbation of a respiratory tract infection: a reply, 1086 (c)
- CAMPBELL, W. I., KENDRICK, R. & PATTERSON, C. Intravenous diclofenac sodium. Does its administration before operation suppress postoperative pain?, 763 (f)
- CARL, P., HOGSKILDE, S., NIELSEN, J. W., SØRENSEN, M. B., LINDHOLM, M., KARLEN, B. & BÄCKSTRÖM, T. Pregnanolone emulsion. A preliminary pharmacokinetic and pharmacodynamic study of a new intravenous anaesthetic agent, 189
- CARLI, F. See IP YAM, P. C., 563
- CARRIE, L. E. S. Whitacre and pencil-point spinal needles: some points to consider, 1097 (c)
- CARSON, I. W. See MCMURRAY, T. J., 322 (f)
- CARTER, J. A. See GABBOTT, D. A., 229
- CARTER, M. I. Oxygen concentrators and water, 68 (c)
- CASALE, F. F. Cord ischaemia, 340 (c)
- CASHMAN, J. N. Visual disturbance after transurethral resection of the prostate, 691 (c)
- CASHMAN, J. N. See MCEWAN, A. I., 998 (c)
- CASTRO TAVARES, J. See PINA, J. P. A., 602 (c)
- CAUNT, J. A. See BRIMACOMBE, J. R., 132
- CESARINI, M., TORRIELLI, R., LAHAYE, F., MENE, J. M. & CABIRO, C. Sprotte needle for intrathecal anaesthesia for Caesarean section: incidence of postdural puncture headache, 656
- CHADWICK, S. See JOHNSON, R. A., 439
- CHAKRABARTI, M. K. See TAN, P. S. K., 237
- CHAKRABARTI, M. K., STACEY, R. G. W., HOLDCROFT, A. & WHITWAM, J. G. A low flow open circle system for anaesthesia. Part I: Laboratory evaluation at normal and high frequencies, 314
- CHAKRABARTI, M. K. See HOLDCROFT, A., 318
- CHAKRABARTI, M. K. See TAN, P. S. K., 688 (c)
- CHALKIADIS, G. A. & BRANCH, K. G. Cardiac arrest after isoflurane anaesthesia in a patient with Duchenne's muscular dystrophy, 22
- CHAMBERLAIN, D. A. See BASKETT, P. J. F., 62 (c)
- CHAMBERS, W. A. See POWER, I., 916
- CHAN, T. Y. K. & DAVIDSON, T. Femoral nerve block after intra-operative subcutaneous bupivacaine injection, 163 (c)
- CHARLTON, J. E. Checklists and patient safety: editorial, 425

- CHARLTON, S. See BONE, M. E., 669 (f)
- CHARLTON, S. See HEMMING, A. E., 990 (c)
- CHARTERS, P. & HORTON, W. A. Soft tissues and difficult intubation, 996 (c)
- CHAWLA, R. See KUMAR, A., 949
- CHAWLA, R., KUMARVEL, V., GIRDHAR, K. K., SETHI, A. K. & BHATTACHARYA, A. Oximetry in pulseless disease, 992 (c)
- CHEEMA, S. P. S. & EVANS, C. S. A novel method of pre-oxygenation, 1103 (c)
- CHENG, C. H. See RODRIGO, M. R. C., 30
- CHEUNG, H. K. See HO, R. T., 327 (f)
- CHEUNG, M. See THANGATHURAI, D., 64 (c)
- CHILD, C. S. B. See TAYLOR, D. H., 690 (c)
- CHILVERS, C. R. & LAURIE, P. S. Successful use of propofol in status epilepticus, 995 (c)
- CHOPRA, V., BOVILL, J. G. & SPIERDIJK, J. Accidents, near accidents and complications during anaesthesia. A retrospective analysis of a 10-year period in a teaching hospital, 3
- CHRISTIAN, A. S. See ELLIS, F. R., 838
- CHRISTIAN, A. S. Failed obstetric intubation, 995 (c)
- CHRISTIANSEN, E. See LAUB, M., 110
- CHURCHER, M. D. Tussive effect of fentanyl, 595 (c)
- CIMINO, C. See SGHIRLANZONI, A., 340 (c)
- CLARK, C. See WORSLEY, M. H., 449
- CLARK, C. See WORSLEY, M. H., 992 (c)
- CLARK, E. C. See AITKEN, H. A., 535
- CLARK, M. M. See MCHALE, S., 987 (c)
- CLEMENTS, E. A. F. See GREVILLE, A. C., 944
- CLYBURN, P. A. See WILLIS, B. A., 172 (c)
- COAD, N. R. & BYRNE, A. J. Guillain-Barré syndrome mimicking brainstem death, 456
- COE, A. See VALENTINE, S., 306
- COE, A. See MCVEY, F. K., 886 (c)
- COE, A. J. & REVANĀS, B. Is crystalloid preloading useful in spinal anaesthesia in the elderly?, 241 (f)
- COE, A. J. Crystalloid preloading in spinal anaesthesia: a reply, 785 (c)
- COLD, G. E. See KNUDSEN, L., 1016
- COLEY, S., JONES, G. W., LASSEY, D., MAY, A. E. & FELL, D. A comparison of the effects of alfentanil/droperidol or fentanyl/droperidol on intra-ocular pressure, 477 (f)
- COLLIER, B. B. See DENMAN, W., 794 (c)
- COLLIER, P. S. See MCMURRAY, T. J., 322 (f)
- COLLINS, G. See LEE, E., 63 (c)
- COLQUHOUN, A. D. & RABEY, P. C. Admission blood pressure and anaesthesia, 684 (c)
- CONACHER, I. D., DARK, J., HILTON, C. J. & CORRIS, P. Isolated lung transplantation for pulmonary fibrosis, 971 (f)
- CONIAM, S. W. & DIAMOND, A. W. 'Permission' to publish, 423 (c)
- COOK, J. H. Controlled ventilation of the lungs in the elderly, 497 (c)
- COOK, R., ANDERSON, S., RISEBOROUGH, M. & BLOGG, C. E. Intravenous fluid load and recovery. A double-blind comparison in gynaecological patients who had day-case laparoscopy, 826
- COOPER, G. M. See KING, M. J., 285
- COOPER, R. See MCCLEANE, G. J., 153 (f)
- COPPO, F. See DROUET, N. M. A., 685 (c)
- CORRIS, P. See CONACHER, I. D., 971 (f)
- COSSAR, D. F. See RAFFERTY, R., 590 (c)
- COX, A. A. Ohmeda Excel 410/OAV 7750: a reply, 698 (c)
- CRISWELL, J., MCKENZIE, S., DAY, S., DISLEY, J., BRUCE, W. E. & SONI, N. The Bain, ADE, and Enclosed Magill breathing systems. A comparative study during controlled ventilation, 113
- CRISWELL, J. & JOHN, R. The laryngeal mask: cautionary tales, 167 (c)
- CROCHETIERE, C. T. Hypotension and epidural for Caesarean section, 69 (c)
- CROCKARD, H. A. See CALDER, I., 137
- CROFTS, S. L., FRASER, C. G., SKIPSEY, I. G. & WEBSTER, R. E. Anxiety before operation and serum potassium, 1101 (c)
- CROSSE, M. M. See STUART-TAYLOR, M., 423 (c)
- CROSSE, M. M. See PRYN, S. J., 597 (c)
- CROSSE, M. M. & MUNRO, H. A Brain laryngeal mask airway connector, 1094 (c)
- CROWLEY, D. S. & GIESECKE, A. H. Bimanual cricoid pressure, 588 (c)
- CUDMORE, J. & KEOGH, J. Another Selectatec switch malfunction, 754
- CULLEN, M. J. & SINGER, M. Severe anaphylactoid reaction to hydroxyethyl starch, 1041
- CUNDY, J. M. Awareness during anaesthesia, 786 (c)
- CYNA, A. M., RODGERS, R. C. & MCFARLANE, H. Hypotension due to unexpected cardiac tamponade, 140
- CYNA, A. M. & MACLEOD, D. M. The laryngeal mask: cautionary tales, 167 (c)
- DANKS, J. L. Hyoscine derivatives in children, 1089 (c)
- DANMAN, W. T., HAYES, M., HIGGINS, D. & WILKINSON, D. J. The Fenem CO₂ detector device. An apparatus to prevent unnoticed oesophageal intubation, 465
- DANMAN, W. T. Walter Stoeckel (1871-1961). A pioneer of regional analgesia in obstetrics, 468
- DAPPER, F. See BOLDT, J., 928
- DARK, J. See CONACHER, I. D., 971 (f)
- DAVENPORT, H. T. See GUNAWARDENE, R. D., 52 (f)
- DAVENPORT, H. T. Subcutaneous narcotics, 413 (c)
- DAVIDSON, T. See CHAN, T. Y. K., 163 (c)
- DAVIES, A. Mouthwash sweetens ketamine anaesthesia, 1102 (c)
- DAVIES, A. J. Dosage volume or concentration?, 414 (c)
- DAVIES, C. See THOMPSON, M. C., 690 (c)
- DAVIES, W. See O'SULLIVAN, G., 885 (c)
- DAY, S. See CRISWELL, J., 113
- DAY, S. See BELLIS, D. J., 118

- DAYKIN, A. P. & BACON, R. J. An epidural injection simulator, 235
- DE BOECK, R. *See* BROWNE, D. A., 960
- DE HAAN, P. *See* RETTIG, H. C., 1079 (f)
- DE HERT, S. *See* VERCAUTEREN, M., 531
- DE JONG, F. H. *See* BOOMSMA, F., 273
- DE MELLO, W. F. Problems associated with limb tourniquet deflation, 422 (c)
- DE MELLO, W. F. & KOCAN, M. The laryngeal mask in failed intubation, 689 (c)
- DE MELLO, W. F. & WARD, P. The use of the laryngeal mask airway in primary anaesthesia, 793 (c)
- DE MELLO, W. F. & RESTALL, J. The requirement of intensive care support for the pregnant population, 888 (c)
- DENMAN, W. & COLLIER, B. B. An inappropriate use of tape, 794 (c)
- DENMAN, W. P. *See* WILKINSON, D. J., 694 (c)
- DENNISON, B. Dosage or concentration, 885 (c)
- DENNY, N. M., DESILVA, K. D. & WEBBER, P. A. Laryngeal mask airway for emergency tracheostomy in a neonate, 895 (c)
- DENYER, J. Failure of a valve in a Bain system: a dangerous design?: a reply, 417 (c)
- DENYER, J. Failure of a valve in a Bain system: a dangerous design, 795 (c)
- DESILVA, K. D. *See* DENNY, N. M., 895 (c)
- DHOND, G. *See* VERMA, P. K., 412 (c)
- DIAMOND, A. W. *See* CONIAM, S. W., 423 (c)
- DIANA, L. *See* PETRIKOVSKY, B. M., 988 (c)
- DICKENSON, A. H. *See* MCQUAY, H. J., 101
- DIMITRI, W. *See* AITKEN, H. A., 535
- DISLEY, J. *See* CRISWELL, J., 113
- DODD, F. M., ARMSTRONG, P., RAY, D. C. & SCOTT, D. H. T. A disposable blood pressure cuff. An assessment of its accuracy, 666
- DODDS, W. J. C. *See* ALEXANDER, J. P., 746
- DOGRA, S., FALCONER, R. & LATTO, I. P. Successful difficult intubation. Tracheal tube placement over a gum-elastic bougie, 774 (f)
- DOGRA, S., FALCONER, R. & LATTO, I. P. Increased use of gum-elastic bougie in clinical practice, 997 (c)
- DONATI, F. *See* GILL, S. S., 543
- DORJE, P. ADE, Humphrey, anaesthetic breathing system, 341 (c)
- DOUGALL, J. *See* RUNCIE, C. J., 66 (c)
- DOUGALL, J. R. *See* RUNCIE, C. J., 659
- DOWSON, S. Anaesthesia and the law, 781 (c)
- DOYLE, D. J. & VOLGYESI, G. A. Design and evaluation of a new respiratory monitor, 492 (c)
- DRIESSEN, J. J., EERENS, J. M. L. G. & VAN HOONACKER, G. Problem with the Vapor vaporizer, 597 (c)
- DROUET, N. M. A., FARGNOLI, J. M. & COPPO, F. Oropharyngeal volumes, 685 (c)
- DRUMMOND, G. B. Declaration of Helsinki, 59 (c)
- DRUMMOND, G. B. Ethics and research in anaesthesia: editorial, 909
- DUNCAN, F. B. Ohmeda Oxicap 4700, 1093 (c)
- DUNCAN, I. N. *See* ROSEWARNE, F. A., 338 (c)
- DUNDAS, C. R. *See* NORTON, A. C., 198
- DUNDEE, J. W. Twenty-five years of ketamine. A report of an international meeting, 159
- DUNDEE, J. W. Unpleasant sequelae of benzodiazepine sedation, 336 (c)
- DUNDEE, J. W. Electro-acupuncture and postoperative emesis, 789 (c)
- DYE, D. J. *See* READ, M. S., 460
- DYSON, A., SAUNDERS, P. R. & GIESECKE, A. H. Awake blind nasal intubation: use of a simple whistle, 71 (c)
- DZOLJIC, M. *See* BOOMSMA, F., 273
- EASY, W. R. *See* MCGUIRE, N., 124
- EDGE, K. R. *See* VAN HEERDEN, P. V., 685 (c)
- EDWARDS, N. D. & BISWAS, A. Unusual neurological sequelae, 1096 (c)
- EERENS, J. M. L. G. *See* DRIESSEN, J. J., 597 (c)
- EISENKRAFT, J. B. *See* MINGUS, M. L., 834
- ELDOR, J., OFEK, B. & ABRAMOWITZ, H. B. Perforation of oesophagus by tracheal tube during resuscitation, 70 (c)
- ELDOR, J. & GUEDJ, P. Too long plastic obturator of 18-G Portex epidural needle, 1098 (c)
- ELDOR, J., GOZAL, Y., LAVIE, A. & GUEDJ, P. Late postspinal headache treated with epidural morphine, 1099 (c)
- ELDRED, C. A faulty monitor: a reply, 1093 (c)
- ELLIOTT, P. *See* MCMURRAY, T. J., 322 (f)
- ELLIS, F. R., HALSALL, P. J. & CHRISTIAN, A. S. Clinical presentation of suspected malignant hyperthermia during anaesthesia in 402 probands, 838
- ELTON, R. J. & HOWELL, R. S. C. Crystalloid preloading in spinal anaesthesia, 785 (c)
- EMMOTT, R. S. Recurrent anaphylactoid reaction during Caesarean section, 62 (c)
- ERB, T. *See* KAUFMAN, M. A., 889 (c)
- EVANS, C. M. *See* ROSEN, M., 411 (c)
- EVANS, C. S. *See* CHEEMA, S. P. S., 1103 (c)
- EVANS, P. F. *See* GOLDBERG, P. L., 487 (c)
- EVANS, R. T. Inheritance of low plasma cholinesterase, 57 (c)
- EWART, I. A. An unusual cause of gas pipeline failure, 498 (c)
- EWART, I. A. Problems associated with the introduction of different equipment, 790 (c)
- EWART, M. C., YAU, G., GIN, T., KOTUR, C. F. & OH, T. E. A comparison of the effects of omeprazole and ranitidine on gastric secretion in women undergoing elective Caesarean section, 527
- EWART, M. C. & OH, T. E. The Dandy-Walker syndrome. Relevance to anaesthesia and intensive care, 646
- FAIRFIELD, J. E. Laryngeal mask and magnetic resonance—a caution, 995 (c)
- FALB, W., RATTKE, P. & SIEGEL, E. Problem with the Vapor vaporizer: a reply, 597 (c)
- FALCONER, R. *See* DOGRA, S., 774 (f)
- FALCONER, R. *See* DOGRA, S., 997 (c)
- FARGNOLI, J. M. *See* DROUET, N. M. A., 685 (c)
- FARLING, P. A. *See* RAFFERTY, R., 590 (c)
- FARLING, P. A. *See* HOPE, A., 699 (c)

- FAWCETT, W. J. & ALLT-GRAHAM, J. Postoperative hypoxia, 886 (c)
- FEARNLEY, S.-J. *See* LEIGH, J., 640
- FELDMAN, S. A. *See* BOHEIMER, N. O., 72 (c)
- FELL, D. *See* MOORES, M. A., 156 (f)
- FELL, D. *See* COLEY, S., 477 (f)
- FENTON, P. M. Oxygen concentrators and water: a reply, 68 (c)
- FENTON, P. M. The Model Malawi: a reply, 415 (c)
- FENTON, T. C. *See* RESTALL, J., 965 (f)
- FIACCHINO, F., BRICCHI, M. & LASIO, G. Monitoring of curarisation in patients with tetraparesis, 128
- FILSHIE, J. *See* PATEMAN, J., 309
- FILSHIE, J. *See* WRIGHT, E., 421 (c)
- FILSHIE, J. *See* GOLDBERG, P. L., 487 (c)
- FILSHIE, J. *See* WAITE, K., 894 (c)
- FISCHER, H. B. *See* SMITH, B. E., 248 (c)
- FISHER, G. C. Frequency of stimulation and twitch height, 599 (c)
- FITZGIBBON, D. & GARDINER, J. Postdural puncture headache with 29-gauge spinal needles, 593 (c)
- FLACHS, H. *See* LAUB, M., 110
- FLEISCHER, F. *See* BÖHRER, H., 18
- FLEISCHER, F. *See* BÖHRER, H., 853
- FLETCHER, S. J. & O'SULLIVAN, G. Grand mal seizure after retrobulbar block, 696 (c)
- FOGARTY, D. Lingual thyroid and difficult tracheal intubation, 251 (c)
- FOLEY, M. A., WOOD, P. R., PEEL, W. J., JONES, G. M. & LAWLER, P. G. The effect of exhaled alcohol on the performance of the Datex Capnomac, 232
- FONNEST, G. *See* CALLESEN, T., 1099 (c)
- FORBES, D. W. *See* LAWRIE, S. C., 1074 (f)
- FORREST, E. T. S. & VANNER, R. G. 'Overdose' of vecuronium, 997 (c)
- FRANCIS, R. N. Failure of nitrous oxide supply to theatre pipeline system, 880 (c)
- FRANKEL, R., MIZRAHI, S. & SIMON, K. A modified airway to assist fiberoptic orotracheal intubation, 249 (c)
- FRANKEL, R., KARRAM, T. & SIMON, K. Monitoring during sedation, 786 (c)
- FRASER, C. G. *See* CROFTS, S. L., 1101 (c)
- FRASER, R. B. *See* MICHAEL, S., 225
- FREEMAN, R. & PERKS, D. Carboxyhaemoglobin, 57 (c)
- FREEMAN, R. & PERKS, D. Incidence and range of carboxyhaemoglobin in blood for transfusion, 581 (f)
- FREEMAN, R. & BAXENDALE, B. Laryngeal mask airway for Caesarean section, 1094 (c)
- FRY, E. N. S. Muscle spasticity, 67 (c)
- FRY, R. A. & HENDERSON, J. Local anaesthesia for eye surgery. The peri-ocular technique, 14
- FUJIMORI, M. *See* ROWBOTTOM, S. J., 43 (f)
- FUJIMORI, M. *See* YUKIOKA, H., 353
- FUNG, S. T. *See* HO, R. T., 327 (f)
- FURNESS, G. *See* SHORTEN, G., 169 (c)
- GABBOTT, D. A. & CARTER, J. A. Contralateral tension pneumothorax during thoracotomy for lung resection, 229
- GARDINER, J. *See* FITZGIBBON, D., 593 (c)
- GAUKROGER, P. B. *See* MOWBRAY, M. J., 941
- GAULT, D. T. *See* MURPHY, P. M., 600 (c)
- GAUNTLETT, I. S. *See* THORPE, C. M., 1012
- GEMMA, M. *See* SGHIRLANZONI, A., 340 (c)
- GERRISH, S. P. *See* BREEN, D. P., 1103 (c)
- GEURTS, J. W. M. *See* VAN NIEKERK, J., 722
- GHAMBEER, D. *See* BANERJEE, A., 494 (c)
- GHOSH, S., BETHUNE, D. W., HARDY, I., KNEESHAW, J., LATIMER, R. D. & ODURO, A. Management of donors for heart and heart-lung transplantation, 672 (f)
- GIELEN, M. *See* NUYTEN, F., 846
- GIESECKE, A. H. *See* DYSON, A., 71 (c)
- GIESECKE, A. H. *See* TAPPER, J. B., 378
- GIESECKE, A. H. *See* CROWLEY, D. S., 588 (c)
- GILKS, W. R. *See* HEATH, P. J., 911
- GILL, S. S., DONATI, F. & BEVAN, D. R. Clinical evaluation of double-burst stimulation. Its relationship to train-of-four stimulation, 543
- GIL-RODRIGUEZ, J., HARROP-GRIFFITHS, W. & MADDOCKS, A. Contamination of scavenging systems, 499 (c)
- GIL-RODRIGUEZ, J. Closed system use of isoflurane and enflurane, 500 (c)
- GILSTON, A. Heparin and heparin-saline: another hazard, 175 (c)
- GILSTON, A. Sir R.R. Macintosh, 334 (c)
- GILSTON, A. More on monitoring, 795 (c)
- GIN, T. & GREGORY, M. A. Propofol for Caesarean section, 165 (c)
- GIN, T. *See* EWART, M. C., 527
- GIN, T. *See* YAU, G., 1020
- GIRDHAR, K. K. *See* KUMAR, A., 949
- GIRDHAR, K. K. *See* CHAWLA, R., 992 (c)
- GIRON, G. P. *See* INNOCENTE, F., 675 (f)
- GIROTRA, S., KUMAR, S. & RAJENDRAN, K. M. Postoperative analgesia in children who have genito-urinary surgery. A comparison between caudal buprenorphine and bupivacaine, 406 (f)
- GLONAUD, D. *See* WINGTIN, L. NG., 436
- GLYNN, C. J. *See* STANNARD, C. F., 952
- GLYNN, C. J. *See* NAGLE, C. J., 1052
- GOAT, V. A. *See* STANNARD, C. F., 790 (c)
- GODDARD, J. M. *See* RAVALLIA, A., 168 (c)
- GOLDBERG, P. L., EVANS, P. F. & FILSHIE, J. Kinking of the laryngeal mask airway in two children, 487 (c)
- GOOD, M. L. Anaesthesia simulators and training devices: editorial, 525

- GOODMAN, N. W. *Chaos in anaesthesia: editorial*, 187
- GOODMAN, N. W. Propofol infusions: correlation is not regression; prediction is not achievement, 882 (c)
- GOODMAN, N. W. Anaesthetic research: new approaches need fresh attitudes, 985 (c)
- GOODMAN, N. W. See ROBERTS, C. J., 1009
- GOODRUM, D. T. See LAWES, E. G., 411 (c)
- GOTO, R. See MIKAWA, K., 289
- GOUCKE, C. R., KEAVENY, J. P., KAY, B., HEALY, T. E. J. & RYAN, M. The effect of diclofenac and nefopam on postoperative dental pain, 329 (f)
- GOULDING, H. See BROOME, I. J., 177 (c)
- GOZAL, Y. See ELDOR, J., 1098 (c)
- GOZAL, Y. See ELDOR, J., 1099 (c)
- GRAHAM, S. G. A test for the Manley ventilator, 491 (c)
- GRAHAM, S. G., THORP, T. A. S. & LIU, W. H. D. Drug usage by anaesthetists, 896 (c)
- GRANT, I. S. See MACKENZIE, S. J., 1043
- GRAY, B., HUGGINS, N. J. & HIRSCH, N. An unusual complication of tracheal intubation, 558
- GRAY, W. M. Occupational exposure to nitrous oxide in four hospitals—a comment: a reply, 490 (c)
- GREEN, C. See JOSHI, P., 169 (c)
- GREEN, N. D. Too long plastic obturator of 18-G Portex epidural needle: a reply, 1098 (c)
- GREENHALGH, D. L. & THOMAS, W. A. Blackout during cardiopulmonary bypass, 175 (c)
- GREER, G. See MATTHEWS, N. C., 964 (f)
- GREER, I. A. See POWER, I., 916
- GREGORY, M. A. See GIN, T., 165 (c)
- GREGORY, M. A. See YAU, G., 1020
- GREVILLE, A. C. & CLEMENTS, E. A. F. Anaesthesia for laparoscopic cholecystectomy using the Nd:Yag laser. The implications for a district general hospital, 944
- GRIFFIN, R. M. & HATCHER, I. S. Aspiration pneumonia and the laryngeal mask airway, 1039
- GRIFFITHS, D. M. See JORDAN, T., 413 (c)
- GROSSE, H., PICHLMAYR, R., HAUSEN, B., LÜBBE, N. & KIRCHNER, E. Anaesthetic problems in *ex situ* resection of the liver, 726
- GROUNDS, R. M. See HARRIS, C. E., 366
- GROVES, P. A. See YAU, E. H. S., 65 (c)
- GRUMMITT, R. M. Declaration of Helsinki, 496 (c)
- GUEDJ, P. See ELDOR, J., 1098 (c)
- GUEDJ, P. See ELDOR, J., 1099 (c)
- GUNAWARDENE, R. D. & DAVENPORT, H. T. Local application of EMLA and glyceryl trinitrate ointment before venepuncture, 52 (f)
- GUPTA, A. & PEDERZEN, B. A possible hazard, 342 (c)
- GUPTA, A., LENNMARKEN, C., VEGFORS, M. & TYDÉN, G. Anaesthesia for cardioversion. A comparison between propofol, thiopentone and midazolam, 872 (f)
- GUY, A. J. See RYAN, D. W., 1086 (c)
- HAHN, R. G. Prevention of TUR syndrome by detection of trace ethanol in the expired breath, 577 (f)
- HAINSWORTH, M. See MCCARTHY, G. J., 243 (f)
- HALE, G. J. Bain system for use with a circle absorption system, 73 (c)
- HALSALL, P. J. See ELLIS, F. R., 838
- HANDJIS, G. P. See KATSAROS, G. A., 381
- HANNA, M. See WOODHAM, M., 247 (c)
- HARDY, F. See WINGTIN, L. NG., 436
- HARDY, I. See GHOSH, S., 672 (f)
- HARDY, P. A. J. Declaration of Helsinki, 1088 (c)
- HARGREAVES, D. M. Hypercapnia and raised cerebrospinal fluid pressure, 1096 (c)
- HARPER, N. J. N. See JOHNSON, R. A., 439
- HARRIS, C. E., GROUNDS, R. M., MURRAY, A. M., LUMLEY, J., ROYSTON, D. & MORGAN, M. Propofol for long-term sedation in the intensive care unit. A comparison with papaveretum and midazolam, 366
- HARRIS, M. N. E. See SAUNDERS, P. R. I., 552
- HARRISON, C. A., ROGERS, D. W. & ROSEN, M. Blood contamination of anaesthetic and related staff, 831
- HARRISON, G. R. Epidural pressure, 336 (c)
- HARRISON, G. R. Inhaled opiates, 992 (c)
- HARROP-GRIFFITHS, A. W. See PATTISON, J., 958
- HARROP-GRIFFITHS, W. See GIL-RODRIGUEZ, J., 499 (c)
- HATCHER, I. S. See GRIFFIN, R. M., 1039
- HAUSEN, B. See GROSSE, H., 726
- HAWKINS, D. J. See WORSLEY, M. H., 1001 (c)
- HAYDEN-SMITH, J. See PARR, M. J. A., 594 (c)
- HAYES, M. See DANMAN, W. T., 465
- HAYES, M. See WILKINSON, D. J., 694 (c)
- HAYES, M. See WILKINSON, D. J., 1092 (c)
- HAYNES, S. R. & MORTON, N. S. Prolonged neuromuscular blockade with vecuronium in a neonate with renal failure, 743
- HAYNES, S. R. & MORTON, N. S. Use of the oesophageal detector device in children under one year of age, 1067
- HAYSE-GREGSON, P. B., ACHOLA, K. J. & SMITH, G. Changes in haemodynamics and plasma catecholamine concentrations after field block for inguinal herniorrhaphy using lignocaine with adrenaline, 7
- HEAD-RAPSON, A. G. See SNOWDON, S. L., 1084 (c)
- HEALY, T. E. J. See GOUCKE, C. R., 329 (f)
- HEARN, M. Breakage of disposable needles, 698 (c)
- HEATH, P. J., BROWNIE, G. S. & HERRICK, M. J. Latency of brachial plexus block. The effect on onset time of warming local anaesthetic solutions, 297
- HEATH, P. J. See MARKS, L. F., 344 (c)
- HEATH, P. J. See MARKS, L. F., 501 (c)
- HEATH, P. J., OGG, T. W. & GILKS, W. R. Recovery after day-case anaesthesia. A 24-hour comparison of recovery after thiopentone or propofol anaesthesia, 911
- HEINING, M. P. D. The interpretation of results by doctor technicians, 887 (c)

- HEMMING, A. E., CHARLTON, S. & KELLY, P. Hyperkalaemia, cardiac arrest, suxamethonium and intensive care, 990 (c)
- HEMPELMANN, G. *See* BOLDT, J., 928
- HENDERSON, J. *See* FRY, R. A., 14
- HENDLEY, B. J. Convulsions after cocaine and propofol, 788 (c)
- HENRY, P. Purity of cylinder nitrous oxide: a reply, 1084 (c)
- HENSHAW, J. S. Awareness and pain during surgery, 491 (c)
- HERLICH, A. *See* MINGUS, M. L., 834
- HEROLD, C. *See* BOLDT, J., 928
- HERRICK, M. J. *See* HEATH, P. J., 297
- HICKEY, S., CAMERON, A. E. & ASBURY, A. J. Cardiovascular response to insertion of Brain's laryngeal mask, 629
- HICKS, R. B. Postoperative hypoxia: a reply, 886 (c)
- HIGGINS, D. *See* DANMAN, W. T., 465
- HIGGINS, D. Confirmation of tracheal intubation in a neonate using the Fenem CO₂ detector, 591 (c)
- HIGGINS, D. *See* WILKINSON, D. J., 694 (c)
- HIGGINS, D. *See* WILKINSON, D. J., 1092 (c)
- HILL, S. L. Bain and circle systems, 172 (c)
- HILTON, C. J. *See* CONACHER, I. D., 971 (f)
- HIROTA, Y. *See* KUBOTA, Y., 842
- HIRSCH, N. *See* GRAY, B., 558
- HO, R. T., JAWAN, B., FUNG, S. T., CHEUNG, H. K. & LEE, J. H. Electro-acupuncture and postoperative emesis, 327 (f)
- HODGSON, C. A. Unmasking of a cerebral tumour?, 693 (c)
- HØGSKILDE, S. *See* CARL, P., 189
- HOLDCROFT, A. *See* CHAKRABARTI, M. K., 314
- HOLDCROFT, A., CHAKRABARTI, M. K. & WHITWAM, J. G. A low flow open circle system for anaesthesia. Part 2: Clinical evaluation, 318
- HOLDCROFT, A. *See* MILASKIEWICZ, R. M., 462
- HOLDGARD, H. O. *See* KNUDSEN, L., 1016
- HOLLAND, A. J. *See* LYEW, M. A., 732
- HOLM-KNUDSEN, R. *See* LAUB, M., 110
- HOPE, A. & FARLING, P. A. Conversion of pH to H⁺ concentration in nmol/litre, 699 (c)
- HOPKINS, K. J. & ALBANESE, R. Propofol and lignocaine in children, 502 (c)
- HOPKINS, K. J. & ALBANESE, R. Dilution of Diprivan, 996 (c)
- HOPKINS, K. J. *See* PATTERSON, J. S., 1002 (C)
- HORSEY, P. J. The management of hyponatraemia, 169 (c)
- HORTON, W. A. *See* CHARTERS, P., 996 (c)
- HOWARD, R., MAHONEY, A. & THURLOW, A. C. Respiratory obstruction after posterior fossa surgery, 222
- HOWE, J. P. *See* MCKEATING, K., 294
- HOWELL, R. S. C. *See* ELTON, R. J., 785 (c)
- HOWIE, C. C. M. *See* WINTER, A., 67 (c)
- HOWIE, C. C. M. *See* WORSLEY, M. H., 1001 (c)
- HOWIE, J. C. *See* AITKEN, H. A., 60 (c)
- HOWIE, J. C. *See* OATES, J. D. L., 984 (c)
- HUET, R. *See* PIERCE, J. M. T., 410 (c)
- HUGGINS, N. J., SMITH, M. & JEWKES, D. A. Tube placement after difficult intubation, 420 (c)
- HUGGINS, N. J. *See* STOKES, D. N., 495 (c)
- HUGGINS, N. J. *See* GRAY, B., 558
- HUGHES, D. G. *See* BLUMGART, C. H., 26
- HUGHES, J. A. Preventive medicine in association with anaesthesia, 497 (c)
- HUGHES, P. J. Propofol in acute porphyrias, 415 (c)
- HUGHES, R. L. The requirement for intensive care support for the pregnant population, 65 (c)
- HUNTER, S. *See* MCCRIRICK, A., 443
- HUNTER, S. & MCCRIRICK, A. Cold statistics: a reply, 1090 (c)
- HUNTER, S. Bimanual cricoid pressure, 1091 (c)
- HUTCHINSON, W. F. Persistent erection and general anaesthesia, 794 (c)
- HUTCHISON, G. L. Crystalloid preloading in spinal anaesthesia, 785 (c)
- HUTCHISON, G. L. & BARTHRAM, C. N. Unilateral spinal anaesthesia and prolonged femoral nerve block, 987 (c)
- HUTTER, C. D. D. The Woolley and Roe case. A reassessment, 859
- HUTTON, P. *See* STOKES, D. N., 1062
- IISALO, E. *See* ALI-MELKKILÄ, T., 634
- IKEGAKI, J. *See* MIKAWA, K., 289
- INBASEGARAN, K. & LIM, T. A. Atracurium infusions without neuromuscular monitoring, 599 (c)
- INBASEGARAN, K., LOGANATHAN, M., KHOO, A. P. H. & AUN, L. T. Opioid supplementation during propofol anaesthesia, 891 (c)
- INKSTER, J. S. Kinked breathing systems, 173 (c)
- INNOCENTE, F., ORI, C. & GIRON, G. P. Tracheal intubation under fluoroscopic control. X-ray guided orotracheal intubation in three cases of impossible direct laryngoscopy, 675 (f)
- IP YAM, P. C. & CARLI, F. Maintenance of body temperature in elderly patients who have joint replacement surgery. A comparison between the heat and moisture exchanger and heated humidifier, 563
- IRITA, K. Vecuronium and sepsis, 889 (c)
- IRONSIDE, J. W. *See* MONTGOMERY, J. N., 311
- ISAAC, P. A., BARRY, J. E., VAUGHAN, R. S., ROSEN, M. & NEWCOMBE, R. G. A jet nebuliser for delivery of topical anaesthesia to the respiratory tract. A comparison with cricoid puncture and direct spraying for fiberoptic bronchoscopy, 46 (f)
- JACKOWSKI, A. *See* CALDER, I., 137
- JACKSON, E. A., UDWADIA, Z. F., ROTHWELL, P. M. & LAWLER, P. G. APACHE II expected outcome calculations are subject to inter-observer variation, 888 (c)
- JACKSON, I. J. B. Recurrent anaphylactoid reaction during Caesarean section: a reply, 62 (c)
- JAGO, R. H. *See* BRAMPTON, W. J., 215
- JAGO, R. H. *See* BRAMPTON, W. J., 882 (c)

- JAKOBSEN, C.-J., BLOM, L., BRONDBJERG, M. & LENLER-PETERSEN, P. Effect of metoprolol and diazepam on pre-operative anxiety, 40 (f)
- JAKOBSEN, C.-J. & BLOM, L. Beta-adrenoceptor blocking agents and anxiolysis: a reply, 600 (c)
- JAMES, J. M. *See* SARNA, M. C., 1077 (f)
- JANCZAK, J. *See* BINNIE, N., 70 (c)
- JASANI, B. *See* YOSHIZUMI, J., 1046
- JAWAN, B. *See* HO, R. T., 327 (f)
- JAYASURIYA, J. P. Cost awareness among junior anaesthetists, 174 (c)
- JELICIC, M. *See* BONKE, B., 493 (c)
- JENSEN, S. *See* KNUDSEN, L., 1016
- JEWKES, D. A. *See* HUGGINS, N. J., 420 (c)
- JOHANSEN, U. T. *See* KNUDSEN, L., 1016
- JOHN, R. *See* CRISWELL, J., 167 (c)
- JOHN, R. *See* WILSON, M. E., 486 (c)
- JOHNSON, R. A., HARPER, N. J. N., CHADWICK, S. & VOHRA, A. Pain on injection of propofol. Methods of alleviation, 439
- JOHNSTON, D. F., WRIGLEY, S. R., ROBB, P. J. & JONES, H. E. The laryngeal mask airway in paediatric anaesthesia, 924
- JOHNSTON, G. M., RODGERS, R. C. & TUNSTALL, M. E. Epidural pressure: a reply, 336 (c)
- JOHNSTON, I. G. *See* RESTALL, J., 938
- JOHNSTON, I. G. *See* RESTALL, J., 965 (f)
- JONES, G. M. *See* FOLEY, M. A., 232
- JONES, G. W. *See* COLEY, S., 477 (f)
- JONES, H. E. *See* JOHNSTON, D. F., 924
- JONES, H. M. *See* PHILLIPS, G. H., 870 (f)
- JONES, J. G., SAPSFORD, D. J. & WHEATLEY, R. G. Postoperative hypoxaemia: mechanisms and time course, 566
- JONES, P. A. *See* SHANKAR, K. B., 257 (c)
- JORDAN, T. & GRIFFITHS, D. M. Taking the sting out of postoperative analgesia in children, 413 (c)
- JØRGENSEN, S. Occupational exposure to nitrous oxide in four hospitals—a comment, 490 (c)
- JOSEET, M. *See* WHITE, A., 75 (c)
- JOSHI, P., GREEN, C. & STEDMAN, J. Another cause for bradycardia during neurosurgery, 169 (c)
- JOUBERT, J. J. DE V. *See* ROELOFSE, J. A., 890 (c)
- JUDKINS, K. C. *See* RUSSELL, R., 894 (c)
- KAETSU, H. *See* MIKAWA, K., 289
- KAILA, T. *See* ALI-MELKKILÄ, T., 634
- KALIA, P. *See* MADAN, R., 49 (f)
- KALIA, P. K. *See* MADAN, R., 592 (c)
- KALLI, I. *See* RANDELL, T., 875 (f)
- KAMAL, R. S., KHAN, F. A. & KHAN, F. H. Total intravenous anaesthesia with propofol and buprenorphine, 865 (f)
- KANTO, J. *See* ALI-MELKKILÄ, T., 634
- KAO, Y. J. & RACZ, G. B. Loss of consciousness after emergence from anaesthesia. A case of suspected micturition syncope, 738
- KAPADA, F. *See* MACKENZIE, S. J., 1043
- KARLEN, B. *See* CARL, P., 189
- KARRAM, T. *See* FRANKELL, R., 786 (c)
- KASHTAN, H. *See* ANANTHANARAYAN, C., 342 (c)
- KATSAROS, G. A., HANDJIS, G. P. & ANASTASIADIS, J. Forty-eight single-shot epidural injections on the same patient, 381
- KAUFMAN, M. A. & ERB, T. Propofol for patients with Huntington's chorea?, 889 (c)
- KAY, B. *See* GOUCKE, C. R., 329 (f)
- KEAVENY, J. P. *See* GOUCKE, C. R., 329 (f)
- KELLY, A. & O'CONNOR, M. Mitochondrial myopathy and anaesthesia, 596 (c)
- KELLY, P. *See* HEMMING, A. E., 990 (c)
- KEMPTHORNE, P. *See* LEE, A., 1028
- KENDRICK, R. *See* CAMPBELL, W. I., 763 (f)
- KENNY, G. N. C. *See* WHITE, M., 204
- KENNY, G. N. C. *See* MOFFAT, A. C., 302
- KENNY, G. N. C. *See* AITKEN, H. A., 535
- KENNY, G. N. C. & WHITE, M. A portable computerised infusion system for propofol, 692 (c)
- KEOGH, J. *See* CUDMORE, J., 754
- KEOGH, J. *See* OWENS, J. J., 999 (c)
- KERR-MUIR, M. *See* O'SULLIVAN, G., 885 (c)
- KHAN, F. A. *See* KAMAL, R. S., 865 (f)
- KHAN, F. H. *See* KAMAL, R. S., 865 (f)
- KHAN, F. M. Goldenhar's syndrome, 592 (c)
- KHAN, F. M. Goldenhar's syndrome, 1102 (c)
- KHO, H. G., VAN EGMOND, J., ZHUANG, C. F., LIN, G. F. & ZHANG, G. L. Acupuncture anaesthesia. Observation on its use for the removal of thyroid adenoma and influence on recovery and morbidity in a Chinese hospital, 480 (f)
- KHO, A. P. H. *See* INBASEGARAN, K., 891 (c)
- KHO, S. T. Anaesthesia for fiberoptic bronchoscopy in children, 248 (c)
- KHWAJA, H. T. *See* SEVERN, A. M., 597 (c)
- KILPATRICK, A. W. A. & THORBURN, J. Severe hypotension due to intramyometrial injection of prostaglandin E₂, 848
- KILPATRICK, A. W. A. *See* STONE, P. A., 920
- KING, M. J., BOWDEN, M. I. & COOPER, G. M. Epidural fentanyl and 0.5% bupivacaine for elective Caesarean section, 285
- KIRAN, U. *See* BANERJEE, A., 494 (c)
- KIRCHNER, E. *See* GROSSE, H., 726
- KISHIKAWA, K., NAMIKI, A., MIYASHITA, K. & SAITOH, K. Effects of famotidine and cimetidine on plasma levels of epidurally administered lignocaine, 719
- KLING, D. *See* BOLDT, J., 928
- KLUGER, M. T. *See* OWEN, H., 619
- KLUGER, M. T. & OWEN, H. Antireflux valves in patient-controlled analgesia, 1057
- KLUGER, M. T. & OWEN, H. Patients' expectations of patient-controlled analgesia, 1072 (f)

- KNEESHAW, J. See GHOSH, S., 672 (f)
- KNILL, R. L. Clinical research in anaesthesia. Past accomplishments and a future horizon: editorial, 271
- KNILL, R. L. Anaesthetic research: new approaches need fresh attitudes: a reply, 985 (c)
- KNUDSEN, L., COLD, G. E., HOLDGARD, H. O., JOHANSEN, U. T. & JENSEN, S. The effects of midazolam on cerebral blood flow and oxygen consumption. Interaction with nitrous oxide in patients undergoing craniotomy for supratentorial cerebral tumours, 1016
- KOCAN, M. See DE MELLO, W. F., 689 (c)
- KOTUR, C. F. See EWART, M. C., 527
- KRAMER, P. P. G. See VAN NIEKERK, J., 722
- KRENZ, I. & POWER, K. J. Postpartum thrombosis of the great vein of Galen, 643
- KUBOTA, H. See KUBOTA, Y., 592 (c)
- KUBOTA, H. See KUBOTA, Y., 842
- KUBOTA, Y., OKAMOTO, T. & UEDA, Y. Continuous brachial plexus blockade, 497 (c)
- KUBOTA, Y., TOYODA, Y. & KUBOTA, H. Bronchial suction, 592 (c)
- KUBOTA, Y., TOYODA, Y., KUBOTA, H., ASADA, A., UEDA, Y. & HIROTA, Y. Treatment of atelectasis of upper lung lobes. Selective bronchial suctioning with J-shaped catheter tip and guide mark, 842
- KUMAR, A., CHAWLA, R., AHUJA, S., GIRDHAR, K. K. & BHATTACHARYA, A. Nitrobenzene poisoning and spurious pulse oximetry, 949
- KUMAR, A. Y. See SHANKAR, K. B., 257 (c)
- KUMAR, C. M. Laryngeal mask airway for inadequate reversal, 792 (c)
- KUMAR, S. See GIROTRA, S., 406 (f)
- KUMARVEL, V. See CHAWLA, R., 992 (c)
- LACHMANN, B. See BOOMSMA, F., 273
- LAHAYE, F. See CESARINI, M., 656
- LAI, F. O. See BOEY, W. K., 623
- LAMONT, M. C. See ANDREWS, P. J. D., 445
- LANG, J. See BÖHRER, H., 853
- LANGTON, J. A. & MEIKLEJOHN, B. H. Pressure generated during insertion of lumbar epidurals. A comparison with the Portex epidural injection simulator, 1055
- LASIO, G. See FIACCHINO, F., 128
- LASSEY, D. See COLEY, S., 477 (f)
- LATIMER, R. D. See WHITE, D. A., 386
- LATIMER, R. D. See GHOSH, S., 672 (f)
- LATIMER, R. D. See WHITE, D. A., 989 (c)
- LATTO, I. P. See DOGRA, S., 774 (f)
- LATTO, I. P. See DOGRA, S., 997 (c)
- LAUB, M., SJÖGREN, P., HOLM-KNUDSEN, R., FLACHS, H. & CHRISTIANSEN, E. Lytic cocktail in children. Rectal versus intramuscular administration, 110
- LAURIE, P. S. See CHILVERS, C. R., 995 (c)
- LAUWERS, T. See VERCAUTEREN, M., 531
- LAVERY, K. M. See VATER, M., 693 (c)
- LAVIE, A. See ELDOR, J., 1099 (c)
- LAWES, E. G. & GOODRUM, D. T. Epidural or general anaesthesia for Caesarean section?, 411 (c)
- LAWLER, P. G. See FOLEY, M. A., 232
- LAWLER, P. G. See TARPEY, J., 396 (f)
- LAWLER, P. G. See VERMA, P. K., 412 (c)
- LAWLER, P. G. See JACKSON, E. A., 888 (c)
- LAWLER, P. G. & TARPEY, J. Volatile agent use: a reply, 339 (c)
- LAWRIE, S. C., FORBES, D. W., AKHTAR, T. M. & MORTON, N. S. Patient-controlled analgesia in children, 1074 (f)
- LAXENAIRE, M. C. See MONERET-VAUTRIN, D. A., 246 (c)
- LEACH, A. Airway obstruction after tracheostomy, 417 (c)
- LEADBEATER, M. J. & NOTT, M. R. Half a guard is better . . . , 343 (c)
- LEE, A., BOON, D., BAGSHAW, P. & KEMPTHORNE, P. A randomised double-blind study of interpleural analgesia after cholecystectomy, 1028
- LEE, E. & COLLINS, G. Respiratory arrest after caudal bupivacaine, 63 (c)
- LEE, E. & BEN-DAVID, B. Combined supraclavicular and elbow blocks, 337 (c)
- LEE, J. H. See HO, R. T., 327 (f)
- LEE, J. J. & PARRY, H. Epidural analgesia and hypotension, 170 (c)
- LEE, J. J. Single breath induction of anaesthesia, 491 (c)
- LEIGH, J., FEARNLEY, S.-J. & LUPPRIAN, K. G. Intrathecal diamorphine during laparotomy in a patient with advanced multiple sclerosis, 640
- LEIGH, J. Intrathecal diamorphine and multiple sclerosis: a reply, 1084 (c)
- LEIGH, J. M. Controlled ventilation of the lungs in the elderly: a reply, 497 (c)
- LEIGH, J. M. & TYTLER, J. A. Admissions to the intensive care unit after complications of anaesthetic techniques over 10 years. 2. The second 5 years, 814
- LEMAN, J. See SARMA, V. J., 791 (c)
- LENLER-PETERSEN, P. See JAKOBSEN, C.-J., 40 (f)
- LENNMARKEN, C. See GUPTA, A., 872 (f)
- LENZ, R. J. See BELLAMY, M. C., 135
- LESSER, P., BEMBRIDGE, M., LYONS, G. & MACDONALD, R. An evaluation of a 30-gauge needle for spinal anaesthesia for Caesarean section, 767 (f)
- LETHBRIDGE, J. R. See TOWEY, R. M., 420 (c)
- LETSKY, E. See MILASKIEWICZ, R. M., 462
- LEVY, D. M. Recurrent bradycardia due to latent sick sinus syndrome, 488 (c)
- LEWIS, R. See STOKES, D. N., 1062
- LIM, M. See O'SULLIVAN, G., 885 (c)
- LIM, T. A. See INBASEGARAN, K., 599 (c)
- LIM, W. & WAREHAM, C. The laryngeal mask in failed intubation, 689 (c)
- LIN, G. F. See KHO, H. G., 480 (f)
- LINDGREN, L. See RANDELL, T., 875 (f)
- LINDGREN, L. See REISSELL, E., 1024

- LINDHOLM, M. *See* CARL, P., 189
- LINDSAY, K. *See* MCCARTHY, G. J., 243 (f)
- LINTIN, D. J. Awareness during Caesarean section, 784 (c)
- LIU, W. H. D. *See* GRAHAM, S. G., 896 (c)
- LIU, W. H. D. Ginger root, a new antiemetic, 1085 (c)
- LOGANATHAN, M. *See* INBASEGARAN, K., 891 (c)
- LOWE, S. S. *See* PENFOLD, N. W., 73 (c)
- LÜBBE, N. *See* GROSSE, H., 726
- LUMB, A. B. & CALDER, I. 'Cured' myasthenia: a reply, 252 (c)
- LUMLEY, J. *See* HARRIS, C. E., 366
- LUNN, J. N. Change of clinical practice: editorial, 1
- LUNN, J. N. Anaesthesia and the law: a reply, 781 (c)
- LUNN, J. N. Safety in numbers: editorial, 1007
- LUNTLEY, J. B. & VAN HASSELT, G. Topical lignocaine; ? toxic lignocaine, 61 (c)
- LUPPRIAN, K. G. *See* LEIGH, J., 640
- LUSCOMBE, F. E. *See* POWELL, J. F., 1049
- LUTTROPP, H. H. *See* BERTNMAN, L., 855
- LYEW, M. A., HOLLAND, A. J. & METCALF, I. R. Combined air and oxygen entrainment. Effect on the percentage output of fixed performance masks, 732
- LYNCH, J. Prolonged motor weakness after femoral nerve block with bupivacaine 0.5%, 421 (c)
- LYNCH, M. Correct placement of tracheal tubes, 1092 (c)
- LYONS, G. *See* MAZ, S., 677 (f)
- LYONS, G. *See* LESSER, P., 767 (f)
- LYONS, S. M. *See* MCMURRAY, T. J., 322 (f)
- MACDONALD, R. *See* LESSER, P., 767 (f)
- MACFIE, A. G. Equipment deadspace and drug administration, 145
- MACKENZIE, J. W. Recovery from two different intravenous induction techniques in identical twins, 69 (c)
- MACKENZIE, J. W. Rapid inhalational induction using isoflurane in children, 256 (c)
- MACKENZIE, J. W. & BIRD, J. Beta-adrenocaptor blocking agents and anxiolysis, 600 (c)
- MACKENZIE, S. J., KAPADA, F. & GRANT, I. S. Propofol infusion for control of status epilepticus, 1043
- MACLEOD, A. D. *See* WORSLEY, M. H., 449
- MACLEOD, D. M. *See* CYNA, A. M., 167 (c)
- MACLEOD, K. G. A. *See* ROBINSON, P. N., 498 (c)
- MACNEIL, A. A paediatric orotracheal tube with laryngeal hooks, 176 (c)
- MADAN, R., TRIKHA, A., VENKATARAMAN, R. K., BATRA, R. & KALIA, P. Goldenhar's syndrome: an analysis of anaesthetic management. A retrospective study of seventeen cases, 49 (f)
- MADAN, R., TRIKHA, A., VENKATARAMAN, R. K., BATRA, R. K. & KALIA, P. K. Goldenhar's syndrome: a reply, 592 (c)
- MADDOCKS, A. *See* GIL-RODRIGUEZ, J., 499 (c)
- MADSEN, G. M. *See* ANDERSEN, C., 472
- MAEDA, A. *See* OSHIMA, S., 638
- MAEKAWA, N. *See* MIKAWA, K., 289
- MAHONEY, A. *See* HOWARD, R., 222
- MAN IN 'T VELD, A. J. *See* BOOMSMA, F., 273
- MANNERS, J. M. & SPARGO, P. M. Desmopressin and open heart surgery, 413 (c)
- MANNERS, J. W. Low cardiac output and enoximone, 989 (c)
- MANTHA, S. & RAO, S. M. Noncardiogenic pulmonary oedema after attempted suicide by hanging, 993 (c)
- MARKS, L. F. Protection of the laryngeal mask airway, 259 (c)
- MARKS, L. F. & HEATH, P. J. Pulse oximetry—another problem, 344 (c)
- MARKS, L. F. & HEATH, P. J. An unusual pulse oximeter artifact, 501 (c)
- MARKS, L. F. Topical lignocaine; ? toxic lignocaine, 502 (c)
- MARSH, R. H. K. & SALIB, Y. Pulmonary artery catheter occlusion, 895 (c)
- MARTIN, A. J. pH-adjustment and discomfort caused by the intradermal injection of lignocaine, 975 (f)
- MARTIN, C. S. & MILLER, C. D. Recurrent bronchospasm during anaesthesia, 373
- MARTIN, D. W. Kinking of the laryngeal mask airway in two children: a reply, 487 (c)
- MARTIN, D. W. Will we ever learn?: a reply, 982 (c)
- MARTIN, L. V. H. *See* NOBLE, D. W., 339 (c)
- MASON, D. G. & BINGHAM, R. M. The laryngeal mask airway in children, 760 (f)
- MASSEY, N. J. *See* STACK, C. G., 683 (c)
- MASSON, A. H. B. A Patent application, 334 (c)
- MATHER, L. E. *See* OWEN, H., 452
- MATHER, S. J. Unusual neurological sequelae, 1096 (c)
- MATSUKI, A. *See* OSHIMA, S., 638
- MATTHEWS, N. C. & GREER, G. Embolism during Caesarean section, 964 (f)
- MAUNUKSALA, E.-L. *See* REISSELL, E., 1024
- MAY, A. E. *See* COLEY, S., 477 (f)
- MAZ, S. & LYONS, G. Needlestick injuries in anaesthetists, 677 (f)
- MAZROOA, A. A. & SISSI, W. A. Aspiration of hot tea, 884 (c)
- MCARDLE, C. S. *See* AITKEN, H. A., 535
- MCARDLE, L. *See* MCKEATING, K., 294
- MCCARTHY, G. J., HAINSWORTH, M., LINDSAY, K., WRIGHT, J. M. & BROWN, T. A. Pressor responses to tracheal intubation after sublingual captopril. A pilot study, 243 (f)
- MCCARTHY, G. J., MCLOUGHLIN, C. & MIRAKHUR, R. K. Neuromuscular blockade in von Recklinghausen's disease, 340 (c)
- MCCLEANE, G. Anxiety before operation and serum potassium: a reply, 1101 (c)
- MCCLEANE, G. J. & COOPER, R. The nature of pre-operative anxiety, 153 (f)
- MCCLEANE, G. J. & WATTERS, C. H. Pre-operative anxiety and serum potassium, 583 (f)
- MCCLEUNE, S., REGAN, M. & MOORE, J. Laryngeal mask airway for Caesarean section, 227
- MCCLEUNE, S. & MOORE, J. A. The laryngeal mask in failed intubation: a reply, 689 (c)

- MCCLUNE, S. & MOORE, J. A. Failed obstetric intubation: a reply, 995 (c)
 MCCLUNE, S. & MOORE, J. A. Laryngeal mask airway for Caesarean section: a reply, 1094 (c)
 MCCOY, E. P. Breakage of a vessel dilator, 699 (c)
 MCCRIRICK, A. & HUNTER, S. Pain on injection of propofol: the effect of injectate temperature, 443
 MCCRIRICK, A. *See* HUNTER, S., 1090 (c)
 MCCRORY, J. *See* ALLISON, A., 419 (c)
 MCEWAN, A. I. & CASHMAN, J. N. Unexpected airway obstruction, 998 (c)
 MCFADZEAN, W. A. *See* ROBINSON, D. N., 884 (c)
 MCFARLANE, H. *See* CUNA, A. M., 140
 MCGALLIARD, J. N. *See* BRICKER, S. R. W., 36
 MCGUIRE, N. & EASY, W. R. Malignant hyperthermia during isoflurane anaesthesia, 124
 MCHALE, S. & CLARK, M. M. Meningitis after spinal anaesthesia, 987 (c)
 MCKEATING, K., HOWE, J. P. & MCARDLE, L. The effects of propofol and thiopentone on forearm circulation, 294
 MCKENZIE, S. *See* CRISWELL, J., 113
 MCLEOD, A. D. *See* OATES, J. D. L., 984 (c)
 MCLOUGHLIN, C. *See* MCCARTHY, G. J., 340 (c)
 MCMURRAY, T. J., COLLIER, P. S., CARSON, I. W., LYONS, S. M. & ELLIOTT, P. Propofol sedation after open heart surgery. A clinical and pharmacokinetic study, 322 (f)
 MCNEIL, J. *See* BONE, M. E., 669 (f)
 MCNEILL, W. E. *See* ALEXANDER, J. P., 746
 MCQUAY, H. J. & DICKENSON, A. H. Implications of nervous system plasticity for pain management: editorial, 101
 MCQUAY, H. J. *See* NAGLE, C. J., 1052
 MCQUILLAN, P. *See* BRIGHOUSE, D., 68 (c)
 MCVEY, F. K. *See* VALENTINE, S., 306
 MCVEY, F. K., VALENTINE, S. & COE, A. Anaesthetic morbidity from trauma to the uvula: a reply, 886 (c)
 MCWILLIAM, J. Costs of propofol in day surgery (correction), 76 (c)
 MEERT, T. *See* VERCAUTEREN, M., 531
 MEHTA, S. A supraglottic oropharyngeal airway, 893 (c)
 MEHTA, Y., BHAVANI, S. S. & SHARMA, K. K. A difficult cannulation of the right internal jugular vein, 1087 (c)
 MEIKLEJOHN, B. H. *See* LANGTON, J. A., 1055
 MENDHAM, J. E. & BAMBRIDGE, A. D. The Graseby adult apnoea alarm, 63 (c)
 MENE, J. M. *See* CESARINI, M., 656
 METCALF, I. R. *See* LYEW, M. A., 732
 METTAM, I. Exacerbation of a respiratory tract infection, 1086 (c)
 MEYER-WITTING, M. *See* PATRICK, J. A., 390
 MIAN, T. *See* PHILLIPS, G. H., 870 (f)
 MICHAEL, S., FRASER, R. B. & REILLY, C. S. Intra-operative pulmonary embolism. Detection by pulse oximetry, 225
 MIGÁLY, P. 'Intra-operative hearing' under general anaesthesia, 58 (c)
 MIKAWA, K., IKEGAKI, J., MAEKAWA, N., GOTO, R., KAETSU, H. & OBARA, H. The effect of diltiazem on the cardiovascular response to tracheal intubation, 289
 MIKHAIL, M. *See* BOWLES, H. F., 787 (c)
 MILASKIEWICZ, R. M., HOLDCROFT, A. & LETSKY, E. Epidural anaesthesia and Von Willebrand's disease, 462
 MILLAR, J. M. The cost of propofol, 254 (c)
 MILLER, C. D. *See* MARTIN, C. S., 373
 MILLER, M. *See* SLEIGH, J. W., 1089 (c)
 MINGUS, M. L., HERLICH, A. & EISENKRAFT, J. B. Attenuation of suxamethonium myalgias. Effect of midazolam and vecuronium, 834
 MIRAKHUR, R. K. *See* MCCARTHY, G. J., 340 (c)
 MIRAKHUR, R. K. Drug usage by anaesthetists, 500 (c)
 MITTERSCHIFFTHALER, G. *See* BENZER, A., 991 (c)
 MIYASHITA, K. *See* KISHIKAWA, K., 719
 MIZRAHI, S. *See* FRANKEL, R., 249 (c)
 MOFFAT, A. C., KENNY, G. N. C. & PRENTICE, J. W. Postoperative nefopam and diclofenac. Evaluation of their morphine-sparing effect after upper abdominal surgery, 302
 MOFFETT, S. P. *See* SHAW, I. H., 422 (c)
 MONERET-VAUTRIN, D. A. & LAXENAIRE, M. C. Anaphylaxis to muscle relaxants: predictive tests, 246 (c)
 MONRO, H. M. An unusual complication of a central venous line, 344 (c)
 MONRO, T. N. Visible expiratory valves, 419 (c)
 MONTGOMERY, J. N. & IRONSIDE, J. W. Neuroleptic malignant syndrome in the intensive therapy unit, 311
 MOORE, J. *See* MCCLUNE, S., 227
 MOORE, J. A. & BILL, K. M. Propofol for Caesarean section: a reply, 165 (c)
 MOORE, J. A. *See* MCCLUNE, S., 689 (c)
 MOORE, J. A. *See* MCCLUNE, S., 995 (c)
 MOORE, J. A. *See* MCCLUNE, S., 1094 (c)
 MOORES, M. A., WANDLESS, J. G. & FELL, D. Paediatric postoperative analgesia. A comparison of rectal diclofenac with caudal bupivacaine after inguinal herniotomy, 156 (f)
 MORALLEE, K. G. Misassembly of Laerdal masks: a reply, 70 (c)
 MORGAN, B. Unexpectedly extensive conduction blocks in obstetric epidural analgesia, 148
 MORGAN, G. E. *See* BOWLES, H. F., 787 (c)
 MORGAN, M. *See* HARRIS, C. E., 366
 MORGAN, M. *See* POWELL, H., 538
 MORGAN, M. *See* BROWNE, D. A., 960
 MORGAN, R. J. M. *See* NOTCUTT, W. G., 401 (f)
 MORGAN-HUGHES, J. O. & BANGHAM, J. A. Pre-induction behaviour of children. A review of placebo-controlled trials of sedatives, 427
 MORGAN-HUGHES, J. O. *See* PAGE, B., 821
 MORTON, N. S. Abolition of injection pain due to propofol in children, 70 (c)
 MORTON, N. S. *See* HAYNES, S. R., 743
 MORTON, N. S. *See* HAYNES, S. R., 1067
 MORTON, N. S. *See* LAWRIE, S. C., 1074 (f)

- MOSELEY, H. S. L. *See* SHANKAR, K. B., 257 (c)
 MOSELEY, M. J. Method-comparison studies: the Keeler Pulsair tonometer, 595 (c)
 MOSTAFA, S. M. *See* BRICKER, S. R. W., 36
 MOSTAFA, S. M., BRICKER, S. R. W. & PERCY, D. S. Method-comparison studies: the Keeler Pulsair tonometer: a reply, 595 (c)
 MOWBRAY, M. J. & GAUKROGER, P. B. Long-term patient-controlled analgesia in children, 941
 MÜLLER, L. *See* BENZER, A., 991 (c)
 MULROONEY, P. Monitoring during aeromedical transfer, 256 (c)
 MUNRO, H. *See* CROSSE, M. M., 1094 (c)
 MUNRO, H. M. Pain in the neck, 173 (c)
 MUNRO, H. M. An accident with the Lack system, 601 (c)
 MURPHY, P. M. & GAULT, D. T. Treatment of extravasation injury, 600 (c)
 MURRAY, A. M. *See* HARRIS, C. E., 366
 NAGLE, C. J., MCQUAY, H. J. & GLYNN, C. J. 32-gauge spinal catheters through 26-gauge needles, 1052
 NAMIKI, A. *See* KISHIKAWA, K., 719
 NATARAJAN, D. & SANTHIYA, S. T. Cytogenetic damage in operation theatre personnel, 574 (f)
 NATARAJAN, V. *See* BELLAMY, M. C., 135
 NELSON, D. *See* THANGATHURAI, D., 64 (c)
 NEWCOMBE, G. N. & RUSSELL, W. J. Oropharyngeal volumes: a reply, 685 (c)
 NEWCOMBE, R. G. *See* ISAAC, P. A., 46 (f)
 NEWTON, M. *See* CALDER, I., 1092 (c)
 NICHOLS, P. K. T. Ohmeda Excel 410/OAV 7750, 698 (c)
 NIELSEN, J. W. *See* CARL, P., 189
 NOBLE, D. W. & MARTIN, L. V. H. Volatile agent use, 339 (c)
 NOBLE, H. A. *See* THOMAS, T. A., 489 (c)
 NOBLE, H. A. & THOMAS, T. A. Spinal anaesthesia in obstetrics: headache and special needles: a reply, 1100 (c)
 NORTON, A. C. & DUNDAS, C. R. Induction agents for day-case anaesthesia. A double-blind comparison of propofol and midazolam antagonised by flumazenil, 198
 NOTCUTT, W. A disposable device for patient-controlled analgesia with fentanyl, 422 (c)
 NOTCUTT, W. G. Effective peri-operative pain management in cancer patients, 253 (c)
 NOTCUTT, W. G. & MORGAN, R. J. M. Introducing patient-controlled analgesia for postoperative pain control into a district general hospital, 401 (f)
 NOTT, M. R. *See* LEADBEATER, M. J., 343 (c)
 NOTT, M. R. Bain, Lack, Mera F and circle systems, 501 (c)
 NOTT, M. R. & PEACOCK, J. L. Relief of injection pain in adults. EMLA cream for 5 minutes before venepuncture, 772 (f)
 NUYTEN, F. & GIELEN, M. Spinal catheter anaesthesia for Caesarean section in a patient with spina bifida, 846
 NYROP, M. *See* PEDERSEN, J., 415 (c)
 OATES, J. D. L., OATES, P. D., PEARSALL, F. J., MCLEOD, A. D. & HOWIE, J. C. Phonation affects Mallampati class, 984 (c)
 OATES, P. D. *See* OATES, J. D. L., 984 (c)
 OBARA, H. *See* MIKAWA, K., 289
 O'CONNOR, M. Anaesthetists as physicians, 175 (c)
 O'CONNOR, M. *See* KELLY, A., 596 (c)
 O'DONNELL, D. *See* RODRIGO, M. R. C., 30
 HARPER, N. J. N. *See* THOMAS, A. N., 383
 ODURO, A. *See* WHITE, D. A., 386
 ODURO, A. *See* GHOSH, S., 672 (f)
 ODURO, A. *See* WHITE, D. A., 989 (c)
 OESEBURG, B. Pulse oximetry in methaemoglobinaemia, 56 (c)
 OFEK, B. *See* ELDOR, J., 70 (c)
 O'FLAHERTY, D. & ADAMS, A. P. The end-tidal carbon dioxide detector. Assessment of a new method to distinguish oesophageal from tracheal intubation, 653
 OGG, T. W. *See* HEATH, P. J., 911
 OH, T. E. *See* BOGOD, D. G., 279
 OH, T. E. *See* EWART, M. C., 527
 OH, T. E. *See* EWART, M. C., 646
 OH, T. E. *See* YAU, G., 1020
 OKAMOTO, T. *See* KUBOTA, Y., 497 (c)
 ORDMAN, A. *See* OYSTON, J., 258 (c)
 ORDMAN, A. J. *See* CALDER, I., 137
 ORI, C. *See* INNOCENTE, F., 675 (f)
 ORKO, R. *See* REISSELL, E., 1024
 ORTON, J. K. *See* BOGOD, D. G., 279
 OSHIMA, S., MAEDA, A. & MATSUKI, A. Intra-operative pulmonary embolism after intravesical instillation of formalin, 638
 O'SULLIVAN, G. *See* FLETCHER, S. J., 696 (c)
 O'SULLIVAN, G., KERR-MUIR, M., LIM, M., DAVIES, W. & CAMPBELL, N. Day-case ophthalmic surgery: general or local anaesthesia?, 885 (c)
 OVADIA, L. *See* BRIMACOMBE, J. R., 414 (c)
 OWEN, H., BROSE, W. G., PLUMMER, J. L. & MATHER, L. E. Variables of patient-controlled analgesia. 3: test of an infusion-demand system using alfentanil, 452
 OWEN, H., KLUGER, M. T. & PLUMMER, J. L. Variables of patient-controlled analgesia 4: the relevance of bolus dose size to supplement a background infusion, 619
 OWEN, H. *See* KLUGER, M. T., 1057
 OWEN, H. *See* KLUGER, M. T., 1072 (f)
 OWENS, J. J. & KEOGH, J. Malfunction of Servo ventilator in manual mode, 999 (c)
 OYSTON, J. & ORDMAN, A. Erroneous explanation for an erroneous pulse oximeter reading, 258 (c)
 PAGE, B. & MORGAN-HUGHES, J. O. Behaviour of small children before induction. The effect of parental presence and EMLA and premedication with triclofos or a placebo, 821

- PAREYSON, D. *See* SGHIRLANZONI, A., 340 (c)
 PARR, M. J. A. & HAYDEN-SMITH, J. Propofol, porphyria and epilepsy, 594 (c)
 PARRY, H. *See* LEE, J. J., 170 (c)
 PATEL, D. *See* ROBINSON, P. N., 498 (c)
 PATEMAN, J., WILLIAMS, M. P. & FILSHIE, J. Retroperitoneal fibrosis after multiple coeliac plexus blocks, 309
 PATRICK, J. A., MEYER-WITTING, M., REYNOLDS, F. & SPENCER, G. T. Peri-operative care in restrictive respiratory disease, 390
 PATTERSON, C. *See* CAMPBELL, W. I., 763 (f)
 PATTERSON, J. S., HOPKINS, K. J. & ALBANESE, R. Preparation and use of propofol, 1002 (C)
 PATTISON, J., HARROP-GRIFFITHS, A. W., WHITLOCK, J. E. & ROBERTS, J. C. Caesarean section in a patient with haemoglobin SC disease and a phaeochromocytoma, 958
 PAUL, D. L. Central venous cannulation: two complications, 998 (c)
 PAUL, D. L. & TODD, J. G. A faulty monitor, 1093 (c)
 PEACOCK, J. E. *See* STOKES, D. N., 1062
 PEACOCK, J. L. *See* NOTT, M. R., 772 (f)
 PEARSALL, F. J. *See* OATES, J. D. L., 984 (c)
 PEDERSEN, J. & NYROP, M. The Model Malawi, 415 (c)
 PEDERSEN, M. H. *See* ROSENBERG, J., 1070
 PEDERZEN, B. *See* GUPTA, A., 342 (c)
 PEEL, W. J. *See* FOLEY, M. A., 232
 PENFOLD, N. W. & LOWE, S. S. A CPAP silencer, 73 (c)
 PERCY, D. S. *See* MOSTAFA, S. M., 595 (c)
 PERKS, D. *See* FREEMAN, R., 57 (c)
 PERKS, D. *See* FREEMAN, R., 581 (f)
 PETRIKOVSKY, B. M., DIANA, L. & BAKER, D. A. Race and Apgar scores, 988 (c)
 PETTS, H. V. *See* ROBERTS, S. P., 376
 PHIL, S. *See* WINGTIN, L. NG., 436
 PHILLIPS, G. H., MIAN, T., BECKER, U., STONE, P. A. & JONES, H. M. Oral premedication in children. A comparison of trimeprazine with a trimeprazine, droperidol and methadone mixture, 870 (f)
 PHILLIPS, J. J. & SANSOME, A. J. Acute infective airway obstruction associated with subglottic stenosis, 34
 PICHLMAYR, R. *See* GROSSE, H., 726
 PIERCE, J. M. T. & HUET, R. Anisocoria in cardiopulmonary bypass, 410 (c)
 PINA, J. P. A. & CASTRO TAVARES, J. Other information from the strain gauge transducer, 602 (c)
 PITHER, C. E. *See* BARANOWSKI, A. P., 362
 PLUMMER, J. L. *See* OWEN, H., 452
 PLUMMER, J. L. *See* OWEN, H., 619
 POMAROLI, A. *See* BENZER, A., 991 (c)
 POWELL, H. & BEECHY, A. P. G. Internal jugular catheterisation. Case report of a potentially fatal hazard, 458
 POWELL, H., SMALLMAN, J. M. B. & MORGAN, M. Comparison of intramuscular ketorolac and morphine in pain control after laparotomy, 538
 POWELL, H. & BEECHY, A. P. G. Route for major vein cannulation: a reply, 1086 (c)
 POWELL, J. F., WOODCOCK, T. & LUSCOMBE, F. E. Atlanto-axial subluxation in Down's syndrome, 1049
 POWER, I., CHAMBERS, W. A., GREER, I. A., RAMAGE, D. & SIMON, E. Platelet function after intramuscular diclofenac, 916
 POWER, K. J. *See* KRENZ, I., 643
 POWER, K. J. Does xenon deserve a prominent place in anaesthetic practice?, 783 (c)
 PRENTICE, J. W. *See* MOFFAT, A. C., 302
 PRYN, S. J. & CROSSE, M. M. Analgesia after haemorrhoidectomy: a reply, 597 (c)
 PUNT, C. D. Route for major vein cannulation, 1086 (c)
 PURSELL, I. Obstruction in a pressure line: a reply, 897 (c)
- RABEY, P. C. *See* COLQUHOUN, A. D., 684 (c)
 RACZ, G. B. *See* KAO, Y. J., 738
 RAFFERTY, R., BURKE, A. M., COSSAR, D. F. & FARLING, P. A. Laryngeal mask and magnetic resonance imaging, 590 (c)
 RAJAH, A. The use of diazepam in chloroquine poisoning, 955
 RAJENDRAN, K. M. *See* GIROTRA, S., 406 (f)
 RAMAGE, D. *See* POWER, I., 916
 RANDALLS, B. Continuous brachial plexus blockade. A technique that uses an axillary catheter to allow successful skin grafting, 143
 RANDALLS, B. & TOOMEY, P. J. Laryngeal oedema from a neck haematoma. A complication of internal jugular vein cannulation, 850
 RANDELL, T., KALLI, I. & LINDGREN, L. Minitracheotomy: complications and follow-up with fibreoptic tracheoscopy, 875 (f)
 RAO, S. M. *See* MANTHA, S., 993 (c)
 RATTKE, P. *See* FALB, W., 597 (c)
 RAVALIA, A. & GODDARD, J. M. The laryngeal mask and difficult tracheal intubation, 168 (c)
 RAWLE, P. Cannulation of the posterior tibial artery, 589 (c)
 RAY, D. C. *See* DODD, F. M., 666
 READ, M. S. & DYE, D. J. Painful onset of intrathecal blockade, 460
 REDFERN, N. *See* BLUMGART, C. H., 26
 REEVE, W. *See* RUNCIE, C. J., 66 (c)
 REEVE, W. G. *See* RUNCIE, C. J., 659
 REGAN, M. *See* MCCLUNE, S., 227
 REIDY, J. *See* RUNCIE, C. J., 659
 REILLY, C. S. *See* MICHAEL, S., 225
 REISSELL, E., ORKO, R., MAUNUKSELA, E.-L. & LINDGREN, L. Predictability of difficult laryngoscopy in patients with long-term diabetes mellitus, 1024
 RENDELL-BAKER, L. Standard colours for cannulae, 1095 (c)
 RESTALL, J. *See* DE MELLO, W. F., 888 (c)
 RESTALL, J., JOHNSTON, I. G. & ROBINSON, D. N. Flumazenil in ketamine and midazolam anaesthesia, 938
 RESTALL, J., THOMPSON, M. C., JOHNSTON, I. G. & FENTON, T. C. Anaesthesia in the field. Spontaneous ventilation—a new technique, 965 (f)
 RETTIG, H. C., DE HAAN, P., ZUURMOND, W. W. A. & V. LEEUWEN, L. Effects of hypnotics on sleep and psychomotor performance. A double-blind randomised study of lorazepam, midazolam and zopiclone, 1079 (f)
 REVANÄS, B. *See* COE, A. J., 241 (f)

- REYNOLDS, F. & SPEEDY, H. M. The subdural space: the third place to go astray, 120
- REYNOLDS, F. *See* PATRICK, J. A., 390
- REYNOLDS, F. & SPEEDY, H. M. The identification of the epidural space: a reply, 498 (c)
- REYNOLDS, M. I. A dangerous failure of a pulse oximeter: a reply, 166 (c)
- RIDLEY, S. A. & WALLACE, P. G. M. Quality of life after intensive care, 808
- RIEDER, H., THOMSON, D. A. & ZBINDEN, A. M. Pulse oximetry in methaemoglobinaemia: a reply, 56 (c)
- RISEBOROUGH, M. *See* COOK, R., 826
- RITTOO, D. & RITTOO, D. B. Acute viral myocarditis?, 882 (c)
- RITTOO, D. B. *See* RITTOO, D., 882 (c)
- ROBB, P. J. *See* JOHNSTON, D. F., 924
- ROBERTS, C. J. & GOODMAN, N. W. Gastro-oesophageal reflux during elective laparoscopy, 1009
- ROBERTS, J. C. *See* PATTISON, J., 958
- ROBERTS, S. P. & PETTIS, H. V. Meningitis after obstetric spinal anaesthesia, 376
- ROBERTS, S. P. Meningitis after spinal anaesthesia: a reply, 987 (c)
- ROBINSON, D. N. & MCFADZEAN, W. A. Pulse oximetry and methylene blue, 884 (c)
- ROBINSON, D. N. *See* RESTALL, J., 938
- ROBINSON, P. N., PATEL, D. & MACLEOD, K. G. A. The identification of the epidural space, 498 (c)
- RODGERS, R. C. *See* CUNA, A. M., 140
- RODGERS, R. C. *See* JOHNSTON, G. M., 336 (c)
- RODGERS, R. C. The FEF carbon dioxide analyser, 591 (c)
- RODRIGO, M. R. C., CHENG, C. H., TAI, Y. T. & O'DONNELL, D. 'Leopard' syndrome, 30
- ROELOFSE, J. A. & JOUBERT, J. J. DE V. Unpleasant sequelae of benzodiazepine sedation, 890 (c)
- ROGERS, D. W. *See* HARRISON, C. A., 831
- ROSEN, M. *See* ISAAC, P. A., 46 (f)
- ROSEN, M. & EVANS, C. M. Epidural or general anaesthesia for Caesarean section?: a reply, 411 (c)
- ROSEN, M. *See* HARRISON, C. A., 831
- ROSENBERG, J. & PEDERSEN, M. H. Nasal pulse oximetry overestimates oxygen saturation, 1070
- ROSEWARNE, F. A. & DUNCAN, I. N. Reversed connexions of free-standing vaporizers, 338 (c)
- ROSS, D. G. *See* TZABAR, Y., 697 (c)
- ROSS, D. G. Fiberoptic intubation and double-lumen tubes, 895 (c)
- ROTHWELL, P. M. *See* JACKSON, E. A., 888 (c)
- ROUTH, G. Intensive care, 66 (c)
- ROWBOTTOM, S. J., YUKIOKA, H. & FUJIMORI, M. Comparison of conventional and rapid inhalational induction of anaesthesia with enflurane, 43 (f)
- ROWBOTTOM, S. J. & SIMPSON, D. L. Partial obstruction of the laryngeal mask airway, 892 (c)
- ROYLE, P. *See* BROADWAY, P. J., 792 (c)
- ROYSTON, D. *See* HARRIS, C. E., 366
- RUBIN, A. P. Anaesthesia for cataract surgery—time for change?: editorial, 717
- RUFFMANN, K. *See* WEHLAGE, D. R., 549
- RUIZ, K. & AITKENHEAD, A. R. Was CEPD right?, 978 (f)
- RUNCIE, C. J., DOUGALL, J., REEVE, W. & WALLACE, P. G. M. Transport of ill patients, 66 (c)
- RUNCIE, C. J., REEVE, W. G., REIDY, J. & DOUGALL, J. R. Blood pressure measurement during transport. A comparison of direct and oscillotonometric readings in critically ill patients, 659
- RUPREHT, J. *See* BOOMSMA, F., 273
- RUPREHT, J. Does xenon deserve a prominent place in anaesthetic practice?: a reply, 783 (c)
- RUSSELL, D. Painless loss of vision after transurethral resection of the prostate, 218
- RUSSELL, D. Transient blindness: a reply, 1089 (c)
- RUSSELL, I. F. Isolated forearm technique, 687 (c)
- RUSSELL, R. & JUDKINS, K. C. The laryngeal mask airway and facial burns, 894 (c)
- RUSSELL, W. J. *See* NEWCOMBE, G. N., 685 (c)
- RYAN, D. W., GUY, A. J., WELDON, O. G. W. & WAI, P. T. J. Route for major vein cannulation, 1086 (c)
- RYAN, M. *See* GOUCKE, C. R., 329 (f)
- SAITOH, K. *See* KISHIKAWA, K., 719
- SALIB, Y. *See* MARSH, R. H. K., 895 (c)
- SALMON, D. Omeprazole and ranitidine, 1101 (c)
- SANSOME, A. J. *See* PHILLIPS, J. J., 34
- SANSOME, A. J. Creasing of a paediatric tracheal tube connector, 343 (c)
- SANTHIYA, S. T. *See* NATARAJAN, D., 574 (f)
- SAPSFORD, D. J. *See* JONES, J. G., 566
- SARMA, V. J. Continuous brachial plexus blockade, 695 (c)
- SARMA, V. J. & BOSTRÖM, U. Intrathecal anaesthesia for day-care surgery. A retrospective study of 160 cases using 25-and 26-gauge spinal needles, 769 (f)
- SARMA, V. J. & LEMAN, J. Laryngeal mask and anaesthetic waste gas concentrations, 791 (c)
- SARNA, M. C., SMITH, I. & JAMES, J. M. Paraesthesia with lumbar epidural catheters. A comparison of air and saline in a loss-of-resistance technique, 1077 (f)
- SAUNDERS, P. R. *See* DYSON, A., 71 (c)
- SAUNDERS, P. R. I. & HARRIS, M. N. E. Opisthotonus and other unusual neurological sequelae after outpatient anaesthesia, 552
- SAW, K. K. & WILSON, P. A. Problems with open-end catheters and epidural infusion, 170 (c)
- SCOTT, D. H. T. *See* DODD, F. M., 666
- SCOTT, D. H. T. *See* AU, J., 741
- SCOTT, D. H. T. *See* WORSLEY, M. H., 1001 (c)
- SCOTT, P. V. The costs of propofol in day surgery, 174 (c)
- SEARLE, J. F. Effective peri-operative pain management in cancer patients, 253 (c)
- SECHER, O. Hyderabad chloroform commission, 497 (c)
- SETHI, A. K. *See* CHAWLA, R., 992 (c)
- SEVERN, A. M. & KHAWAJA, H. T. Analgesia after haemorrhoidectomy, 597 (c)
- SGHIRLANZONI, A., GEMMA, M., PAREYSON, D., CIMINO, C. & BOIARDI, A. Cord ischaemia: a reply, 340 (c)

- SHANKAR, K. B., MOSELEY, H. S. L., KUMAR, A. Y. & JONES, P. A. Portable monitoring devices, 257 (c)
- SHARMA, D. R. & THAKUR, J. R. Ketamine and shivering, 252 (c)
- SHARMA, K. K. See MEHTA, Y., 1087 (c)
- SHAW, I. H. Collapse of the lung during hemithyroidectomy, 61 (c)
- SHAW, I. H. & MOFFETT, S. P. Ketamine and video nasties, 422 (c)
- SHEARER, E. S. Convulsions and propofol, 255 (c)
- SHEARER, E. S. Trauma in epidural veins: the role of posture, 788 (c)
- SHELLY, M. P. & BURNS, A. M. Mitochondrial myopathy and anaesthesia: a reply, 596 (c)
- SHORTEN, G. & FURNESS, G. Diabetes and hypotension, 169 (c)
- SIEGEL, E. See FALB, W., 597 (c)
- SIMON, E. See POWER, I., 916
- SIMON, K. See FRANKEL, R., 249 (c)
- SIMON, K. See FRANKEL, R., 786 (c)
- SIMPSON, D. L. See ROWBOTTOM, S. J., 892 (c)
- SIMSA, J. Device to maintain the position of a 29-gauge spinal needle, 593 (c)
- SINGER, M. See CULLEN, M. J., 1041
- SISSI, W. A. See MAZROOA, A. A., 884 (c)
- SJÖGREN, P. See LAUB, M., 110
- SKIPSEY, I. G. See CROFTS, S. L., 1101 (c)
- SKIVINGTON, M. A. See STUBBING, J. F., 74 (c)
- SLEIGH, J. W. & MILLER, M. Transient blindness, 1089 (c)
- SMALHOUT, B. See VAN WUK, M. G. F., 679 (f)
- SMALLMAN, J. M. B. See POWELL, H., 538
- SMART, N. G. Occupational exposure to HIV and zidovudine chemoprophylaxis, 989 (c)
- SMITH, B. E. & FISCHER, H. B. Analgesia for manipulation of the knee, 248 (c)
- SMITH, B. E. Combined supraclavicular and elbow blocks: a reply, 337 (c)
- SMITH, B. E. High frequency weaning, 688 (c)
- SMITH, D. C. 'Cured' myasthenia, 252 (c)
- SMITH, G. See HAYSE-GREGSON, P. B., 7
- SMITH, I. See SARNA, M. C., 1077 (f)
- SMITH, M. See HUGGINS, N. J., 420 (c)
- SMITH, M. See CALDER, I., 1092 (c)
- SMITH, S. P. See STANNARD, C. F., 952
- SNOWDON, S. L. See TWEEDIE, I. E., 757
- SNOWDON, S. L. & HEAD-RAPSON, A. G. Purity of cylinder nitrous oxide, 1084 (c)
- SONI, J. C. & THOMAS, D. A. Fear and anaesthesia: a reply, 59 (c)
- SONI, J. C. & THOMAS, D. A. Comparison of anxiety before induction of anaesthesia in the anaesthetic room or operating theatre: a reply, 170 (c)
- SONI, N. See BOHEIMER, N. O., 72 (c)
- SONI, N. See CRISWELL, J., 113
- SØRENSEN, M. B. See CARL, P., 189
- SPARGO, P. M. See MANNERS, J. M., 413 (c)
- SPARGO, P. M. See BUTLER, P. J., 946
- SPEEDY, H. M. See REYNOLDS, F., 120
- SPEEDY, H. M. See REYNOLDS, F., 498 (c)
- SPENCER, G. T. See PATRICK, J. A., 390
- SPIERDIJK, J. See CHOPRA, V., 3
- STACEY, R. G. W. See CHAKRABARTI, M. K., 314
- STACK, C. G. & MASSEY, N. J. Bradypnoea during patient-controlled analgesia, 683 (c)
- STANNARD, C. F. & GOAT, V. A. The use of transtracheal cannulation after difficult intubation, 790 (c)
- STANNARD, C. F., GLYNN, C. J. & SMITH, S. P. Dural puncture during attempted stellate ganglion block, 952
- STEDMAN, J. See JOSHI, P., 169 (c)
- STEWART, K. G. Acute viral myocarditis?, 882 (c)
- STOKES, D. N. The cost of propofol, 254 (c)
- STOKES, D. N. & HUGGINS, N. J. Craniotomy drains and bradycardias, 495 (c)
- STOKES, D. N., PEACOCK, J. E., LEWIS, R. & HUTTON, P. The Ohmeda 9000 syringe pump. The first of a new generation of syringe drivers, 1062
- STONE, P. A. & AINSWORTH, J. R. Mydriasis in an anaesthetist, 259 (c)
- STONE, P. A. See PHILLIPS, G. H., 870 (f)
- STONE, P. A., KILPATRICK, A. W. A. & THORBURN, J. Posture and epidural catheter insertion. The relationship between skill, experience and maternal posture on the outcome of epidural catheter insertion, 920
- STRIDE, P. C. Postoperative sore throat: topical hydrocortisone, 968 (f)
- STRIEPLING, E. See WULF, H., 357
- STRIEPLING, E. See WULF, H., 984 (c)
- STUART-TAYLOR, M. & CROSSE, M. M. 'Permission' to publish: a reply, 423 (c)
- STUBBING, J. F., TORDOFF, S. G. & SKIVINGTON, M. A. Damage to Manley ventilators, 74 (c)
- STUBBING, J. F. Anaesthetic morbidity from trauma to the uvula, 886 (c)
- SUDHAMAN, D. A. Atracurium and hypoxaemic episodes, 166 (c)
- SURESH, D. Analgesia for manipulation of the knee, 694 (c)
- SWEENEY, B. P. See TORDOFF, S. G., 399 (f)
- SWEENEY, B. P. See TORDOFF, S. G., 776 (f)
- SWEENEY, D. B. See VAN DER WALT, J. H., 502 (c)
- SYKES, M. K. See VERHOEFF, F., 103
- TAI, Y. T. See RODRIGO, M. R. C., 30
- TAN, P. S. K., CHAKRABARTI, M. K. & WHITWAM, J. G. Minimum airway pressure weaning. Weaning from mechanical ventilation at 50 breaths/minute by reduction of inflation pressure using a pressure generator, 237
- TAN, P. S. K., CHAKRABARTI, M. K. & WHITWAM, J. G. High frequency weaning: a reply, 688 (c)
- TANAKA, M. See YUKIOKA, H., 353

- TAPPER, J. B. & GIESECKE, A. H. Spinal anaesthesia in a child with Job's syndrome, pneumatoceles and empyema, 378
- TARPEY, J. *See* LAWLER, P. G. P., 339 (c)
- TARPEY, J. & LAWLER, P. G. Iatrogenic anaemia? A survey of venesection in patients in the Intensive Therapy Unit, 396 (f)
- TATE, K. *See* BOURNE, T. M., 76 (c)
- TAYLOR, B. L., WHITTAKER, M., VAN HEERDEN, V. & BRITTEN, J. Cholinesterase deficiency and the Churg-Strauss syndrome, 649
- TAYLOR, D. H. & CHILD, C. S. B. The laryngeal mask for radiotherapy in children, 690 (c)
- TAYLOR, T. H. Anaesthesia and the law, 781 (c)
- THAKUR, J. R. *See* SHARMA, D. R., 252 (c)
- THANGATHURAI, D., NELSON, D. & CHEUNG, M. Doxapram for respiratory depression after epidural morphine, 64 (c)
- THANGATHURAI, D. *See* BOWLES, H. F., 787 (c)
- THOMAS, A. N., ANDERTON, J. M. & ODURO, A. Anaesthesia for the treatment of a giant cerebral aneurysm under hypothermic circulatory arrest, 383
- THOMAS, D. A. *See* SONI, J. C., 59 (c)
- THOMAS, D. A. *See* SONI, J. C., 170 (c)
- THOMAS, D. I. Obstruction in a pressure line, 897 (c)
- THOMAS, D. V. Spinal anaesthesia in obstetrics: headache and special needles, 1100 (c)
- THOMAS, J. S. *See* BOHEIMER, N. O., 253 (c)
- THOMAS, J. S. *See* BOHEIMER, N. O., 699 (c)
- THOMAS, T. A. & NOBLE, H. A. A re-evaluation of the Whitacre spinal needle in obstetric anaesthesia—a pilot study, 489 (c)
- THOMAS, T. A. *See* NOBLE, H. A., 1100 (c)
- THOMAS, W. A. *See* GREENHALGH, D. L., 175 (c)
- THOMPSON, M. C. & DAVIES, C. Coughing and bronchospasm with propofol, 690 (c)
- THOMPSON, M. C. *See* RESTALL, J., 965 (f)
- THOMPSON, M. C. *See* BEDFORD, T. A., 994 (c)
- THOMSON, D. A. *See* RIEDER, H., 56 (c)
- THORBURN, J. *See* KILPATRICK, A. W. A., 848
- THORBURN, J. *See* STONE, P. A., 920
- THORP, T. A. S. *See* GRAHAM, S. G., 896 (c)
- THORPE, C. M. & GAUNTLETT, I. S. Arterial oxygen saturation during induction of anaesthesia, 1012
- THUILLIER, R. Ohmeda Oxicap 4700: a reply, 1093 (c)
- THURLOW, A. C. *See* HOWARD, R., 222
- TODD, J. G. *See* PAUL, D. L., 1093 (c)
- TOOMEY, P. J. Resistance to fluid flow through two spinal needles, 751
- TOOMEY, P. J. *See* RANDALLS, B., 850
- TORDOFF, S. G. *See* STUBBING, J. F., 74 (c)
- TORDOFF, S. G. & SWEENEY, B. P. Intravenous cannulae colour coding. A perennial source of confusion, 399 (f)
- TORDOFF, S. G. & SWEENEY, B. P. Acid aspiration prophylaxis in 288 obstetric anaesthetic departments in the United Kingdom, 776 (f)
- TORRIELLI, R. *See* CESARINI, M., 656
- TOWEY, R. M. *See* AMMAR, T., 75 (c)
- TOWEY, R. M. & LETHBRIDGE, J. R. Teaching fibreoptic nasotracheal intubation, 420 (c)
- TOYODA, Y. *See* KUBOTA, Y., 592 (c)
- TOYODA, Y. *See* KUBOTA, Y., 842
- TRIKHA, A. *See* MADAN, R., 49 (f)
- TRIKHA, A. *See* MADAN, R., 592 (c)
- TSUJI, M. *See* YAMASHITA, M., 1088 (c)
- TUNSTALL, M. E. *See* JOHNSTON, G. M., 336 (c)
- TUNSTALL, M. E. Awareness, Caesarean section and the isolated forearm technique, 686 (c)
- TWEEDIE, I. E. & SNOWDON, S. L. The Trilite inhaler. An historical review and performance assessment, 757
- TYDÉN, G. *See* GUPTA, A., 872 (f)
- TYTLER, J. A. *See* LEIGH, J. M., 814
- TZABAR, Y. & ROSS, D. G. Vecuronium and McArdle's disease, 697 (c)
- UDWADIA, Z. F. *See* JACKSON, E. A., 888 (c)
- UEDA, Y. *See* KUBOTA, Y., 497 (c)
- UEDA, Y. *See* KUBOTA, Y., 842
- V. LEEUWEN, L. *See* RETTIG, H. C., 1079 (f)
- VALENTINE, S., MCVEY, F. K. & COE, A. Postoperative sore throat. A comparison after premedication with papaveretum/hyoscine or temazepam, 306
- VALENTINE, S. *See* MCVEY, F. K., 886 (c)
- VAN DER WALT, J. H. & SWEENEY, D. B. Sticky labels to indicate hazard for anaesthesia, 502 (c)
- VAN EGMOND, J. *See* KHO, H. G., 480 (f)
- VAN HASSELT, G. *See* LUNTLEY, J. B., 61 (c)
- VAN HEERDEN, P. V., BUKOFZER, M. & EDGE, K. R. Severe bradycardia and cardiac arrest, 685 (c)
- VAN HEERDEN, V. *See* TAYLOR, B. L., 649
- VAN HOONACKER, G. *See* DRIESSEN, J. J., 597 (c)
- VAN NIEKERK, J., BAX-VERMEIRE, B. M. J., GEURTS, J. W. M. & KRAMER, P. P. G. Epidurography in premature infants, 722
- VAN WIJK, M. G. F. & SMALHOUT, B. A postoperative analysis of the patient's view of anaesthesia in a Netherlands' teaching hospital, 679 (f)
- VANNER, R. G. *See* FORREST, E. T. S., 997 (c)
- VANNER, R. G. Provoked gastro-oesophageal reflux?, 999 (c)
- VATER, M. & LAVERY, K. M. A difficult nasal intubation, 693 (c)
- VAUGHAN, R. S. *See* ISAAC, P. A., 46 (f)
- VAUGHAN, R. S. *See* YOSHIZUMI, J., 1046
- VEGFORS, M. *See* GUPTA, A., 872 (f)
- VENKATARAMAN, R. K. *See* MADAN, R., 49 (f)
- VENKATARAMAN, R. K. *See* MADAN, R., 592 (c)
- VERCAUTEREN, M., LAUWERS, T., MEERT, T., DE HERT, S. & ADRIAENSEN, H. Comparison of epidural sufentanil plus clonidine with sufentanil alone for postoperative pain relief, 531

- VERHOEFF, F. & SYKES, M. K. Delayed detection of hypoxic events by pulse oximeters: computer simulations, 103
- VERMA, P. K., DHOND, G. & LAWLER, P. G. The interpretation of results by doctor technicians, 412 (c)
- VERNON, J. Damage to multidose vials, 75 (c)
- VERNON, J. M. A broken laryngoscope, 697 (c)
- VERNON, J. W. Pneumothorax caused by minitracheostomy, 172 (c)
- VOHRA, A. See JOHNSON, R. A., 439
- VOLGYESI, G. A. See DOYLE, D. J., 492 (c)
- WAI, P. T. J. See RYAN, D. W., 1086 (c)
- WAITE, K. & FILSHIE, J. The use of a laryngeal mask airway for CT radiotherapy planning and daily radiotherapy, 894 (c)
- WALKER, W. S. See AU, J., 741
- WALLACE, H. G. Standard colours for cannulae, 1095 (c)
- WALLACE, P. G. M. See RUNCIE, C. J., 66 (c)
- WALLACE, P. G. M. See RIDLEY, S. A., 808
- WALSH, J. F. & WANI, P. V. Interlocking connexion in anaesthetic systems, 1000 (c)
- WANDLESS, J. G. See MOORES, M. A., 156 (f)
- WANI, P. V. See WALSH, J. F., 1000 (c)
- WARD, P. See DE MELLO, W. F., 793 (c)
- WARDLAW, D. See ALLISON, C. W., 164 (c)
- WAREHAM, C. See LIM, W., 689 (c)
- WATHEN, N. C. See YAU, E. H. S., 65 (c)
- WATSON, J. D. See YAU, E. H. S., 65 (c)
- WATSON, R. J. See BRAMPTON, W. J., 210
- WATTERS, C. H. See MCCLEANE, G. J., 583 (f)
- WATTERS, C. H. See ALEXANDER, J. P., 746
- WATTERS, J. See ARMSTRONG, P., 935
- WEBBER, P. A. See DENNY, N. M., 895 (c)
- WEBSTER, R. E. See CROFTS, S. L., 1101 (c)
- WEE, M. Y. K. The FEF end-tidal CO₂ detector, 251 (c)
- WEE, M. Y. K. The Fenem CO₂ detector device, 1092 (c)
- WEHLAGE, D. R., BÖHRER, H. & RUFFMANN, K. Impairment of left ventricular diastolic function during coronary artery bypass grafting, 549
- WELDON, O. G. W. See RYAN, D. W., 1086 (c)
- WELSH, B. E. The oesophageal detector device, 75 (c)
- WELSH, B. E. Modifications to expiratory valves, 257 (c)
- WELSH, B. E. Will we ever learn?, 892 (c)
- WERNER, O. See BERNTMAN, L., 855
- WERNING, P. See BÖHRER, H., 18
- WHEATLEY, R. G. See JONES, J. G., 566
- WHEELER, R. A. See BUTLER, P. J., 946
- WHITE, A. & JOSEET, M. Burns from iodine, 75 (c)
- WHITE, D. A., LATIMER, R. D. & ODURO, A. Management of low cardiac output syndrome after cardiac surgery using enoximone, 386
- WHITE, D. A., LATIMER, R. D. & ODURO, A. Low cardiac output and enoximone: a reply, 989 (c)
- WHITE, M. & KENNY, G. N. C. Intravenous propofol anaesthesia using a computerised infusion system, 204
- WHITE, M. See KENNY, G. N. C., 692 (c)
- WHITFIELD, A. See ARMSTRONG, P., 935
- WHITLOCK, J. E. See PATTISON, J., 958
- WHITTAKER, M., BERRY, M. & BRITTEN, J. J. Inheritance of low plasma cholinesterase: a reply, 57 (c)
- WHITTAKER, M. See TAYLOR, B. L., 649
- WHITWAM, J. G. See TAN, P. S. K., 237
- WHITWAM, J. G. See CHAKRABARTI, M. K., 314
- WHITWAM, J. G. See HOLDCROFT, A., 318
- WHITWAM, J. G. See TAN, P. S. K., 688 (c)
- WILDE, P. Q. Breakage of disposable needles: a reply, 698 (c)
- WILDSMITH, J. A. W. See ARMSTRONG, P., 11
- WILDSMITH, J. A. W. Regional anaesthesia must be properly managed, 984 (c)
- WILKINSON, D. J. See DANMAN, W. T., 465
- WILKINSON, D. J. See BONE, M. E., 669 (f)
- WILKINSON, D. J., HAYES, M., DENMAN, W. P. & HIGGINS, D. The Fenem FEF CO₂ detector, 694 (c)
- WILKINSON, D. J., HAYES, M. & HIGGINS, D. The Fenem CO₂ detector device: a reply, 1092 (c)
- WILKINSON, P. A. The laryngeal mask: cautionary tales, 167 (c)
- WILLIAMS, M. P. See PATEMAN, J., 309
- WILLIAMSON, R. A nasogastric tube as guide during difficult oesophagoscopy, 259 (c)
- WILLIS, B. A. & CLYBURN, P. A. Bain and circle systems, 172 (c)
- WILSON, A. M. Location of oxygen sensor, 697 (c)
- WILSON, I. H. See BEM, M. J., 1102 (c)
- WILSON, M. E. & JOHN, R. Problems with the Mallampati sign, 486 (c)
- WILSON, P. A. See SAW, K. K., 170 (c)
- WILSON, R. J. T. Children's premedication and hypoxaemia, 782 (c)
- WINGTIN, L. NG., GLOMAUD, D., HARDY, F. & PHIL, S. Omeprazole for prophylaxis of acid aspiration in elective surgery, 436
- WINTER, A. & HOWIE, C. C. M. Aneurysm formation after central venous cannulation, 67 (c)
- WOOD, P. R. See FOLEY, M. A., 232
- WOODALL, N. M. Anisocoria in cardiopulmonary bypass: a reply, 410 (c)
- WOODCOCK, T. See POWELL, J. F., 1049
- WOODCOCK, T. E. Comparison of anxiety before induction of anaesthesia in the anaesthetic room or operating theatre, 170 (c)
- WOODHAM, M. & HANNA, M. Precautions against injection into the spinal artery during coeliac plexus block: a reply, 247 (c)
- WORSLEY, M. H., MACLEOD, A. D., BRODIE, M. J., ASBURY, A. J. & CLARK, C. Inhaled fentanyl as a method of analgesia, 449
- WORSLEY, M. H. & CLARK, C. Inhaled opiates: a reply, 992 (c)
- WORSLEY, M. H. & HOWIE, C. C. M. Fixation of the laryngeal mask airway, 1001 (c)

- WRAIGHT, W. J. Another failure of Selectatec block, 795 (c)
 WRIGHT, D. See BINNIE, N., 70 (c)
 WRIGHT, D. J. See ANDREWS, P. J. D., 445
 WRIGHT, E. & FILSHIE, J. Dilution of propofol, 421 (c)
 WRIGHT, J. M. See MCCARTHY, G. J., 243 (f)
 WRIGLEY, S. R. See JOHNSTON, D. F., 924
 WULF, H. & STRIEPLING, E. Postmortem findings after epidural anaesthesia, 357
 WULF, H. & STRIEPLING, E. Regional anaesthesia must be properly managed: a reply, 984 (c)
 YAMASHITA, M. & TSUJI, M. Atropine during halothane anaesthesia for children, 1088 (c)
 YAU, E. H. S., GROVES, P. A., WATHEN, N. C. & WATSON, J. D. The requirement for intensive care support for the pregnant population, 65 (c)
 YAU, G. See EWART, M. C., 527
 YAU, G., GREGORY, M. A., GIN, T. & OH, T. E. Obstetric epidural analgesia with mixtures of bupivacaine, adrenaline and fentanyl, 1020
 YAU, H. M. See BOGOD, D. G., 279
 YOGANANTHAN, S. Failure of nitrous oxide supply, 897 (c)
 YOSHIZUMI, J., VAUGHAN, R. S. & JASANI, B. Pregnancy associated with Gorlin's syndrome, 1046
 YOUNG, J. R. See BONE, M. E., 669 (f)
 YOUNG, P. N. Fear and anaesthesia, 59 (c)
 YUKIOKA, H. See ROWBOTTOM, S. J., 43 (f)
 YUKIOKA, H., TANAKA, M. & FUJIMORI, M. Recovery of bowel motility after high dose fentanyl or morphine anaesthesia for cardiac surgery, 353
 ZBINDEN, A. M. See RIEDER, H., 56 (c)
 ZHANG, G. L. See KHO, H. G., 480 (f)
 ZHUANG, C. F. See KHO, H. G., 480 (f)
 ZIDEMAN, D. See BASKETT, P. J. F., 62 (c)
 ZUCK, D. HMEs and body temperature, 991 (c)
 ZUURMOND, W. W. A. See RETTIG, H. C., 1079 (f)

Subject Index, Volume 45 (1990)

- Abdominal, upper, surgery, evaluation of the morphine-sparing effect of nefopam and diclofenac after, 302
 Accident with the Lack system (Munro), 601 (c)
 Accidents and near accidents during anaesthesia, over a 10-year period in a teaching hospital (Chopra, Bovill & Spierdijk), 3
 Acetylcholine, chronotropic effect of, in the presence of vecuronium and atracurium; an isolated perfused rabbit heart study (Bellis, Day & Barnes), 118
 Acid aspiration in elective surgery, omeprazole for prophylaxis of (Wingtin *et al.*), 436
 Acid aspiration prophylaxis in 288 obstetric anaesthetic departments in the United Kingdom (Tordoff & Sweeney), 776 (f)
 Acupuncture anaesthesia. Observation on its use for the removal of thyroid adenoma and influence on recovery and morbidity in a Chinese hospital (Kho *et al.*), 480 (f)
 Acupuncture, electro-, and postoperative emesis (Ho *et al.*), 327 (f)
 Acupuncture, electro-, and postoperative emesis (Dundee), 789 (c)
 Acute infective airway obstruction associated with subglottic stenosis (Phillips & Sansome), 34
 ADE, Bain, and Enclosed Magill breathing systems; a comparative study during controlled ventilation (Criswell *et al.*), 113
 ADE, Humphrey, anaesthetic breathing system (Dorje), 341 (c)
 Adenoma, thyroid, removal, use of acupuncture anaesthesia for (Kho *et al.*), 480 (f)
 Adrenaline, bupivacaine and fentanyl mixtures, obstetric epidural analgesia with (Yau *et al.*), 1020
 Adrenaline with lignocaine, changes in haemodynamics and plasma catecholamine concentrations after field block for inguinal herniorrhaphy using (Hayse-Gregson, Achola & Smith), 7
 Aeromedical transfer, monitoring during (Mulrooney), 256 (c)
 Air and oxygen entrainment, combined; effect on the percentage output of fixed performance masks (Lyew, Holland & Metcalf), 732
 Air Compressors: risk of air supply failure (Safety Action Bulletin), 424
 Airway, laryngeal mask (Ammar & Towey), 75 (c)
 Airway, laryngeal mask, and aspiration pneumonia (Griffin & Hatcher), 1039
 Airway, laryngeal mask, and facial burns (Russell & Judkins), 894 (c)
 Airway, laryngeal mask, and supplementary oxygen (Broadway & Royle), 792 (c)
 Airway, laryngeal mask, and the oesophageal detector device (Ainsworth & Calder), 794 (c)
 Airway, laryngeal mask, Brain; an alternative to emergency tracheal intubation (Calder *et al.*), 137
 Airway, laryngeal mask, Brain, connector (Crosse & Munro), 1094 (c)
 Airway, laryngeal mask, fixation of (Worsley & Howie), 1001 (c)
 Airway, laryngeal mask, for Caesarean section (McClune, Regan & Moore), 227
 Airway, laryngeal mask, for Caesarean section (Lim & Wareham: de Mello & Kocan: McClune & Moore), 689 (c)
 Airway, laryngeal mask, for Caesarean section (Freeman & Baxendale: McClune & Moore), 1094 (c)
 Airway, laryngeal mask, for emergency tracheostomy in a neonate (Denny, Desilva & Webber), 895 (c)
 Airway, laryngeal mask, for inadequate reversal (Kumar), 792 (c)
 Airway, laryngeal mask, for inadequate reversal (Caddy), 1102 (c)
 Airway, laryngeal mask, in children (Mason & Bingham), 760 (f)
 Airway, laryngeal mask, in paediatric anaesthesia (Johnston *et al.*), 924
 Airway, laryngeal mask, kinking in two children (Goldberg, Evans & Filshie: Martin), 487 (c)
 Airway, laryngeal mask, partial obstruction of (Rowbottom & Simpson), 892 (c)
 Airway, laryngeal mask, protection of (Marks), 259 (c)
 Airway, laryngeal mask; use for CT radiotherapy planning and daily radiotherapy (Waite & Filshie), 894 (c)
 Airway, laryngeal mask, use in primary anaesthesia (de Mello & Ward), 793 (c)
 Airway, laryngeal mask, use in tracheal placement of a gum elastic bougie (Allison & McCrory), 419 (c)
 Airway, modified, to assist fiberoptic orotracheal intubation (Frankel, Mizrahi & Simon), 249 (c)

- Airway, nasopharyngeal, self-retaining (Boheimer, Feldman & Soni), 72 (c)
 Airway obstruction after tracheostomy (Leach), 417 (c)
 Airway obstruction, infective, acute, associated with subglottic stenosis (Phillips & Sansome), 34
 Airway obstruction, unexpected (McEwan & Cashman), 998 (c)
 Airway, oropharyngeal, supraglottic (Mehta), 893 (c)
 Airway pressure, minimum; pressure (Tan, Chakrabarti & Whitwam), 237
 Airway pressure, minimum; weaning (Smith: Tan, Chakrabarti & Whitwam), 688 (c)
 Alarm, apnoea, adult, Graseby (Mendham & Bambridge), 63 (c)
 Alcohol, coeliac plexus block with (Churcher), 595 (c)
 Alcohol, exhaled: effect on the performance of the Datex Capnomac (Foley *et al.*), 232
 Alfentanil, test of an infusion-demand system of patient-controlled analgesia using (Owen *et al.*), 452
 Alfentanil/droperidol compared with fentanyl/droperidol, in effects on intra-ocular pressure (Coley *et al.*), 477 (f)
 Alkalinisation of prilocaline for intravenous regional anaesthesia (Armstrong, Brockway & Wildsmith), 11
 Alkalinisation of prilocaline for intravenous regional anaesthesia. Suitability for clinical use (Armstrong, Watters & Whitfield), 935
 Amorous behaviour and sexual fantasy following anaesthesia or sedation (Boheimer & Thomas), 699 (c)
 Anaemia, iatrogenic? A survey of venesection in patients in the Intensive Therapy Unit (Tarpey & Lawler), 396 (f)
 Anaesthesia and fear (Young: Soni & Thomas), 59 (c)
 Anaesthesia and the law *see* Law and anaesthesia,
 Anaesthesia, chaos in: editorial (Goodman), 187
 Anaesthesia, clinical research in: past accomplishments and a future horizon: editorial (Knill), 271
 Anaesthesia for cataract surgery—time for change?: editorial (Rubin), 717
 Anaesthesia in a Netherlands' teaching hospital, a postoperative analysis of the patient's view of (van Wijk & Smalhout), 679 (f)
 Anaesthesia, loss of consciousness after emergence from; a case of suspected micturition syncope (Kao & Raczy), 738
 Anaesthesia simulators and training devices: editorial (Good), 525
 Anaesthesia *see also* General anaesthesia,
 Anaesthetic literature, 80, 178, 506, 604, 703, 798, 898, 1107
 Anaesthetic machine, Engström Elsa; an electronic system for anaesthesia (Alexander *et al.*), 746
 Anaesthetic machine, Malawi (Pedersen & Nyrop: Fenton), 415 (c)
 Anaesthetic room, a comparison of anxiety before induction of anaesthesia in the operating room or (Woodcock: Soni & Thomas), 170 (c)
 Anaesthetic system: an unusual occlusion by a polythene drape (Anderson), 258 (c)
 Anaesthetic systems, interlocking connexion in (Walsh & Wani), 1000 (c)
 Anaesthetic techniques, admissions to the intensive care unit after complications of, over 5 years (Leigh & Tytler), 814
 Anaesthetist, mydriasis in (Stone & Ainsworth), 259 (c)
 Anaesthetists and trauma (Baskett), 805
 Anaesthetists as physicians (O'Connor), 175 (c)
 Anaesthetists, drug usage by (Mirakhur), 500 (c)
 Anaesthetists, drug usage by (Graham, Thorp & Liu), 896 (c)
 Anaesthetists, junior, cost awareness among (Jayasuriya), 174 (c)
 Anaesthetists, locum, two, convicted of manslaughter (Brahams), 981
 Anaesthetists, needlestick injuries in (Maz & Lyons), 677 (f)
 Analgesia after haemorrhoidectomy (Severn & Khwaja: Pryn & Crosse), 597 (c)
 Analgesia for manipulation of the knee (Smith & Fischer), 248 (c)
 Analgesia for manipulation of the knee (Suresh), 694 (c)
 Analgesia, inhaled fentanyl as a method of (Worsley *et al.*), 449
 Analgesia *see also* Epidural; Extradural; Intravenous regional; Patient-controlled; Postoperative; specific agents,
 Anaphylactic anaesthetic reactions. The value of paper radioallergosorbent tests for IgE antibodies to muscle relaxants and thiopentone (Assem), 1032
 Anaphylactoid reaction, recurrent, during Caesarean section (Emmott: Jackson), 62 (c)
 Anaphylactoid reaction, severe, to hydroxyethyl starch (Cullen & Singer), 1041
 Anaphylaxis and chymopapain (Allison & Wardlaw), 164 (c)
 Anaphylaxis to muscle relaxants: predictive tests (Moneret-Vautrin & Laxenaire), 246 (c)
 Aneurysm, cerebral, giant, anaesthesia for the treatment of, under hypothermic circulatory arrest (Thomas, Anderton & Oduro), 383
 Aneurysm formation after central venous cannulation (Winter & Howie), 67 (c)
 Anisocoria in cardiopulmonary bypass (Pierce & Huet: Woodall), 410 (c)
 Antiemetic, new; ginger root (Liu), 1085 (c)
 Antireflux valves in patient-controlled analgesia (Kluger & Owen), 1057
 Anxiety before induction of anaesthesia in the anaesthetic room or operating theatre; a comparison (Woodcock: Soni & Thomas), 170 (c)
 Anxiety, pre-operative, and serum potassium (McCleane & Watters), 583 (f)
 Anxiety, pre-operative, and serum potassium (Crofts *et al.*: McCleane), 1101 (c)
 Anxiety, pre-operative, effect of metoprolol and diazepam (Jakobsen *et al.*), 40 (f)
 Anxiety, pre-operative, the nature of (McCleane & Cooper), 153 (f)
 Anxiolysis and beta-adrenoceptor blocking agents (Mackenzie & Bird: Jakobsen & Blom), 600 (c)
 APACHE II expected outcome calculations are subject to inter-observer variation (Jackson *et al.*), 888 (c)
 Apgar scores and race (Petrikovsky, Diana & Baker), 988 (c)
 Apnoea alarm, adult, Graseby (Mendham & Bambridge), 63 (c)
 Aprotinin, high-dose, adverse haemodynamic effects of, in a paediatric cardiac surgical patient (Böhrer *et al.*), 853
 Arterial oxygen saturation during induction of anaesthesia (Thorpe & Gauntlett), 1012
 Arterial to end-tidal carbon dioxide tension difference during laparoscopy. Magnitude and effect of anaesthetic technique (Brampton & Watson), 210
 Artery, posterior tibial, cannulation of (Rawle), 589 (c)
 Artery, spinal, precautions against injection into, during coeliac plexus block (Bowen Wright: Woodham & Hanna), 247 (c)
 Aspiration of hot tea (Mazrooa & Sissi), 884 (c)
 Aspiration pneumonia and the laryngeal mask airway (Griffin & Hatcher), 1039
 Aspiration *see also* Acid aspiration,
 Association of Anaesthetists of Great Britain and Ireland, Annual Report of Council 1988–1989, 92
 Association of Anaesthetists of Great Britain and Ireland, Annual Linkmen Conference, 1989, 263
 Atelectasis of upper lung lobes: selective bronchial suctioning with J-shaped catheter tip and guide mark (Kubota *et al.*), 842
 Atlanto-axial subluxation in Down's syndrome (Powell, Woodcock & Luscombe), 1049

- Atracurium and hypoxaemic episodes (Sudhama), 166 (c)
 Atracurium, chronotropic effect of acetylcholine in the presence of vecuronium and; an isolated perfused rabbit heart study (Bellis, Day & Barnes), 118
 Atracurium in whole body hyperthermia (Benzer *et al.*), 991 (c)
 Atracurium infusions without neuromuscular monitoring (Inbasegaran & Lim), 599 (c)
 Atropine during halothane anaesthesia for children (Yamashita & Tsuji), 1088 (c)
 Autonomic dysfunction and Guillain-Barré syndrome. The use of esmolol in its management (Calleja), 736
 Awake blind nasal intubation: use of a simple whistle (Dyson, Saunders & Giesecke), 71 (c)
 Awareness and pain during surgery (Henshaw), 491 (c)
 Awareness and pain without negligence, in Caesarean section. Anaesthesia and the law (Braahms), 161
 Awareness, Caesarean section and the isolated forearm technique (Tunstall), 686 (c)
 Awareness detection during general anaesthetic Caesarean section; two methods (Bogod *et al.*), 279
 Awareness detection during general anaesthesia (Bogod), 590 (c)
 Awareness during anaesthesia (Cundy), 786 (c)
 Awareness during anaesthesia: what should the patient be told?: editorial (Aitkenhead), 351
 Awareness during Caesarean section (Lintin: Bogod), 784 (c)
 Axillary brachial plexus anaesthesia, a comparison of three methods of (Baranowski & Pither), 362
 Axillary catheter, use to allow skin grafting in continuous brachial plexus blockade (Randalls), 143
- Bain, ADE, and Enclosed Magill breathing systems; a comparative study during controlled ventilation (Criswell *et al.*), 113
 Bain and circle systems (Willis & Clyburn: Hill), 172 (c)
 Bain, Lack, Mera F and circle systems (Nott), 501 (c)
 Bain system for use with a circle absorption system (Hale), 73 (c)
 Bain system valve failure: a dangerous design? (Breen: Denyer), 417 (c)
 Bain system valve failure: a dangerous design (Denyer), 795 (c)
 Behaviour of small children before induction. The effect of parental presence and EMLA and premedication with triclofos or a placebo (Page & Morgan-Hughes), 821
 Behaviour, pre-induction, in children (Bedford & Thompson), 994 (c)
 Benzodiazepine sedation, unpleasant sequelae of (Dundee), 336 (c)
 Benzodiazepine sedation, unpleasant sequelae of (Roelofse & Joubert), 890 (c)
 Beta-adrenoceptor blocking agents and anxiety (Mackenzie & Bird: Jakobsen & Blom), 600 (c)
 Blackout during cardiopulmonary bypass (Greenhalgh & Thomas), 175 (c)
 Blindness, transient (Sleigh & Miller: Russell), 1089 (c)
 Blood administration sets with flexible drip chambers (Safety Action Bulletin), 524
 Blood contamination of anaesthetic and related staff (Harrison, Rogers & Rosen), 831
 Blood flow, cerebral, effects of midazolam on (Knudsen *et al.*), 1016
 Blood for transfusion, incidence and range of carboxyhaemoglobin in (Freeman & Perks), 581 (f)
 Blood pressure, admission, and anaesthesia (Colquhoun & Rabey), 684 (c)
 Blood pressure cuff, disposable; assessment of accuracy (Dodd *et al.*), 666
 Blood pressure measurement during transport. A comparison of direct and oscillotonometric readings in critically ill patients (Runcie *et al.*), 659
- Book reviews
 AITKENHEAD & SMITH (EDS): *Textbook of anaesthesia*, 2nd edn, 1104
 ATKINSON & ADAMS: Recent advances in anaesthesia and analgesia, 16, 503
 BASKETT: *Resuscitation handbook*, 1106
 BERNARD translated by FINK: *Lectures on anaesthetics and on asphyxia*, 503
 BLITT (ED): *Monitoring in anaesthesia and critical care medicine*, 796
 BONKE, FITCH & MILLAR (EDS): *Memory and awareness in anaesthesia*, 1104
 BOULTON & BLOGG: *Ostlere and Bryce-Smith's anaesthetics for medical students*, 1105
 BOWMAN: *Pharmacology of neuromuscular function*, 1003
 BRUCE SCOTT: *Techniques of regional anaesthesia*, 345
 DORRINGTON: *Anaesthetic and extracorporeal gas transfer*, 78
 FELDMAN, HARROP-GRIFFITHS & HIRSCH: *Problems in anaesthesia—analysis and management*, 504
 FILSHIE & ROBBIE (EDS): *Anaesthesia and malignant disease*, 261
 GALLAGHER & LUBARSKY: *Preparing for the anaesthesia orals*, 702
 GRAVENSTEIN, PAULUS & HAYES: *Capnography in clinical practice*, 346
 GREGORY (ED): *Pediatric anaesthesia* vols 1 and 2, 2nd edn, 700
 HENSLEY & MARTIN (EDS): *The practice of cardiac anaesthesia*, 701
 JENNETT (ED): *Human physiology*, 700
 KAUFMAN & BETTERIDGE: *Medicine in the practice of anaesthesia*, 77
 KAYE & BIRCHER (EDS): *Cardiopulmonary resuscitation*, 796
 LAKE (ED): *Clinical monitoring*, 701
 MCLACHLAN: *What price quality? The NHS in review*, 1106
 MASON: *Anaesthesia data book—a clinical practice compendium*, 261
 MICHELFELDER: *Anaesthesia and the brain*, 77
 MILLER (ED): *Anesthesia*, 3rd edn, 1106
 POLLARD & HARRISON: *Anaesthesia for uncommon diseases*, 505
 REINHART & EYRICH (eds): *Clinical aspects of O₂ transport and tissue oxygenation*, 1003
 SAINT-MAURICE, MURAT & ECOFFEY: *Manuel d'anesthésie pédiatrique*, 1105
 SASADA & SMITH: *Drugs in anaesthesia and intensive care*, 1003
 SONE: *Anaesthesia and intensive care*, 261
 TOBIN: *Essentials of critical care medicine*, 78
 VICKERS & JONES (EDS): *Medicine for anaesthetists*, 504
- Blood warmer series, Level 1, an evaluation of (Browne, de Boeck & Morgan), 960
 Bougie, gum elastic, tracheal placement of, using the laryngeal mask airway (Allison & McCrory), 419 (c)
 Bougie, gum-elastic; increased use in clinical practice (Dogra, Falconer & Latto), 997 (c)
 Bougie, gum-elastic, tracheal tube placement over (Dogra, Falconer & Latto), 774 (f)
 Bowel motility recovery after high dose fentanyl or morphine anaesthesia for cardiac surgery (Yukioka, Tanaka & Fujimori), 353

- Brachial plexus block latency; the effect on onset time of warming local anaesthetic solutions (Heath, Brownlie & Herrick), 297
- Brachial plexus blockade, continuous; use of axillary catheter to allow successful skin grafting (Randalls), 143
- Brachial plexus blockade, continuous (Kubota, Okamoto & Ueda), 497 (c)
- Brachial plexus blockade, continuous (Sarma), 695 (c)
- Bradycardia during neurosurgery, another cause for (Joshi, Green & Stedman), 169 (c)
- Bradycardia, recurrent, due to latent sick sinus syndrome (Levy), 488 (c)
- Bradycardia, severe, and cardiac arrest (van Heerden, Bukofzer & Edge), 685 (c)
- Bradycardias and craniotomy drains (Stokes & Huggins), 495 (c)
- Bradypnoea during patient-controlled analgesia (Stack & Massey), 683 (c)
- Brain: effects of midazolam on cerebral blood flow and oxygen consumption; interaction with nitrous oxide in patients undergoing craniotomy for supratentorial cerebral tumours (Knudsen *et al.*), 1016
- Brain laryngeal mask airway; an alternative to emergency tracheal intubation (Calder *et al.*), 137
- Brain laryngeal mask airway connector (Crosse & Munro), 1094 (c)
- Brain laryngeal mask, cardiovascular response to insertion of (Hickey, Cameron & Asbury), 629
- Brain laryngeal mask: will we ever learn? (Welsh: Martin), 892 (c)
- Brainstem death mimicked by Guillain-Barré syndrome (Coad & Byrne), 456
- Breakage of a vessel dilator (McCoy), 699 (c)
- Breakage of disposable needles (Hearn: Wilde), 698 (c)
- Breath, expired, prevention of TUR syndrome by detection of trace ethanol in (Hahn), 577 (f)
- Breathing system connexions (Safety Action Bulletin), 185
- Breathing system, drawover, for weaning (Bem & Wilson), 1102 (c)
- Breathing system, Humphrey ADE (Dorje), 341 (c)
- Breathing systems, kinked (Inkster), 173 (c)
- Broken laryngoscope (Vernon), 697 (c)
- Bronchial suction (Kubota, Toyoda & Kubota), 592 (c)
- Bronchial tubes, double lumen, attachments to (Worsley, Hawkins & Scott), 1001 (c)
- Bronchoscopy *see also* Fiberoptic bronchoscopy.
- Bronchoscopy, fiberoptic, in children, anaesthesia for (Khoo), 248 (c)
- Bronchospasm and coughing with propofol (Thompson & Davies), 690 (c)
- Bronchospasm, recurrent, during anaesthesia (Martin & Miller), 373
- Bupivacaine, 0.5%, and fentanyl, epidural, for elective Caesarean section (King, Bowden & Cooper), 285
- Bupivacaine 0.5%, prolonged motor weakness after femoral nerve block with (Lynch), 421 (c)
- Bupivacaine, adrenaline and fentanyl mixtures, obstetric epidural analgesia with (Yau *et al.*), 1020
- Bupivacaine and buprenorphine, caudal, compared for postoperative analgesia in children who have genito-urinary surgery (Girotra, Kumar & Rajendran), 406 (f)
- Bupivacaine, caudal, compared with rectal diclofenac for paediatric analgesia after inguinal herniotomy (Moore, Wandless & Fell), 156 (f)
- Bupivacaine, caudal, respiratory arrest after (Lee & Collins), 63 (c)
- Bupivacaine injection, subcutaneous, intra-operative, femoral nerve block after (Chan & Davidson), 163 (c)
- Buprenorphine and bupivacaine, caudal, compared for postoperative analgesia in children who have genito-urinary surgery (Girotra, Kumar & Rajendran), 406 (f)
- Buprenorphine and propofol, total intravenous anaesthesia with (Kamal, Khau & Khan), 865 (f)
- Burns, facial, and the laryngeal mask airway (Russell & Judkins), 894 (c)
- Burns from iodine (White & Joseet), 75 (c)
- Burns to patients (Hazard Notice), 804
- Caesarean section, awareness, and the isolated forearm technique (Tunstall), 686 (c)
- Caesarean section, awareness during (Lintin: Bogod), 784 (c)
- Caesarean section, detecting awareness during general anaesthesia; two methods (Bogod *et al.*), 279
- Caesarean section, elective, a comparison of the effects of omeprazole and ranitidine on gastric secretion in women undergoing (Ewart *et al.*), 527
- Caesarean section, elective, epidural fentanyl and 0.5% bupivacaine for (King, Bowden & Cooper), 285
- Caesarean section, embolism during (Matthews & Greer), 964 (f)
- Caesarean section, epidural or general anaesthesia for? (Lawes & Goodrum: Rosen & Evans), 411 (c)
- Caesarean section, evaluation of 30-gauge needle for spinal anaesthesia for (Lesser *et al.*), 767 (f)
- Caesarean section, hypotension and epidural for (Crochietiere), 69 (c)
- Caesarean section in a patient with haemoglobin SC disease and a phaeochromocytoma (Pattison *et al.*), 958
- Caesarean section, laryngeal mask airway for (McClune, Regan & Moore), 227
- Caesarean section, laryngeal mask airway for (Lim & Wareham: de Mello & Kocan: McClune & Moore), 689 (c)
- Caesarean section, laryngeal mask airway for (Freeman & Baxendale: McClune & Moore), 1094 (c)
- Caesarean section: pain and awareness without negligence. Anaesthesia and the law (Brahams), 161
- Caesarean section, propofol for (Gin & Gregory: Moore & Bill), 165 (c)
- Caesarean section, recurrent anaphylactoid reaction during (Emmott: Jackson), 62 (c)
- Caesarean section, spinal catheter anaesthesia for, in a patient with spina bifida (Nuyten & Gielen), 846
- Caesarean section, Sprotte needle for intrathecal anaesthesia for; incidence of postdural puncture headache (Cesarini *et al.*), 656
- Cancer patients, effective peri-operative pain management in (Searle: Notcutt), 253 (c)
- Cannulae, intravenous, colour coding; a perennial source of confusion (Tordoff & Sweeney), 399 (f)
- Cannulae, intravenous, colour coding (Rendell-Baker: Wallace), 1095 (c)
- Cannulation, central venous, aneurysm formation after (Winter & Howie), 67 (c)
- Cannulation, central venous: two complications (Paul), 998 (c)
- Cannulation, difficult, of the right internal jugular vein (Mehta, Bhavani & Sharma), 1087 (c)
- Cannulation, internal jugular vein, a complication of; laryngeal oedema from a neck haematoma (Randalls & Toomey), 850
- Cannulation of the posterior tibial artery (Rawle), 589 (c)
- Cannulation, transtracheal, after difficult intubation (Stannard & Goat), 790 (c)
- Cannulation, vein, route for (Ryan *et al.*: Punt: Powell & Beechey), 1086 (c)
- Capnomac, Datex, effect of exhaled alcohol on performance of (Foley *et al.*), 232
- Captopril, sublingual, pressor responses to tracheal intubation after; a pilot study (McCarthy *et al.*), 243 (f)
- Carbon dioxide analyser, FEF (Rodgers), 591 (c)
- Carbon dioxide detector device, Fenem; an apparatus to prevent unnoticed oesophageal intubation (Danman *et al.*), 465

- Carbon dioxide detector device, Fenem (Calder, Smith & Newton: Wilkinson, Hayes & Higgins: Wee), 1092 (c)
- Carbon dioxide detector, end-tidal; a new method to distinguish oesophageal from tracheal intubation (O'Flaherty & Adams), 653
- Carbon dioxide detector, end-tidal, FEF (Wee), 251 (c)
- Carbon dioxide detector, Fenem FEF (Wilkinson *et al.*), 694 (c)
- Carbon dioxide detector, Fenem, use in confirmation of tracheal intubation in a neonate (Higgins), 591 (c)
- Carbon dioxide tension difference, arterial to end-tidal, during laparoscopy; magnitude and effect of anaesthetic technique (Brampton & Watson), 210
- Carboxyhaemoglobin (Freeman & Perks), 57 (c)
- Carboxyhaemoglobin, incidence and range of, in blood for transfusion (Freeman & Perks), 581 (f)
- Cardiac arrest after isoflurane anaesthesia in a patient with Duchenne's muscular dystrophy (Chalkiadis & Branch), 22
- Cardiac arrest and severe bradycardia (van Heerden, Bukofzer & Edge), 685 (c)
- Cardiac arrest, hyperkalaemia, suxamethonium and intensive care (Hemming, Charlton & Kelly), 990 (c)
- Cardiac output, low, and enoximone (Manners: White, Latimer & Oduro), 989 (c)
- Cardiac surgery, enoximone management of low output cardiac syndrome after (White, Latimer & Oduro), 386
- Cardiac surgery, recovery of bowel motility after high dose fentanyl or morphine anaesthesia for (Yukioka, Tanaka & Fujimori), 353
- Cardiac surgery, volume therapy with hypertonic saline hydroxyethyl starch solution in (Boldt *et al.*), 928
- Cardiac surgical patient, paediatric, adverse haemodynamic effects of high-dose aprotinin in (Böhner *et al.*), 853
- Cardiac tamponade, unexpected, hypotension due to (Cyna, Rodgers & McFarlane), 140
- Cardiac tamponade, unusual presentation of (Bellamy, Natarajan & Lenz), 135
- Cardiopulmonary bypass, anisocoria in (Pierce & Huet: Woodall), 410 (c)
- Cardiopulmonary bypass, blackout during (Greenhalgh & Thomas), 175 (c)
- Cardiovascular response to insertion of Brain's laryngeal mask (Hickey, Cameron & Asbury), 629
- Cardiovascular response to tracheal intubation, effect of diltiazem on (Mikawa *et al.*), 289
- Cardioversion anaesthesia: a comparison between propofol, thiopentone and midazolam (Gupta *et al.*), 872 (f)
- Cataract surgery anaesthesia; time for change? (Rubin), 717
- Catecholamine plasma concentration changes after field block for inguinal herniorrhaphy using lignocaine with adrenaline (Hayse-Gregson, Achola & Smith), 7
- Catheter, axillary, use to allow skin grafting in continuous brachial plexus blockade (Randalls), 143
- Catheter: breakage of a vessel dilator (McCoy), 699 (c)
- Catheter, epidural, insertion, and maternal posture (Stone, Kilpatrick & Thorburn), 920
- Catheter, J-shape tipped, with guide mark, used in selective bronchial suctioning for treatment of atelectasis of upper lung lobes (Kubota *et al.*), 842
- Catheter occlusion, pulmonary artery (Marsh & Salib), 895 (c)
- Catheterisation, internal jugular, a potentially fatal hazard (Powell & Beechey), 458
- Catheters: an adapter for a microcatheter (Eldor, Gozal & Guedj), 1098 (c)
- Catheters: an unusual complication of a central venous line (Monro), 344 (c)
- Catheters, central venous; tussive effect of a fentanyl bolus (Böhner, Fleischer & Werning), 18
- Catheters, epidural, lumbar, paraesthesia with; comparison of air and saline in a loss-of-resistance technique (Sarna, Smith & James), 1077 (f)
- Catheters, epidural, open-end, problems with (Saw & Wilson), 170 (c)
- Catheters: route for major vein cannulation (Ryan *et al.*: Punt: Powell & Beechey), 1086 (c)
- Catheters, spinal, 32-gauge, through 26-gauge needles (Nagle, McQuay & Glynn), 1052
- Catheters *see also* Central venous catheters,
- Caudal bupivacaine compared with rectal diclofenac for paediatric analgesia after inguinal herniotomy (Moores, Wandless & Fell), 156 (f)
- Caudal bupivacaine, respiratory arrest after (Lee & Collins), 63 (c)
- Caudal buprenorphine and bupivacaine compared for postoperative analgesia in children who have genito-urinary surgery (Girotra, Kumar & Rajendran), 406 (f)
- Central venous cannulation, aneurysm formation after (Winter & Howie), 67 (c)
- Central venous cannulation: two complications (Paul), 998 (c)
- Central venous line, an unusual complication of (Monro), 344 (c)
- CEPOD: was it right? (Ruiz & Aitkenhead), 978 (f)
- Cerebral aneurysm, giant, anaesthesia for the treatment of, under hypothermic circulatory arrest (Thomas, Anderton & Oduro), 383
- Cerebral blood flow and oxygen consumption, effects of midazolam on (Knudsen *et al.*), 1016
- Cerebral tumour, unmasking of? (Hodgson), 693 (c)
- Cerebrospinal fluid pressure, raised, and hypercapnia (Hargreaves), 1096 (c)
- Chaos in anaesthesia: editorial (Goodman), 187
- Checklists and patient safety: editorial (Charlton), 425
- Child with Job's syndrome, pneumatoceles and empyema, spinal anaesthesia in (Tapper & Giesecke), 378
- Child, young, aspiration of hot tea by (Mazrooa & Sissi), 884 (c)
- Children, abolition of injection pain due to propofol in (Morton), 70 (c)
- Children, anaesthesia for fiberoptic bronchoscopy in (Khoo), 248 (c)
- Children, atropine during halothane anaesthesia for (Yamashita & Tsuji), 1088 (c)
- Children: dilution of Diprivan (Hopkins & Albanese), 996 (c)
- Children, hyoscine derivatives in (Danks), 1089 (c)
- Children, long-term patient-controlled analgesia in (Mowbray & Gaukroger), 941
- Children, lytic cocktail in; rectal versus intramuscular administration (Laub *et al.*), 110
- Children, oral premedication; comparison of trimeprazine with a trimeprazine, droperidol and methadone mixture (Phillips *et al.*), 870 (f)
- Children, patient-controlled analgesia in (Lawrie *et al.*), 1074 (f)
- Children: postoperative analgesia for genito-urinary surgery; comparison between caudal buprenorphine and bupivacaine (Girotra, Kumar & Rajendran), 406 (f)
- Children, pre-induction behaviour in (Bedford & Thompson), 994 (c)
- Children: pre-induction behaviour; review of placebo-controlled trials of sedatives (Morgan-Hughes & Bangham), 427
- Children, propofol and lignocaine in (Hopkins & Albanese), 502 (c)
- Children, rapid inhalational induction using isoflurane in (Mackenzie), 256 (c)
- Children, small, behaviour before induction; effect of parental presence and EMLA and premedication with triclofos or a placebo (Page & Morgan-Hughes), 821
- Children, taking the sting out of postoperative analgesia in (Jordan & Griffiths), 413 (c)
- Children, the laryngeal mask airway in (Mason & Bingham), 760 (f)

- Children, the laryngeal mask for radiotherapy in (Taylor & Child), 690 (c)
- Children, two, kinking of the laryngeal mask airway in (Goldberg, Evans & Filshie: Martin), 487 (c)
- Children under one year of age, use of the oesophageal detector device in (Haynes & Morton), 1067
- Children's premedication and hypoxaemia (Wilson), 782 (c)
- Chinese hospital, use of acupuncture anaesthesia for thyroid adenoma removal in (Kho *et al.*), 480 (f)
- Chloroquine poisoning, the use of diazepam in (Rajah), 955
- Cholecystectomy, a randomised double-blind study of interpleural analgesia after (Lee *et al.*), 1028
- Cholecystectomy, laparoscopic, using the Nd:Yag laser, anaesthesia for; implications for a district general hospital (Greville & Clements), 944
- Cholinesterase, plasma, low, inheritance of (Evans: Whittaker, Berry & Britten), 57 (c)
- Cholinesterase deficiency and the Churg-Strauss syndrome (Taylor *et al.*), 649
- Chronotropic effect of acetylcholine in the presence of vecuronium and atracurium; an isolated perfused rabbit heart study (Bellis, Day & Barnes), 118
- Churg-Strauss syndrome and cholinesterase deficiency (Taylor *et al.*), 649
- Chymopapain and anaphylaxis (Allison & Wardlaw), 164 (c)
- Cimetidine and famotidine: effects on plasma levels of epidurally administered lignocaine (Kishikawa *et al.*), 719
- Circle absorption system used with Bain system (Hale), 73 (c)
- Circle and Bain systems (Willis & Clyburn: Hill), 172 (c)
- Circle system, open, low flow, for anaesthesia; laboratory evaluation (Chakrabarti *et al.*), 314
- Circle system, open, low flow, for anaesthesia; clinical evaluation (Holderoft, Chakrabarti & Whitwam), 318
- Circle systems, and Bain, Lack and Mera F systems (Nott), 501 (c)
- Circular arrest, hypothermic, anaesthesia for the treatment of a giant cerebral aneurysm (Thomas, Anderton & Oduro), 383
- Circulation, collateral, in the hand, and the Finapres (Armstrong & Andrews), 419 (c)
- Circulation, forearm, the effects of propofol and thiopentone on (McKeating, Howe & McArdle), 294
- Clinical evaluation of double-burst stimulation. Its relationship to train-of-four stimulation (Gill, Donati & Bevan), 543
- Clinical practice, change of: editorial (Lunn), 1
- Clinical research in anaesthesia: new approaches need fresh attitudes (Goodman: Knill), 985 (c)
- Clinical research in anaesthesia. Past accomplishments and a future horizon: editorial (Knill), 271
- Clonidine plus sufentanil, epidural, compared with epidural sufentanil alone for postoperative pain relief (Vercauteren *et al.*), 531
- Closed system use of isoflurane and enflurane (Gil-Rodriguez), 500 (c)
- Cocaine and propofol, convulsions after (Hendley), 788 (c)
- Coeliac plexus block, precautions against injection into the spinal artery during (Bowen Wright: Woodham & Hanna), 247 (c)
- Coeliac plexus block with alcohol (Churcher), 595 (c)
- Coeliac plexus blocks, multiple, retroperitoneal fibrosis after (Pateman, Williams & Filshie), 309
- Colour coding of intravenous cannulae; a perennial source of confusion (Tordoff & Sweeney), 399 (f)
- Colour coding of intravenous cannulae (Rendell-Baker: Wallace), 1095 (c)
- Complication of internal jugular vein cannulation: laryngeal oedema from a neck haematoma (Randalls & Toomey), 850
- Complication of tumour of the oesophagus (Banerjee, Kiran & Ghambeer), 494 (c)
- Complication of varicose vein surgery (Brighouse & McQuillan), 68 (c)
- Complication, unusual, of a central venous line (Monro), 344 (c)
- Complication, unusual, of tracheal intubation (Gray, Huggins & Hirsch), 558
- Complications and follow-up with fiberoptic tracheoscopy, after minitracheotomy (Randell, Kalli & Lindgren), 875 (f)
- Complications during anaesthesia, over a 10-year period in a teaching hospital (Chopra, Bovill & Spierdijk), 3
- Complications, life-threatening, during anaesthesia in a patient with a ventriculo-atrial shunt and pulmonary hypertension (Butler, Wheeler & Spargo), 946
- Complications of anaesthetic techniques, admissions to the intensive care unit after, over 5 years (Leigh & Tytler), 814
- Complications of central venous cannulation (Paul), 998 (c)
- Computer program index, 89
- Computerised infusion system used in intravenous propofol anaesthesia (White & Kenny), 204
- Computerised portable infusion system for propofol (Kenny & White), 692 (c)
- Computerised tomography *see* CT
- Concentration or dosage (Dennison), 885 (c)
- Conduction blocks, unexpectedly extensive, in obstetric epidural analgesia (Morgan), 148
- Confidential Enquiry into Peri-operative Deaths (CEPOD): was it right? (Ruiz & Aitkenhead), 978 (f)
- Connector, paediatric tracheal tube, creasing of (Sansome), 343 (c)
- Connexion, interlocking, in anaesthetic systems (Walsh & Wani), 1000 (c)
- Consciousness, loss of, after emergence from anaesthesia; a case of suspected micturition syncope (Kao & Raczy), 738
- Contamination of scavenging systems (Gil-Rodriguez, Harrop-Griffiths & Maddocks), 499 (c)
- Continuous brachial plexus blockade; use of axillary catheter to allow successful skin grafting (Randalls), 143
- Continuous brachial plexus blockade (Kubota, Okamoto & Ueda), 497 (c)
- Continuous brachial plexus blockade (Sarma), 695 (c)
- Continuous epidural infusion (Bogod), 988 (c)
- Continuous positive airway pressure *see* CPAP
- Convulsions after cocaine and propofol (Hendley), 788 (c)
- Convulsions and propofol (Shearer), 255 (c)
- Cord ischaemia (Casale: Sghirlanzoni *et al.*), 340 (c)
- Coronary artery bypass grafting, impairment of left ventricular diastolic function during (Wehlage, Böhner & Ruffmann), 549
- Cost awareness among junior anaesthetists (Jayasuriya), 174 (c)
- Cost of propofol (Stokes: Millar), 254 (c)
- Costs of propofol in day surgery (Scott), 174 (c)
- Costs of propofol in day surgery (correction) (McWilliam), 76 (c)
- Coughing and bronchospasm with propofol (Thompson & Davies), 690 (c)
- CPAP silencer (Penfold & Lowe), 73 (c)
- Craniotomy drains and bradycardias (Stokes & Huggins), 495 (c)
- Craniotomy: effects of midazolam on cerebral blood flow and oxygen consumption; interaction with nitrous oxide (Knudsen *et al.*), 1016
- Cricoid pressure, bimanual (Crowley & Giesecke), 588 (c)
- Cricoid pressure, bimanual (Hunter), 1091 (c)

- Cricothyroid puncture and direct spraying compared with jet nebuliser delivery of topical anaesthesia to the respiratory tract for fibreoptic bronchoscopy (Isaac *et al.*), 46 (f)
- Crystalloid preloading in spinal anaesthesia (Hutchison: Elton & Howell: Coe), 785 (c)
- Crystalloid preloading: is it useful in spinal anaesthesia in the elderly? (Coe & Revanäs), 241 (f)
- CT radiotherapy planning, use of a laryngeal mask airway for (Waite & Filshie), 894 (c)
- Cuff, blood pressure, disposable; assessment of accuracy (Dodd *et al.*), 666
- Cuff deflation, failed (Bourne & Tate), 76 (c)
- Curarisation monitoring in patients with tetraparesis (Fiacchino, Bricchi & Lasio), 128
- Cytogenetic damage in operation theatre personnel (Natarajan & Santhiya), 574 (f)
- Damage to Manley ventilators (Stubbing, Tordoff & Skivington: Aron), 74 (c)
- Damage to multidose vials (Vernon), 75 (c)
- Dandy-Walker syndrome: relevance to anaesthesia and intensive care (Ewart & Oh), 646
- Datascope 22001 monitor, faulty (Paul & Todd: Eldred), 1093 (c)
- Datex Capnomac, effect of exhaled alcohol on performance of (Foley *et al.*), 232
- Day surgery, costs of propofol in (correction) (McWilliam), 76 (c)
- Day surgery, the costs of propofol in (Scott), 174 (c)
- Daycare surgery, intrathecal anaesthesia for; use of 25- and 26-gauge spinal needles (Sarma & Boström), 769 (f)
- Daycase anaesthesia induction agents. Comparison of propofol and midazolam antagonised by flumazenil (Norton & Dundas), 198
- Daycase anaesthesia, recovery after; comparison of thiopentone and propofol anaesthesia (Heath, Ogg & Gilks), 911
- Daycase laparoscopy for gynaecological patients; intravenous fluid load and recovery; a double-blind comparison (Cook *et al.*), 826
- Day-case ophthalmic surgery: general or local anaesthesia? (O'Sullivan *et al.*), 885 (c)
- Death associated with anaesthesia; acute viral myocarditis (Brampton & Jago), 215
- Death, series of errors which culminated in; anaesthesia and the law (Brahams), 332
- Declaration of Helsinki (Drummond), 59 (c)
- Dental anaesthesia, a modified laryngeal mask for (Alexander), 892 (c)
- Dental pain, postoperative, effect of diclofenac and nefopam on (Goucke *et al.*), 329 (f)
- Desmopressin and open heart surgery (Manners & Spargo), 413 (c)
- Diabetes and hypotension (Shorten & Furness), 169 (c)
- Diabetes mellitus, long-term, predictability of difficult laryngoscopy in patients with (Reissell *et al.*), 1024
- Diamorphine, intrathecal, and multiple sclerosis (Alderson: Leigh), 1084 (c)
- Diamorphine, intrathecal, during laparotomy in a patient with advanced multiple sclerosis (Leigh, Fearnley & Lupprian), 640
- Diastolic function, left ventricular, impairment during coronary artery bypass grafting (Wehlage, Böhrer & Ruffmann), 549
- Diathermy and patient burns (Hazard Notice), 804
- Diazepam and pre-operative anxiety (Jakobsen *et al.*), 40 (f)
- Diazepam: use in chloroquine poisoning (Rajah), 955
- Diclofenac and nefopam, effect on postoperative dental pain (Goucke *et al.*), 329 (f)
- Diclofenac and nefopam, postoperative; evaluation of their morphine-sparing effect after upper abdominal surgery (Moffat, Kenny & Prentice), 302
- Diclofenac, intramuscular, platelet function after (Power *et al.*), 916
- Diclofenac, rectal, compared with caudal bupivacaine for paediatric analgesia after inguinal herniotomy (Moores, Wandless & Fell), 156 (f)
- Diclofenac sodium, intravenous; does its administration before operation suppress postoperative pain? (Campbell, Kendrick & Patterson), 763 (f)
- Difficult intubation *see* Intubation,
- Dihydrocodeine, evaluation of two formulations of, using patient-controlled analgesia (Aitken *et al.*), 535
- Dilator, vessel, breakage of (McCoy), 699 (c)
- Diltiazem: effect on the cardiovascular response to tracheal intubation (Mikawa *et al.*), 289
- Diprivan, dilution of (Hopkins & Albanese), 996 (c)
- District general hospital: anaesthesia for laparoscopic cholecystectomy using the Nd:Yag laser (Greville & Clements), 944
- District general hospital, introducing patient-controlled analgesia for postoperative pain into (Notcutt & Morgan), 401 (f)
- Doctor technicians, the interpretation of results by (Verma, Dhond & Lawler), 412 (c)
- Doctor technicians, the interpretation of results by (Heining), 887 (c)
- Dosage or concentration (Dennison), 885 (c)
- Dosage volume or concentration? (Davies), 414 (c)
- Double lumen bronchial tubes, attachments to (Worsley, Hawkins & Scott), 1001 (c)
- Double-lumen tubes and fibreoptic intubation (Ross), 895 (c)
- Double-burst stimulation, clinical evaluation of; relationship to train-of-four stimulation (Gill, Donati & Bevan), 543
- Down's syndrome, atlanto-axial subluxation in (Powell, Woodcock & Luscombe), 1049
- Doxapram for respiratory depression after epidural morphine (Thangathurai, Nelson & Cheung), 64 (c)
- Drains, craniotomy, and bradycardias (Stokes & Huggins), 495 (c)
- Drape, polythene, an unusual occlusion of an anaesthetic system by (Anderson), 258 (c)
- Drawover breathing system for weaning (Bem & Wilson), 1102 (c)
- Droperidol and alfentanil compared with droperidol and fentanyl in effects on intra-ocular pressure (Coley *et al.*), 477 (f)
- Droperidol, trimeprazine and methadone mixture compared with trimeprazine for oral premedication in children (Phillips *et al.*), 870 (f)
- Drug administration and equipment deadspace (Macfie), 145
- Drug usage by anaesthetists (Mirakhur), 500 (c)
- Drug usage by anaesthetists (Graham, Thorp & Liu), 896 (c)
- Duchenne's muscular dystrophy, cardiac arrest after isoflurane anaesthesia in a patient with (Chalkiadis & Branch), 22
- Dural puncture during attempted stellate ganglion block (Stannard, Glynn & Smith), 952
- Dwarf, achondroplastic, gravid, anaesthesia in (Brimacombe & Caunt), 132
- Dystrophia myotonica, obstetric anaesthesia in (Blumgart, Hughes & Redfern), 26
- Dystrophia myotonica *see also* Myotonic dystrophy,
- Editorials
- Anaesthesia for cataract surgery—time for change? (Rubin), 717
- Anaesthesia stimulators and training devices (Good), 525
- Anaesthetists and trauma (Baskett), 805
- Awareness during anaesthesia: what should the patient be told? (Aitkenhead), 351
- Change of clinical practice (Lunn), 1

- Chaos in anaesthesia (Goodman), 187
 Checklists and patient safety (Charlton), 425
 Clinical research in anaesthesia. Past accomplishments and a future horizon (Knill), 271
 Ethics and research in anaesthesia (Drummond), 909
 Implications of nervous system plasticity for pain management (McQuay & Dickenson), 101
 Quality assurance, standards and accreditation (Baldock), 617
 Safety in numbers (Lunn), 1007
- ECG patient cables, electrodes and lead wire connexion (Safety Action Bulletin), 524
 Elbow and supraclavicular blocks, combined (Lee & Ben-David: Smith), 337 (c)
 Elderly patients, controlled ventilation of the lungs in (Cook: Leigh), 497 (c)
 Elderly patients, is crystalloid preloading useful in spinal anaesthesia in? (Coe & Revanäs), 241 (f)
 Elderly patients who have joint replacement surgery, maintenance of body temperature in; comparison between heat and moisture exchanger and heated humidifier (Ip Yam & Carli), 563
 Electro-acupuncture and postoperative emesis (Ho *et al.*), 327 (f)
 Electro-acupuncture and postoperative emesis (Dundee), 789 (c)
 Electroconvulsive therapy, comparison of propofol and thiopentone as anaesthetic agents for (Boey & Lai), 623
 Embolism during Caesarean section (Matthews & Greer), 964 (f)
 Embolism, pulmonary, intra-operative, after intravesical instillation of formalin (Oshima, Maeda & Matsuki), 638
 Embolism, pulmonary, intra-operative; detection by pulse oximetry (Michael, Fraser & Reilly), 225
 Emergency tracheal intubation, the Brain laryngeal mask airway as an alternative to (Calder *et al.*), 137
 Emesis, postoperative, and electro-acupuncture (Ho *et al.*), 327 (f)
 Emesis, postoperative, and electro-acupuncture (Dundee), 789 (c)
 EMLA and glyceryl trinitrate ointment, local application before venepuncture (Gunawardene & Davenport), 52 (f)
 EMLA and glyceryl trinitrate ointment, local application before venepuncture (Gunawardene & Davenport) (Erratum), 524
 EMLA and the behaviour of small children before induction (Page & Morgan-Hughes), 821
 EMLA cream in injection pain relief in adults (Nott & Peacock), 772 (f)
 Empyema, pneumatoceles and Job's syndrome, spinal anaesthesia in a child with (Tapper & Giesecke), 378
 Enclosed Magill, Bain, and ADE breathing systems; a comparative study during controlled ventilation (Criswell *et al.*), 113
 Endoscopy, upper gastrointestinal, in the outpatient, a study of flumazenil following midazolam as sedation for (Andrews, Wright & Lamont), 445
 End-tidal carbon dioxide detector; a new method to distinguish oesophageal from tracheal intubation (O'Flaherty & Adams), 653
 End-tidal CO₂ detector, FEF (Wee), 251 (c)
 Enflurane and isoflurane, closed system use of (Gil-Rodriguez), 500 (c)
 Enflurane, comparison of conventional and rapid inhalational induction of anaesthesia with (Rowbottom, Yukioka & Fujimori), 43 (f)
 Engström Elsa anaesthetic machine. An electronic system for anaesthesia (Alexander *et al.*), 746
 Enoximone and low cardiac output (Manners: White, Latimer & Oduro), 989 (c)
 Enoximone in management of low cardiac output syndrome after cardiac surgery (White, Latimer & Oduro), 386
 ENT and dental anaesthesia, and modified Intavent laryngeal mask for (Alexander), 892 (c)
 Ephedrine and hypotension (Ballance), 258 (c)
 Epidural anaesthesia and Von Willebrand's disease (Milaskiewicz, Holdcroft & Letsky), 462
 Epidural anaesthesia, postmortem findings after (Wulf & Striepling), 357
 Epidural analgesia and hypotension (Lee & Parry), 170 (c)
 Epidural analgesia, obstetric, unexpectedly extensive conduction blocks in (Morgan), 148
 Epidural analgesia, obstetric, with mixtures of bupivacaine, adrenaline and fentanyl (Yau *et al.*), 1020
 Epidural catheter insertion, and maternal posture (Stone, Kilpatrick & Thorburn), 920
 Epidural catheters, lumbar, paraesthesia with; comparison of air and saline in a loss-of-resistance technique (Sarna, Smith & James), 1077 (f)
 Epidural catheters, open-end, problems with (Saw & Wilson), 170 (c)
 Epidural fentanyl and 0.5% bupivacaine for elective Caesarean section (King, Bowden & Cooper), 285
 Epidural for Caesarean section, and hypotension (Crochetiere), 69 (c)
 Epidural infusion, continuous (Bogod), 988 (c)
 Epidural injection simulator (Daykin & Bacon), 235
 Epidural injection simulator, Portex, in comparison of pressure generated during insertion of lumbar epidurals (Langton & Meiklejohn), 1055
 Epidural injections, single-shot, forty-eight, on the same patient (Katsaros, Handjis & Anastasiades), 381
 Epidural morphine, doxapram for respiratory depression after (Thangathurai, Nelson & Cheung), 64 (c)
 Epidural morphine treatment for late postspinal headache (Eldor *et al.*), 1099 (c)
 Epidural needle, 18-G, Portex, too long plastic obturator for (Eldor & Guedj: Green), 1098 (c)
 Epidural needles: problems associated with the introduction of different equipment (Ewart), 790 (c)
 Epidural or general anaesthesia for Caesarean section? (Lawes & Goodrum: Rosen & Evans), 411 (c)
 Epidural pressure (Harrison: Johnston, Rodgers & Tunstall), 336 (c)
 Epidural space identification (Robinson, Patel & MacLeod: Reynolds & Speedy), 498 (c)
 Epidural sufentanil plus clonidine compared with sufentanil alone for postoperative pain relief (Vercauteren *et al.*), 531
 Epidural veins, trauma in; the role of posture (Shearer), 788 (c)
 Epidurally administered lignocaine, effects of famotidine and cimetidine on plasma levels of (Kishikawa *et al.*), 719
 Epidurography in premature infants (van Niekerk *et al.*), 722
 Epilepsy, porphyria and propofol (Parr & Hayden-Smith), 594 (c)
 Epilepsy: propofol infusion for control of status epilepticus (Mackenzie, Kapada & Grant), 1043
 Epilepsy: successful use of propofol in status epilepticus (Chilvers & Laurie), 995 (c)
 Equipment deadspace and drug administration (Macfie), 145
 Equipment, different, problems associated with the introduction of (Ewart), 790 (c)
 Erection, persistent, and general anaesthesia (Hutchinson), 794 (c)
 Errata, 76 (c), 185, 424, 524, 897, 1002
 Erroneous explanation for an erroneous pulse oximeter reading (Oyston & Ordman), 258 (c)
 Errors, series of, which culminated in death; anaesthesia and the law (Brahams), 332
 Esmolol in management of autonomic dysfunction and Guillain-Barré syndrome (Calleja), 736
 Ethanol, trace, in the expired breath, prevention of TUR syndrome by detection of (Hahn), 577 (f)
 Ethics and research in anaesthesia (Drummond), 909

- Eutectic Mixture of Local Anaesthetics *see* EMLA,
 Extravasation injury, treatment of (Murphy & Gault), 600 (c)
 Eye, and local anaesthesia (Ballance), 695 (c)
 Eye: painless loss of vision after transurethral resection of the prostate (Russell), 218
 Eye surgery, peri-ocular local anaesthesia for (Fry & Henderson), 14
 Eyes *see also* Intraocular pressure; Ophthalmic; Visual,
 Failed cuff deflation (Bourne & Tate), 76 (c)
 Failed obstetric intubation (Christian: McClune & Moore), 995 (c)
 Failure, another, of Selectatec block (Wright), 795 (c)
 Failure, dangerous, of a pulse oximeter (Broome: Reynolds), 166 (c)
 Failure, extraordinary, of oxygen pipeline (Black), 599 (c)
 Failure of a valve in a Bain system: a dangerous design? (Breen: Denyer), 417 (c)
 Failure of a valve in a Bain system: a dangerous design (Denyer), 795 (c)
 Failure of gas pipeline, an unusual cause of (Ewart), 498 (c)
 Failure of nitrous oxide supply (Yoganathan), 897 (c)
 Failure of nitrous oxide supply to theatre pipeline system (Francis), 880 (c)
 Failure of oxygen flush device (Akhtar), 176 (c)
 Famotidine and cimetidine: effects on plasma levels of epidurally administered lignocaine (Kishikawa *et al.*), 719
 Fear and anaesthesia (Young: Soni & Thomas), 59 (c)
 FEF carbon dioxide analyser (Rodgers), 591 (c)
 FEF end-tidal CO₂ detector (Wee), 251 (c)
 Femoral nerve block after intra-operative subcutaneous bupivacaine injection (Chan & Davidson), 163 (c)
 Femoral nerve block, prolonged, and unilateral spinal anaesthesia (Hutchison & Barthram), 987 (c)
 Femoral nerve block with bupivacaine 0.5%, prolonged motor weakness after (Lynch), 421 (c)
 Fenem CO₂ detector device, an apparatus to prevent unnoticed oesophageal intubation (Danman *et al.*), 465
 Fenem CO₂ detector device (Calder, Smith & Newton: Wilkinson, Hayes & Higgins: Wee), 1092 (c)
 Fenem CO₂ detector, use in confirmation of tracheal intubation in a neonate (Higgins), 591 (c)
 Fenem FEF CO₂ detector (Wilkinson *et al.*), 694 (c)
 Fentanyl, a disposable device for patient-controlled analgesia with (Notcutt), 422 (c)
 Fentanyl and 0.5% bupivacaine, epidural, for elective Caesarean section (King, Bowden & Cooper), 285
 Fentanyl bolus administered through a central venous catheter, tussive effect of (Böhler, Fleischer & Werning), 18
 Fentanyl, bupivacaine and adrenaline mixtures, obstetric epidural analgesia with (Yau *et al.*), 1020
 Fentanyl high dose anaesthesia for cardiac surgery, recovery of bowel motility after (Yukioka, Tanaka & Fujimori), 353
 Fentanyl, inhaled, as a method of analgesia (Worsley *et al.*), 449
 Fentanyl, tussive effect of (Ananthanarayan: Böhler), 595 (c)
 Fentanyl/droperidol compared with alfentanil/droperidol in effects on intra-ocular pressure (Coley *et al.*), 477 (f)
 Fibreoptic bronchoscopy, comparison of cricothyroid puncture and direct spraying with jet nebuliser delivery of topical anaesthesia to the respiratory tract for (Isaac *et al.*), 46 (f)
 Fibreoptic bronchoscopy in children, anaesthesia for (Khoo), 248 (c)
 Fibreoptic intubation and double-lumen tubes (Ross), 895 (c)
 Fibreoptic intubation, oesophageal, deliberate (Breen & Gerrish), 1103 (c)
 Fibreoptic nasotracheal intubation, teaching of (Towey & Lethbridge), 420 (c)
 Fibreoptic orotracheal intubation, a modified airway for (Frankel, Mizrahi & Simon), 249 (c)
 Fibreoptic tracheoscopy, complications and follow-up with, after minitracheotomy (Randell, Kalli & Lindgren), 875 (f)
 Fibrosis, pulmonary, isolated lung transplantation for (Conacher *et al.*), 971 (f)
 Fibrosis, retroperitoneal, after multiple coeliac plexus blocks (Pateman, Williams & Filshie), 309
 Finapres and collateral circulation in the hand (Armstrong & Andrews), 419 (c)
 Fluid flow through two spinal needles, resistance to (Toomey), 751
 Fluid load, intravenous, and recovery; double-blind comparison in gynaecological patients who had day-case laparoscopy (Cook *et al.*), 826
 Flumazenil in ketamine and midazolam anaesthesia (Restall, Johnston & Robinson), 938
 Flumazenil in the outpatient. A study following midazolam as sedation for upper gastrointestinal endoscopy (Andrews, Wright & Lamont), 445
 Flumazenil, midazolam antagonised by, in comparison with propofol, in daycase anaesthesia (Norton & Dundas), 198
 Fluoroscopic control of tracheal intubation. X-ray guided orotracheal intubation in cases of impossible direct laryngoscopy (Innocente, Ori & Giron), 675 (f)
 Forearm circulation, the effects of propofol and thiopentone on (McKeating, Howe & McArdle), 294
 Formalin, intra-operative pulmonary embolism after intravesical instillation of (Oshima, Maeda & Matsuki), 638
 Fresenius Injectomat Syringe Pumps: misalignment of control knobs (Safety Action Bulletin), 424
 Galen great vein, postpartum thrombosis of (Krenz & Power), 643
 Gas pipeline failure, an unusual cause of (Ewart), 498 (c)
 Gastric secretion in women undergoing elective Caesarean section, a comparison of the effects of omeprazole and ranitidine on (Ewart *et al.*), 527
 Gastrointestinal, upper, endoscopy in the outpatient, a study of flumazenil following midazolam as sedation for (Andrews, Wright & Lamont), 445
 Gastro-oesophageal reflux during elective laparoscopy (Roberts & Goodman), 1009
 Gastro-oesophageal reflux, provoked? (Vanner: Bogod), 999 (c)
 General anaesthesia and persistent erection (Hutchinson), 794 (c)
 General anaesthesia, detecting awareness during (Bogod), 590 (c)
 General anaesthesia for Caesarean section, detecting awareness during; two methods (Bogod *et al.*), 279
 General anaesthesia in the presence of a spouse (Bogod), 422 (c)
 General anaesthesia, information processing during (Bonke, Boeke & Jelacic), 493 (c)
 General anaesthesia, intra-operative hearing under (Migály), 58 (c)
 General or epidural anaesthesia for Caesarean section? (Lawes & Goodrum: Rosen & Evans), 411 (c)
 General or local anaesthesia in day-case ophthalmic surgery? (O'Sullivan *et al.*), 885 (c)
 Genito-urinary surgery in children; postoperative analgesia; comparison between caudal buprenorphine and bupivacaine (Girotra, Kumar & Rajendran), 406 (f)

- Ginger root, a new antiemetic (Liu), 1085 (c)
 Ginger root—a new antiemetic. The effect of ginger root on postoperative nausea and vomiting after major gynaecological surgery (Bone *et al.*), 669 (f)
 Glyceryl trinitrate and EMLA, local application before venepuncture (Gunawardene & Davenport), 52 (f)
 Glyceryl trinitrate and EMLA, local application before venepuncture (Gunawardene & Davenport) (Erratum), 524
 Glycopyrronium pharmacokinetics in parturients (Ali-Melkili *et al.*), 634
 Goldenhar's syndrome (Khan), 1102 (c)
 Goldenhar's syndrome: an analysis of anaesthetic management. A retrospective study of seventeen cases (Madan *et al.*), 49 (f)
 Goldenhar's syndrome: an analysis of anaesthetic management. A retrospective study of seventeen cases (Madan, Trikha & Venkataraman) (Erratum), 424
 Goldenhar's syndrome (Khan: Madan *et al.*), 592 (c)
 Gorlin's syndrome and pregnancy (Yoshizumi, Vaughan & Jasani), 1046
 Grand mal seizure after retrobulbar block (Fletcher & O'Sullivan), 696 (c)
 Graseby adult apnoea alarm (Mendham & Bambridge), 63 (c)
 Graseby Medical MS2000 Syringe Driver (Hazard Notice), 804
 Gravid achondroplastic dwarf, anaesthesia in (Brimacombe & Caunt), 132
 Guillain-Barré syndrome and autonomic dysfunction; use of esmolol in management (Calleja), 736
 Guillain-Barré syndrome mimicking brainstem death (Coad & Byrne), 456
 Gum protection during laryngoscopy (Leadbeater & Nott), 343 (c)
 Gynaecological patients who had day-case laparoscopy, a double-blind comparison; intravenous fluid load and recovery (Cook *et al.*), 826
 Gynaecological surgery, major, the effect of ginger root on postoperative nausea and vomiting after (Bone *et al.*), 669 (f)
- Haematoma, neck, laryngeal oedema from; a complication of internal jugular vein cannulation (Randalls & Toomey), 850
 Haemodynamic and neurohumoral effects of xenon anaesthesia. A comparison with nitrous oxide (Boomsma *et al.*), 273
 Haemodynamic changes after field block for inguinal herniorrhaphy using lignocaine with adrenaline (Hayse-Gregson, Achola & Smith), 7
 Haemodynamic effects, adverse, of high-dose aprotinin in a paediatric cardiac surgical patient (Böhrer *et al.*), 853
 Haemoglobin SC disease, Caesarean section in a patient with a pheochromocytoma and (Pattison *et al.*), 958
Haemophilus influenzae pneumonia that developed under anaesthesia (Campbell), 561
 Haemorrhoidectomy, analgesia after (Severn & Khwaja: Pryn & Crosse), 597 (c)
 Halothane anaesthesia for children, atropine during (Yamashita & Tsuji), 1088 (c)
 Hand, the Finapres and collateral circulation in (Armstrong & Andrews), 419 (c)
 Hanging, noncardiogenic pulmonary oedema after attempted suicide by (Mantha & Rao), 993 (c)
 Hazard: a faulty monitor (Paul & Todd: Eldred), 1093 (c)
 Hazard, Brain laryngeal mask: will we ever learn? (Welsh: Martin), 892 (c)
 Hazard: creasing of a paediatric tracheal tube connector (Sansome), 343 (c)
 Hazard for anaesthesia, indication by sticky labels (van der Walt & Sweeney), 502 (c)
 Hazard: heparin and heparin-saline (Gilston), 175 (c)
 Hazard Notices, 270, 349, 524, 804
 Hazard: obstruction in a pressure line (Thomas: Pursell), 897 (c)
 Hazard: Ohmeda Oxicap 4700 (Duncan: Thuillier), 1093 (c)
 Hazard: potentially fatal; internal jugular catheterisation (Powell & Beechey), 458
 Hazard: 'thermal ceiling' warming and cardiac output monitoring by thermodilution principle (Gupta & Pederzen), 342 (c)
 Hazards associated with the introduction of different equipment (Ewart), 790 (c)
 Hazards *see also* Accidents; Alarm; Breakage; Broken; Contamination; Damage; Errors; Failure; Kinking; Malfunction; Misassembly; Misconnection; Obstruction; Problems; Safety; Unexpected,
 HC(88)51 (and equivalent in other parts of the UK), reminder to report incidents in accordance with (Safety Action Bulletin), 1005
 Headache and special needles; spinal anaesthesia in obstetrics (Thomas: Noble & Thomas), 1100 (c)
 Headache, postdural puncture; Sprotte needle for intrathecal anaesthesia for Caesarean section (Cesarini *et al.*), 656
 Headache, postdural puncture, with 29-gauge spinal needles (Fitzgibbon & Gardiner), 593 (c)
 Headache, postspinal (Brimacombe & Spargo), 414 (c)
 Headache, postspinal, late, treated with epidural morphine (Eldor *et al.*), 1099 (c)
 Headache, postspinal (Weksler & Ovadia) (Erratum), 1002 (c)
 Hearing, intra-operative, under general anaesthesia (Migály), 58 (c)
 Heart and heart-lung transplantation, management of donors for (Ghosh *et al.*), 672 (f)
 Heart *see also* Open heart,
 Heat and moisture exchanger compared with heated humidifier in maintenance of body temperature in elderly patients who have joint replacement surgery (Ip Yam & Carli), 563
 Heat and moisture exchangers and body temperature (Zuck), 991 (c)
 Helsinki Declaration (Drummond), 59 (c)
 Helsinki Declaration (Hardy), 1088 (c)
 Helsinki Declaration (Grummitt: Böhrer), 496 (c)
 Hemithyroidectomy, collapse of the lung during (Shaw), 61 (c)
 Heparin and heparin-saline: another hazard (Gilston), 175 (c)
 Herniorrhaphy, inguinal, changes in haemodynamics and plasma catecholamine concentrations after field block for, using lignocaine with adrenaline (Hayse-Gregson, Achola & Smith), 7
 Herniotomy, inguinal, comparison of rectal diclofenac with caudal bupivacaine for paediatric analgesia after (Moores, Wandless & Fell), 156 (f)
 History: a Patent application (Masson), 334 (c)
 History: Hyderabad chloroform commission (Secher), 497 (c)
 History: the Trilite inhaler; an historical review and performance assessment (Tweedie & Snowdon), 757
 History: the Woolley and Roe case; a reassessment (Hutter), 859
 History: Walter Stoeckel (1871–1961), a pioneer of regional analgesia in obstetrics (Danman), 468
 HIV, occupational exposure to, and zidovudine chemoprophylaxis (Smart), 989 (c)
 Human immunodeficiency virus *see* HIV,
 Humidifier, heated, compared with heat and moisture exchanger in maintenance of body temperature in elderly patients who have replacement joint surgery (Ip Yam & Carli), 563
 Humphrey ADE *see* ADE,
 Huntington's chorea, propofol for patients with? (Kaufman & Erb), 889 (c)

- Hyderabad chloroform commission (Secher), 497 (c)
 Hydrocortisone, topical; postoperative sore throat (Stride), 968 (f)
 Hydroxyethyl starch, severe anaphylactoid reaction to (Cullen & Singer), 1041
 Hydroxyethyl starch solution, volume therapy with, in cardiac surgery (Boldt *et al.*), 928
 Hyoscine derivatives in children (Danks), 1089 (c)
 Hyoscine/papaveretum or temazepam premedication; comparison of postoperative sore throat (Valentine, McVey & Coe), 306
 Hypercapnia and raised cerebrospinal fluid pressure (Hargreaves), 1096 (c)
 Hyperkalaemia, cardiac arrest, suxamethonium and intensive care (Hemming, Charlton & Kelly), 990 (c)
 Hyperpyrexia, malignant (Aitken & Howie), 60 (c)
 Hypertension, pulmonary, life-threatening complications during anesthesia in a patient with a ventriculo-atrial shunt and (Butler, Wheeler & Spargo), 946
 Hyperthermia, malignant, during isoflurane anaesthesia (McGuire & Easy), 124
 Hyperthermia, malignant, suspected, clinical presentation of, during anaesthesia in 402 probands (Ellis, Halsall & Christian), 838
 Hyperthermia, whole body, atracurium in (Benzer *et al.*), 991 (c)
 Hypertonic saline hydroxyethyl starch solution, volume therapy with, in cardiac surgery (Boldt *et al.*), 928
 Hypnotics: effects on sleep and psychomotor performance; double-blind randomized study of lormetazepam, midazolam and zopiclone (Rettig *et al.*), 1079 (f)
 Hyponatraemia, management of (Horsey), 169 (c)
 Hypotension and diabetes (Shorten & Furness), 169 (c)
 Hypotension and ephedrine (Ballance), 258 (c)
 Hypotension and epidural analgesia (Lee & Parry), 170 (c)
 Hypotension and epidural for Caesarean section (Crochetiere), 69 (c)
 Hypotension due to unexpected cardiac tamponade (Cyna, Rodgers & McFarlane), 140
 Hypotension, severe, due to intramyometrial injection of prostaglandin E₂ (Kilpatrick & Thorburn), 848
 Hypoxaemia and children's premedication (Wilson), 782 (c)
 Hypoxaemia, postoperative; mechanisms and time course (Jones, Sapsford & Wheatley), 566
 Hypoxaemic episodes and atracurium (Sudhaman), 166 (c)
 Hypoxia, postoperative (Fawcett & Allt-Graham Hicks), 886 (c)
 Hypoxic events, delayed detection of, by pulse oximeters; computer simulations (Verhoeff & Sykes), 103
- Iatrogenic anaemia? A survey of venesection in patients in the Intensive Therapy Unit (Tarpey & Lawler), 396 (f)
 IgE antibodies to muscle relaxants and thiopentone, value of paper radioallergosorbent tests for, and anaphylactic anaesthetic reactions (Assem), 1032
 Induction agents for day-case anaesthesia. A double-blind comparison of propofol and midazolam antagonised by flumazenil (Norton & Dundas), 198
 Induction, intravenous; recovery from two different techniques in identical twins (Mackenzie), 69 (c)
 Infants, premature, epidurography in (van Niekerk *et al.*), 722
 Information processing during general anaesthesia (Bonke, Boeke & Jelacic), 493 (c)
 Infusion system, computerised, portable, for propofol (Kenny & White), 692 (c)
 Infusion system, computerised, used in intravenous propofol anaesthesia (White & Kenny), 204
 Infusion-demand system of patient-controlled analgesia using alfentanil, test of (Owen *et al.*), 452
 Inguinal herniorrhaphy, changes in haemodynamics and plasma catecholamine concentrations after field block for, using lignocaine with adrenaline (Hayse-Gregson, Achola & Smith), 7
 Inguinal herniotomy, comparison of rectal diclofenac with caudal bupivacaine for paediatric analgesia after (Moore, Wandless & Fell), 156 (f)
 Inhalational induction of anaesthesia with enflurane; comparison of conventional and rapid methods (Rowbottom, Yukioka & Fujimori), 43 (f)
 Inhalational rapid induction using isoflurane in children (Mackenzie), 256 (c)
 Inhaled fentanyl as a method of analgesia (Worsley *et al.*), 449
 Inhaled opiates (Harrison: Worsley & Clark), 992 (c)
 Inheritance of low plasma cholinesterase (Evans: Whittaker, Berry & Britten), 57 (c)
 Injection, intradermal, of lignocaine, discomfort caused by, and pH-adjustment (Martin), 975 (f)
 Injection of propofol, pain on; methods of alleviation (Johnson *et al.*), 439
 Injection of propofol, pain on; the effect of injectate temperature (McCirrick & Hunter), 443
 Injection of propofol, pain on; the effect of injectate temperature (Baczowski: McCirrick & Hunter), 1090 (c)
 Injection pain due to propofol in children, abolition of (Morton), 70 (c)
 Injection pain relief in adults, with EMLA cream (Nott & Peacock), 772 (f)
 Injection simulator, epidural (Daykin & Bacon), 235
 Injections, epidural, single-shot, forty-eight, on the same patient (Katsaros, Handjis & Anastasiades), 381
 Injector simulator, epidural, Portex, in comparison of pressure generated during insertion of lumbar epidurals (Langton & Meiklejohn), 1055
 Intavent laryngeal mask, modified, for ENT and dental anaesthesia (Alexander), 892 (c)
 Intensive care (Routh), 66 (c)
 Intensive care: hyperkalaemia, cardiac arrest and suxamethonium (Hemming, Charlton & Kelly), 990 (c)
 Intensive care, quality of life after (Ridley & Wallace), 808
 Intensive care, relevance of the Dandy-Walker syndrome to (Ewart & Oh), 646
 Intensive care support for the pregnant population, the requirement of (de Mello & Restall), 888 (c)
 Intensive care support requirements for the pregnant population (Hughes: Yau *et al.*), 65 (c)
 Intensive care unit admissions after complications of anaesthetic techniques; the second 5 years (Leigh & Tytler), 814
 Intensive care unit, propofol compared with papaveretum and midazolam for long-term sedation in (Harris *et al.*), 366
 Intensive Therapy Unit, a survey of venesection in patients in; iatrogenic anaemia? (Tarpey & Lawler), 396 (f)
 Intensive therapy unit, neuroleptic malignant syndrome in (Montgomery & Ironside), 311
 Intensive Therapy Units: APACHE II expected outcome calculations are subject to inter-observer variation (Jackson *et al.*), 888 (c)
 International congress calendar, 86, 347, 612, 905
 Interpleural analgesia after cholecystectomy, a randomised double-blind study of (Lee *et al.*), 1028
 Interpleural block, pneumothorax after, in a spontaneously breathing patient (Ananthanarayan & Kashtan), 342 (c)
 Intradermal injection of lignocaine, discomfort caused by, and pH-adjustment (Martin), 975 (f)
 Intramuscular diclofenac, platelet function after (Power *et al.*), 916
 Intramuscular ketorolac and morphine compared in pain control after laparotomy (Powell, Smallman & Morgan), 538

- Intramuscular versus rectal administration of lytic cocktail in children (Laub *et al.*), 110
- Intramyometrial injection of prostaglandin E₂, severe hypotension due to (Kilpatrick & Thorburn), 848
- Intra-ocular pressure, a comparison of the effects of alfentanil/droperidol or fentanyl/droperidol on (Coley *et al.*), 477 (f)
- Intra-ocular pressure measurement, peri-operative; comparison of Keeler Pulsair tonometer with the Perkins tonometer (Bricker, McGalliard & Mostafa), 36
- Intra-operative hearing under general anaesthesia (Migály), 58 (c)
- Intra-operative pulmonary embolism after intravesical instillation of formalin (Oshima, Maeda & Matsuki), 638
- Intra-operative pulmonary embolism. Detection by pulse oximetry (Michael, Fraser & Reilly), 225
- Intra-operative subcutaneous bupivacaine injection, femoral nerve block after (Chan & Davidson), 163 (c)
- Intrathecal anaesthesia for Caesarean section, Sprotte needle for; incidence of postdural puncture headache (Cesarini *et al.*), 656
- Intrathecal anaesthesia for day-care surgery. A retrospective study of 160 cases using 25- and 26-gauge spinal needles (Sarma & Boström), 769 (f)
- Intrathecal blockade, painful onset of (Read & Dye), 460
- Intrathecal diamorphine and multiple sclerosis (Alderson: Leigh), 1084 (c)
- Intrathecal diamorphine during laparotomy in a patient with advanced multiple sclerosis (Leigh, Fearnley & Lupprian), 640
- Intravascular Sheath (catheter) Introducer Set (Hazard Notice), 349
- Intravenous anaesthesia, total, with propofol and buprenorphine (Kamal, Khan & Khan), 865 (f)
- Intravenous anaesthetic agent, new, pregnanolone emulsion; pharmacokinetic and pharmacodynamic study (Carl *et al.*), 189
- Intravenous cannulae colour coding. A perennial source of confusion (Tordoff & Sweeney), 399 (f)
- Intravenous cannulae colour coding (Rendell-Baker: Wallace), 1095 (c)
- Intravenous diclofenac sodium. Does its administration before operation suppress postoperative pain? (Campbell, Kendrick & Patterson), 763 (f)
- Intravenous fluid load and recovery. A double-blind comparison in gynaecological patients who had day-case laparoscopy (Cook *et al.*), 826
- Intravenous induction: recovery from two different techniques in identical twins (Mackenzie), 69 (c)
- Intravenous propofol anaesthesia using a computerised infusion system (White & Kenny), 204
- Intravenous regional anaesthesia, alkalisation of prilocaine for (Armstrong, Brockway & Wildsmith), 11
- Intravenous regional anaesthesia, alkalisation of prilocaine for; suitability for clinical use (Armstrong, Watters & Whitfield), 935
- Intravesical instillation of formalin, intra-operative pulmonary embolism after (Oshima, Maeda & Matsuki), 638
- Intubation, difficult, and soft tissues (Charters & Horton), 996 (c)
- Intubation, difficult, in patients with long-term diabetes, predictability of (Reissell *et al.*), 1024
- Intubation, difficult, successful; tracheal tube placement over a gum-elastic bougie (Dogra, Falconer & Latto), 774 (f)
- Intubation, difficult, tube placement after (Huggins, Smith & Jewkes), 420 (c)
- Intubation, difficult, use of transtracheal cannulation after (Stannard & Goat), 790 (c)
- Intubation, fibreoptic, and double-lumen tubes (Ross), 895 (c)
- Intubation, fibreoptic, oesophageal, deliberate (Breen & Gerrish), 1103 (c)
- Intubation, nasal, blind, awake; use of simple whistle (Dyson, Saunders & Giesecke), 71 (c)
- Intubation, nasal, difficult (Vater & Lavery), 693 (c)
- Intubation, nasotracheal, fibreoptic, teaching of (Towey & Lethbridge), 420 (c)
- Intubation, obstetric, failed (Christian: McClune & Moore), 995 (c)
- Intubation, oesophageal, and the Fenem CO₂ detector device (Calder, Smith & Newton: Wilkinson, Hayes & Higgins: Wee), 1092 (c)
- Intubation, oesophageal, distinguished from tracheal intubation using the end-tidal carbon dioxide detector (O'Flaherty & Adams), 653
- Intubation, oesophageal, unnoticed, prevented by the Fenem CO₂ detector device (Danman *et al.*), 465
- Intubation, orotracheal, fibreoptic, a modified airway for (Frankel, Mizrahi & Simon), 249 (c)
- Intubation, orotracheal, X-ray guided, in cases of impossible direct laryngoscopy (Innocente, Ori & Giron), 675 (f)
- Intubation, tracheal, an unusual complication of (Gray, Huggins & Hirsch), 558
- Intubation, tracheal, difficult, and lingual thyroid (Fogarty), 251 (c)
- Intubation, tracheal, difficult, and the laryngeal mask (Ravalia & Goddard), 168 (c)
- Intubation, tracheal, difficult, as a result of obesity and absence of teeth: anaesthesia and the law (Brahams), 586
- Intubation, tracheal, distinguished from oesophageal intubation using the end-tidal carbon dioxide detector (O'Flaherty & Adams), 653
- Intubation, tracheal, effect of diltiazem on the cardiovascular response to (Mikawa *et al.*), 289
- Intubation, tracheal, emergency, the Brain laryngeal mask airway as an alternative to (Calder *et al.*), 137
- Intubation, tracheal, in a neonate, confirmation of, using the Fenem CO₂ detector (Higgins), 591 (c)
- Intubation, tracheal, pressor responses to, after sublingual captopril; a pilot study (McCarthy *et al.*), 243 (f)
- Intubation, tracheal, under fluoroscopic control. X-ray guided orotracheal intubation in cases of impossible direct laryngoscopy (Innocente, Ori & Giron), 675 (f)
- Iodine burns (White & Joseet), 75 (c)
- Ischaemia, cord (Casale: Sghirlanzoni *et al.*), 340 (c)
- Isoflurane anaesthesia, cardiac arrest after, in a patient with Duchenne's muscular dystrophy (Chalkiadis & Branch), 22
- Isoflurane anaesthesia, malignant hyperthermia during (McGuire & Eady), 124
- Isoflurane and enflurane, closed system use of (Gil-Rodriguez), 500 (c)
- Isoflurane used for rapid inhalational induction in children (Mackenzie), 256 (c)
- Isolated forearm technique, awareness and Caesarean section (Tunstall), 686 (c)
- Isolated forearm technique (Russell: Bogod), 687 (c)
- Job's syndrome, pneumatoceles and empyema, spinal anaesthesia in a child with (Tapper & Giesecke), 378
- Joint replacement surgery, maintenance of body temperature in elderly patients; comparison between heat and moisture exchanger and heated humidifier (Ip Yam & Carli), 563
- Jugular, internal, catheterisation; a potentially fatal hazard (Powell & Beechey), 458
- Jugular vein, internal, cannulation, a complication of; laryngeal oedema from a neck haematoma (Randalls & Toomey), 850
- Jugular vein, internal, right, a difficult cannulation of (Mehta, Bhavani & Sharma), 1087 (c)
- Keeler Pulsair air impulse tonometer compared with Perkins tonometer for peri-operative measurement of intra-ocular pressure (Bricker, McGalliard & Mostafa), 36
- Keeler Pulsair tonometer; method-comparison studies (Moseley & Shaw: Mostafa, Bricker & Percy), 595 (c)
- Ketamine anaesthesia is sweetened by mouthwash (Davies), 1102 (c)
- Ketamine and midazolam anaesthesia, flumazenil in (Restall, Johnston & Robinson), 938
- Ketamine and shivering (Sharma & Thakur), 252 (c)
- Ketamine and video nasties (Shaw & Moffett), 422 (c)

- Ketamine, twenty-five years of; report of an international meeting (Dundee), 159
- Ketorolac and morphine, intramuscular, compared in pain control after laparotomy (Powell, Smallman & Morgan), 538
- Kinked breathing systems (Inkster), 173 (c)
- Kinking of laryngeal mask airway (Rowbottom & Simpson), 892 (c)
- Kinking of the laryngeal mask airway in two children (Goldberg, Evans & Filshie: Martin), 487 (c)
- Knee manipulation, analgesia for (Smith & Fischer), 248 (c)
- Knee manipulation, analgesia for (Suresh), 694 (c)
- Labels, sticky, to indicate hazard for anaesthesia (van der Walt & Sweeney), 502 (c)
- Lack, Bain, Mera F and circle systems (Nott), 501 (c)
- Lack system, an accident with (Munro), 601 (c)
- Laerdal mask misassembly (Binnie, Janczak & Wright: Morallee), 70 (c)
- Laparoscopic cholecystectomy using the Nd:Yag laser, anaesthesia for; implications for a district general hospital (Greville & Clements), 944
- Laparoscopy, arterial to end-tidal carbon dioxide tension difference during; magnitude and effect of anaesthetic technique (Brampton & Watson), 210
- Laparoscopy, daycase, for gynaecological patients; intravenous fluid load and recovery; a double-blind comparison (Cook *et al.*), 826
- Laparoscopy, elective, gastro-oesophageal reflux during (Roberts & Goodman), 1009
- Laparoscopy, pain after (Boheimer, Thomas & Bowen-Simpkins), 253 (c)
- Laparotomy, comparison of intramuscular ketorolac and morphine in pain control after (Powell, Smallman & Morgan), 538
- Laparotomy in a patient with advanced multiple sclerosis, intrathecal diamorphine during (Leigh, Fearnley & Lupprian), 640
- Laryngeal hooks, a paediatric orotracheal tube with (MacNeil), 176 (c)
- Laryngeal mask airway (Ammar & Towey), 75 (c)
- Laryngeal mask airway and aspiration pneumonia (Griffin & Hatcher), 1039
- Laryngeal mask airway and facial burns (Russell & Judkins), 894 (c)
- Laryngeal mask airway, and supplementary oxygen (Broadway & Royle), 792 (c)
- Laryngeal mask airway and the oesophageal detector device (Ainsworth & Calder), 794 (c)
- Laryngeal mask airway, Brain; an alternative to emergency tracheal intubation (Calder *et al.*), 137
- Laryngeal mask airway, Brain, connector (Crosse & Munro), 1094 (c)
- Laryngeal mask airway, fixation of (Worsley & Howie), 1001 (c)
- Laryngeal mask airway for Caesarean section (McClune, Regan & Moore), 227
- Laryngeal mask airway for Caesarean section (Lim & Wareham: de Mello & Kocan: McClune & Moore), 689 (c)
- Laryngeal mask airway for Caesarean section (Freeman & Baxendale: McClune & Moore), 1094 (c)
- Laryngeal mask airway for emergency tracheostomy in a neonate (Denny, Desilva & Webber), 895 (c)
- Laryngeal mask airway for inadequate reversal (Kumar), 792 (c)
- Laryngeal mask airway for inadequate reversal (Caddy), 1102 (c)
- Laryngeal mask airway in children (Mason & Bingham), 760 (f)
- Laryngeal mask airway in paediatric anaesthesia (Johnston *et al.*), 924
- Laryngeal mask airway kinking in two children (Goldberg, Evans & Filshie: Martin), 487 (c)
- Laryngeal mask airway, partial obstruction of (Rowbottom & Simpson), 892 (c)
- Laryngeal mask airway, protection of (Marks), 259 (c)
- Laryngeal mask airway: use for CT radiotherapy planning and daily radiotherapy (Waite & Filshie), 894 (c)
- Laryngeal mask airway, use in primary anaesthesia (de Mello & Ward), 793 (c)
- Laryngeal mask airway, use in tracheal placement of a gum elastic bougie (Allison & McCrory), 419 (c)
- Laryngeal mask and anaesthetic waste gas concentrations (Sarma & Leman), 791 (c)
- Laryngeal mask and difficult tracheal intubation (Ravalia & Goddard), 168 (c)
- Laryngeal mask and magnetic resonance imaging (Rafferty *et al.*), 590 (c)
- Laryngeal mask and magnetic resonance—a caution (Fairfield), 995 (c)
- Laryngeal mask, Brain, cardiovascular response to insertion of (Hickey, Cameron & Asbury), 629
- Laryngeal mask, Brain: will we ever learn? (Welsh: Martin), 892 (c)
- Laryngeal mask: cautionary tales (Wilkinson: Cyna & MacLeod: Campbell, J. R.: Criswell & John), 167 (c)
- Laryngeal mask for radiotherapy in children (Taylor & Child), 690 (c)
- Laryngeal mask, Intavent, modified, for ENT and dental anaesthesia (Alexander), 892 (c)
- Laryngeal oedema from a neck haematoma. A complication of internal jugular vein cannulation (Randalls & Toomey), 850
- Laryngoscope, broken (Vernon), 697 (c)
- Laryngoscopy, difficult, in patients with long-term diabetes mellitus, predictability of (Reissell *et al.*), 1024
- Laryngoscopy: protecting guard for teeth and gums (Leadbeater & Nott), 343 (c)
- Laser, Nd:Yag, anaesthesia for laparoscopic cholecystectomy using; implications for a district general hospital (Greville & Clements), 944
- Latency of brachial plexus block. The effect on onset time of warming local anaesthetic solutions (Heath, Brownlie & Herrick), 297
- Law and anaesthesia: a difficult tracheal intubation as a result of obesity and absence of teeth (Brahams), 586
- Law and anaesthesia: accountability and anonymity (Brahams), 782 (c)
- Law and anaesthesia. Pain and awareness without negligence, in Caesarean section (Brahams), 161
- Law and anaesthesia: series of errors which culminated in death (Brahams), 332
- Law and anaesthesia (Taylor: Dowson: Lunn), 781 (c)
- Law and anaesthesia: two locum anaesthetists convicted of manslaughter (Brahams), 981
- 'Leopard' syndrome (Rodrigo *et al.*), 30
- Level I blood warmer series, an evaluation of (Browne, de Boeck & Morgan), 960
- Lignocaine and propofol in children (Hopkins & Albanese), 502 (c)
- Lignocaine, epidurally administered, effects of famotidine and cimetidine on plasma levels of (Kishikawa *et al.*), 719
- Lignocaine, pH-adjustment and discomfort caused by intradermal injection of (Martin), 975 (f)
- Lignocaine, topical, and toxicity (Luntley & Van Hasselt), 61 (c)
- Lignocaine, topical, and toxicity (Marks), 502 (c)
- Lignocaine with adrenaline, changes in haemodynamics and plasma catecholamine concentrations after field block for inguinal herniorrhaphy using (Hayse-Gregson, Achola & Smith), 7
- Limb tourniquet deflation, problems associated with (de Mello), 422 (c)
- Lingual thyroid and difficult tracheal intubation (Fogarty), 251 (c)
- Liver, anaesthetic problems in *ex situ* resection of (Grosse *et al.*), 726
- Local anaesthesia and the eye (Ballance), 695 (c)
- Local anaesthesia for eye surgery. The peri-ocular technique (Fry & Henderson), 14

- Local anaesthetic solutions + effect of warming on the latency of onset of brachial plexus block (Heath, Brownlie & Herrick), 297
- Local application of EMLA and glyceryl trinitrate ointment before venepuncture (Gunawardene & Davenport), 52 (f)
- Local application of EMLA and glyceryl trinitrate ointment before venepuncture (Gunawardene & Davenport) (Erratum), 524
- Local or general anaesthesia in day-case ophthalmic surgery? (O'Sullivan *et al.*), 885 (c)
- Lormetazepam: effect on sleep and psychomotor performance; a double-blind randomised study (Rettig *et al.*), 1079 (f)
- Low cardiac output syndrome after cardiac surgery, enoximone management of (White, Latimer & Odoro), 386
- Low flow open circle system for anaesthesia; laboratory evaluation (Chakrabarti *et al.*), 314
- Low flow open circle system for anaesthesia; clinical evaluation (Holdcroft, Chakrabarti & Whitwam), 318
- Low-flow anaesthesia, mechanical ventilation during; experience with an alternative to the bag-in-bottle (Berntman, Luttrupp & Werner), 855
- Lubricant jelly used on tracheal tubes, sterility of (Broome & Goulding), 177 (c)
- Lubricating gel and lignocaine toxicity (Luntley & Van Hasselt), 61 (c)
- Lubricating gel and lignocaine toxicity (Marks), 502 (c)
- Lumbar epidural catheters, paraesthesia with; comparison of air and saline in a loss-of-resistance technique (Sarna, Smith & James), 1077 (f)
- Lumbar epidurals, pressure generated during insertion of; comparison with the Portex epidural injection simulator (Langton & Meiklejohn), 1055
- Lung collapse during hemithyroidectomy (Shaw), 61 (c)
- Lung resection, contralateral tension pneumothorax during thoracotomy for (Gabbott & Carter), 229
- Lung transplantation, isolated, for pulmonary fibrosis (Conacher *et al.*), 971 (f)
- Lungs, controlled ventilation of, in the elderly (Cook: Leigh), 497 (c)
- Lungs: treatment of atelectasis of upper lung lobes; selective bronchial suctioning with J-shaped catheter tip and guide mark (Kubota *et al.*), 842
- Lytic cocktail in children. Rectal versus intramuscular administration (Laub *et al.*), 110
- McArdle's disease and vecuronium (Tzabar & Ross), 697 (c)
- Macintosh, Sir R.R. (Gilston), 334 (c)
- Magill, Enclosed *see* Enclosed Magill
- Magnetic resonance imaging, and laryngeal mask (Rafferty *et al.*), 590 (c)
- Magnetic resonance imaging and laryngeal mask—a caution (Fairfield), 995 (c)
- Malawi Anaesthetic Machine (Pedersen & Nyrop: Fenton), 415 (c)
- Malfunction, another, of Selectatec switch (Cudmore & Keogh), 754
- Malfunction of Servo ventilator in manual mode (Owens & Keogh), 999 (c)
- Malignant hyperpyrexia (Aitken & Howie), 60 (c)
- Malignant hyperthermia during isoflurane anaesthesia (McGuire & Easy), 124
- Malignant hyperthermia, suspected, clinical presentation of, during anaesthesia in 402 probands (Ellis, Halsall & Christian), 838
- Mallampati class is affected by phonation (Oates *et al.*), 984 (c)
- Mallampati sign, problems with (Wilson & John), 486 (c)
- Mallampati test; soft tissues and difficult intubation (Charters & Horton), 996 (c)
- Manley ventilator, a test for (Graham), 491 (c)
- Manley ventilators, damage to (Stubbing, Tordoff & Skivington: Aron), 74 (c)
- Masks, fixed performance, effect of combined air and oxygen entrainment on the percentage output of (Lyew, Holland & Metcalf), 732
- Masks, Laerdal, misassembly of (Binnie, Janczak & Wright: Morallee), 70 (c)
- Masks *see also* Laryngeal mask
- Meningitis after obstetric spinal anaesthesia (Roberts & Petts), 376
- Meningitis after spinal anaesthesia (McHale & Clark: Roberts), 987 (c)
- Mera F, Bain, Lack and circle systems (Nott), 501 (c)
- Methadone, droperidol and trimeprazine mixture compared with trimeprazine for oral premedication in children (Phillips *et al.*), 870 (f)
- Methaemoglobinemia, pulse oximetry in (Oeseburg: Rieder, Thomson & Zbinden), 56 (c)
- Methylene blue and pulse oximetry (Robinson & McFadzean), 884 (c)
- Metoprolol and pre-operative anxiety (Jakobsen *et al.*), 40 (f)
- Micturition syncope, suspected, and loss of consciousness after emergence from anaesthesia (Kao & Raczy), 738
- Midazolam and ketamine anaesthesia, flumazenil in (Restall, Johnston & Robinson), 938
- Midazolam and papaveretum compared with propofol for long-term sedation in the intensive care unit (Harris *et al.*), 366, 366
- Midazolam and vecuronium; effect on suxamethonium myalgias (Mingus, Herlich & Eisenkraft), 834
- Midazolam antagonised by flumazenil, comparison with propofol, in daycase anaesthesia (Norton & Dundas), 198
- Midazolam as sedation for outpatient upper gastrointestinal endoscopy, a study of flumazenil following (Andrews, Wright & Lamont), 445
- Midazolam: effect on sleep and psychomotor performance; a double-blind randomised study (Rettig *et al.*), 1079 (f)
- Midazolam: effects on cerebral blood flow and oxygen consumption; interaction with nitrous oxide in patients undergoing craniotomy for supratentorial cerebral tumours (Knudsen *et al.*), 1016
- Midazolam, propofol and thiopentone compared in anaesthesia for cardioversion (Gupta *et al.*), 872 (f)
- Military anaesthesia. Spontaneous ventilation—a new technique (Restall *et al.*), 965 (f)
- Minitracheostomy, pneumothorax caused by (Vernon), 172 (c)
- Minitracheostomy: complications and follow-up with fiberoptic tracheoscopy (Randell, Kalli & Lindgren), 875 (f)
- Misassembly of Laerdal masks (Binnie, Janczak & Wright: Morallee), 70 (c)
- Misconnection of free-standing vaporizers (Rosewarne & Duncan), 338 (c)
- Mitochondrial myopathy and anaesthesia (Kelly & O'Connor: Shelly & Burns), 596 (c)
- Monitor, Datascope 22001, faulty (Paul & Todd: Eldred), 1093 (c)
- Monitor, respiratory, new, design and evaluation of (Doyle & Volgyesi), 492 (c)
- Monitoring devices, portable (Shankar *et al.*), 257 (c)
- Monitoring during aeromedical transfer (Mulrooney), 256 (c)
- Monitoring during sedation (Frankell, Karam & Simon), 786 (c)
- Monitoring, neuromuscular, atracurium infusions without (Inbasegaran & Lim), 599 (c)
- Monitoring of cardiac output by thermodilution principle, and 'thermal ceiling' warming; a possible hazard (Gupta & Pederzen), 342 (c)
- Monitoring of curarisation in patients with tetraparesis (Fiacchino, Bricchi & Lasio), 128
- Monitoring of ventilation (Gilston), 795 (c)
- Morphine anaesthesia for cardiac surgery, recovery of bowel motility after (Yukioka, Tanaka & Fujimori), 353
- Morphine and ketorolac, intramuscular, compared in pain control after laparotomy (Powell, Smallman & Morgan), 538
- Morphine, epidural, doxapram for respiratory depression after (Thangathurai, Nelson & Cheung), 64 (c)

- Morphine, epidural, treatment for late postspinal headache (Eldor *et al.*), 1099 (c)
- Morphine-sparing effect of nefopam and diclofenac after upper abdominal surgery (Moffat, Kenny & Prentice), 302
- Motor weakness, prolonged, after femoral nerve block with bupivacaine 0.5% (Lynch), 421 (c)
- Mouthwash sweetens ketamine anaesthesia (Davies), 1102 (c)
- Multiple sclerosis, advanced, intrathecal diamorphine during laparotomy in a patient with (Leigh, Fearnley & Lupprian), 640
- Multiple sclerosis and intrathecal diamorphine (Alderson: Leigh), 1084 (c)
- Muscle relaxants, anaphylaxis to; predictive tests (Moneret-Vautrin & Laxenaire), 246 (c)
- Muscle relaxants, value of paper radioallergosorbent tests for IgE antibodies to, and anaphylactic anaesthetic reactions (Assem), 1032
- Muscle spasticity (Fry), 67 (c)
- Myalgias, suxamethonium, attenuation of; effect of midazolam and vecuronium (Mingus, Herlich & Eisenkraft), 834
- Myasthenia, 'cured' (Smith: Lumb & Calder), 252 (c)
- Mydriasis in an anaesthetist (Stone & Ainsworth), 259 (c)
- Myocarditis, viral, acute; a death associated with anaesthesia (Brampton & Jago), 215
- Myocarditis, Viral acute? (Ritto & Ritto: Stewart: Brampton & Jago), 882 (c)
- Myopathy, mitochondrial, and anaesthesia (Kelly & O'Connor: Shelly & Burns), 596 (c)
- Myotonic dystrophy and respiratory function (Branthwaite), 250 (c)
- Narcotics, subcutaneous (Davenport), 413 (c)
- Nasal intubation, blind, awake; use of simple whistle (Dyson, Saunders & Giesecke), 71 (c)
- Nasal intubation, difficult (Vater & Lavery), 693 (c)
- Nasal pulse oximetry overestimates oxygen saturation (Rosenberg & Pedersen), 1070
- Nasogastric tube as guide during difficult oesophagoscopy (Williamson), 259 (c)
- Nasopharyngeal airway, self-retaining (Boheimer, Feldman & Soni), 72 (c)
- Nasotracheal intubation, fibreoptic, teaching of (Towey & Lethbridge), 420 (c)
- Nausea, postoperative, after major gynaecological surgery, effect of ginger root on (Bone *et al.*), 669 (f)
- Nd:Yag laser, anaesthesia for laparoscopic cholecystectomy using; implications for a district general hospital (Greville & Clements), 944
- Nebuliser, jet, for delivery of topical anaesthesia to the respiratory tract for fibreoptic bronchoscopy (Isaac *et al.*), 46 (f)
- Neck haematoma, laryngeal oedema from; a complication of internal jugular vein cannulation (Randalls & Toomey), 850
- Neck, pain in (Munro), 173 (c)
- Needle, 30-gauge, for spinal anaesthesia for Caesarean section (Lesser *et al.*), 767 (f)
- Needle, epidural, 18-G, Portex, too long plastic obturator for (Eldor & Guedj: Green), 1098 (c)
- Needle, spinal, 29-gauge, device to maintain the position of (Simsa), 593 (c)
- Needle, spinal, Whitacre, in obstetric anaesthesia: a re-evaluation (Thomas: Noble & Thomas), 489 (c)
- Needle, Spotte, for intrathecal anaesthesia for Caesarean section: incidence of postdural puncture headache (Cesarini *et al.*), 656
- Needles, 25- or 26-G, for spinal anaesthesia in young patients? (Callesen & Fonnest), 1099 (c)
- Needles, 26-gauge, 32-gauge spinal catheters through (Nagle, McQuay & Glynn), 1052
- Needles, disposable, breakage of (Hearn: Wilde), 698 (c)
- Needles, epidural: problems associated with the introduction of different equipment (Ewart), 790 (c)
- Needles, special, and headache; spinal anaesthesia in obstetrics (Thomas: Noble & Thomas), 1100 (c)
- Needles, spinal, 25- and 26-gauge, use in intrathecal anaesthesia for day-care surgery (Sarma & Boström), 769 (f)
- Needles, spinal, 29-gauge, postdural puncture headache with (Fitzgibbon & Gardiner), 593 (c)
- Needles, spinal, two, resistance to fluid flow through (Toomey), 751
- Needles, spinal, Whitacre and pencil-point: some points to consider (Carrie), 1097 (c)
- Needlestick injuries in anaesthetists (Maz & Lyons), 677 (f)
- Nefopam and diclofenac, effect on postoperative dental pain (Goucke *et al.*), 329 (f)
- Nefopam and diclofenac, postoperative; evaluation of their morphine-sparing effect after upper abdominal surgery (Moffat, Kenny & Prentice), 302
- Negligence, pain and awareness without, in Caesarean section. Anaesthesia and the law (Brahams), 161
- Neonate, confirmation of tracheal intubation in, using the Fenem CO₂ detector (Higgins), 591 (c)
- Neonate, laryngeal mask airway for emergency tracheostomy in (Denny, Desilva & Webber), 895 (c)
- Neonate with renal failure, prolonged neuromuscular blockade with vecuronium in (Haynes & Morton), 743
- Nervous system plasticity: implications for pain management: editorial (McQuay & Dickenson), 101
- Neurohumoral effects of xenon anaesthesia; comparison with nitrous oxide (Boomsma *et al.*), 273
- Neuroleptic malignant syndrome in the intensive therapy unit (Montgomery & Ironside), 311
- Neurological sequelae after outpatient anaesthesia (Saunders & Harris), 552
- Neurological sequelae, unusual (Mather: Edwards & Biswas), 1096 (c)
- Neuromuscular blockade and acute versus chronic phenytoin therapy (Baumgardner & Bagshaw), 493 (c)
- Neuromuscular blockade in von Recklinghausen's disease (McCarthy, McLoughlin & Mirakhur), 340 (c)
- Neuromuscular blockade, prolonged, with vecuronium in a neonate with renal failure (Haynes & Morton), 743
- Neuromuscular monitoring, atracurium infusions without (Inbasegaran & Lim), 599 (c)
- Neuromuscular stimulation: frequency and twitch height (Fisher), 599 (c)
- Neuromuscular stimulation, repeated, frequency of (Bayly), 171 (c)
- Neurosurgery, another cause for bradycardia during (Joshi, Green & Stedman), 169 (c)
- Nitrobenzene poisoning and spurious pulse oximetry (Kumar *et al.*), 949
- Nitrous oxide compared with xenon anaesthesia; haemodynamic and neurohumoral effects (Boomsma *et al.*), 273
- Nitrous oxide, cylinder, purity of (Snowdon & Head-Rapson: Henrys), 1084 (c)
- Nitrous oxide: interaction with midazolam in patients undergoing craniotomy for supratentorial cerebral tumours (Knudsen *et al.*), 1016
- Nitrous oxide, occupational exposure to, in four hospitals; a comment (Jørgensen: Gray), 490 (c)
- Nitrous oxide supply failure (Yoganathan), 897 (c)
- Nitrous oxide supply to theatre pipeline system, failure of (Francis), 880 (c)
- Obituaries
- Blythe, G. N., 86
- Burns, T. H. S., 347
- Cronin, M. M., 905
- Curtin, F., 347
- Dallas, S. H., 347
- Davidson, J. T., 612
- Davidson, L. D., 347

Dewar, I. Mc. C., 86
 Edwards, G., 86
 Faux, N. I., 612
 Grenville, H., 612
 Lee, A. P. B., 86
 Longstaff, S. E. A. F., 612
 Lucas, M. G. L., 612
 Mackintosh, F. G., 86
 Mortell, A., 612
 Murphy, T. T. P., 86
 Northover, P. T., 86
 Overton, P. M., 612
 Pearce, E. J. L., 86
 Powell, K. J., 612
 Rice, R. A. C., 612
 Robertson, J. D., 612
 Roche, G. K. T., 86
 Turner, J. T., 612
 Wallace, P. G., 86
 Hain, W. R., 905
 Houldsworth, Sir (H.) Basil Bt., 905
 Knowles, G. S. A., 905
 Rollason, W. N., 905
 Sinclair, R. N., 905
 Wood Smith, F. G., 905

- Obesity and absence of teeth, a difficult tracheal intubation as a result of; anaesthesia and the law (Braahms), 586
 Obstetric anaesthesia in dystrophia myotonica (Blumgart, Hughes & Redfern), 26
 Obstetric anaesthesia, Whitacre spinal needle in; a re-evaluation (Thomas & Noble), 489 (c)
 Obstetric anaesthetic departments in the U.K., acid aspiration prophylaxis in (Tordoff & Sweeney), 776 (f)
 Obstetric epidural analgesia, unexpectedly extensive conduction blocks in (Morgan), 148
 Obstetric epidural analgesia with mixtures of bupivacaine, adrenaline and fentanyl (Yau *et al.*), 1020
 Obstetric intubation, failed (Christian: McClune & Moore), 995 (c)
 Obstetric spinal anaesthesia, meningitis after (Roberts & Petts), 376
 Obstetrics, spinal anaesthesia; headache and special needles (Thomas: Noble & Thomas), 1100 (c)
 Obstetrics: Walter Stoeckel (1871-1961), a pioneer of regional analgesia (Danman), 468
 Obstruction, airway, unexpected (McEwan & Cashman), 998 (c)
 Obstruction in a pressure line (Thomas: Pursell), 897 (c)
 Obstruction, respiratory, after posterior fossa surgery (Howard, Mahoney & Thurlow), 222
 Occupational exposure to HIV and zidovudine chemoprophylaxis (Smart), 989 (c)
 Oedema, pulmonary, noncardiogenic, after attempted suicide by hanging (Mantha & Rao), 993 (c)
 Oesophageal detector device (Welsh), 75 (c)
 Oesophageal detector device and the laryngeal mask (Ainsworth & Calder), 794 (c)
 Oesophageal detector device: use in children under one year of age (Haynes & Morton), 1067
 Oesophageal fiberoptic intubation, deliberate (Breen & Gerrish), 1103 (c)
 Oesophageal intubation and the Fenem CO₂ detector device (Calder, Smith & Newton: Wilkinson, Hayes & Higgins: Wee), 1092 (c)
 Oesophageal intubation distinguished from tracheal intubation using the end-tidal carbon dioxide detector (O'Flaherty & Adams), 653
 Oesophageal intubation, unnoticed, prevented by the Fenem CO₂ detector device (Danman *et al.*), 465
 Oesophageal perforation by tracheal tube during resuscitation (Eldor, Ofek & Abramowitz), 70 (c)
 Oesophagoscopy, difficult, a nasogastric tube as guide during (Williamson), 259 (c)
 Oesophagous, tumour of; a complication (Banerjee, Kiran & Ghambeer), 494 (c)
 Ohmeda 5120 Oxygen Monitor (Wilson), 697 (c)
 Ohmeda 9000 syringe pump, the first of a new generation of syringe drivers (Stokes *et al.*), 1062
 Ohmeda Excel 410/OAV 7750 (Nichols: Cox), 698 (c)
 Ohmeda Oxicap 4700 (Duncan: Thuillier), 1093 (c)
 Omeprazole and ranitidine (Salmon), 1101 (c)
 Omeprazole and ranitidine, a comparison of their effects on gastric secretion in women undergoing elective Caesarean section (Ewart *et al.*), 527
 Omeprazole for prophylaxis of acid aspiration in elective surgery (Wingtin *et al.*), 436
 Open heart surgery and desmopressin (Manners & Spargo), 413 (c)
 Open heart surgery, propofol sedation after; a clinical and pharmacokinetic study (McMurray *et al.*), 322 (f)
 Operating theatre, a comparison of anxiety before induction of anaesthesia in the anaesthetic room or (Woodcock: Soni & Thomas), 170 (c)
 Operation theatre personnel, cytogenetic damage in (Natarajan & Santhiya), 574 (f)
 Ophthalmic surgery, day-case: general or local anaesthesia? (O'Sullivan *et al.*), 885 (c)
 Opiates, inhaled (Harrison: Worsley & Clark), 992 (c)
 Opioid supplementation during propofol anaesthesia (Inbasegaran *et al.*), 891 (c)
 Opisthotonus and other unusual neurological sequelae after outpatient anaesthesia (Saunders & Harris), 552
 Oral premedication in children. A comparison of trimeprazine with a trimeprazine, droperidol and methadone mixture (Phillips *et al.*), 870 (f)
 Oropharyngeal airway, supraglottic (Mehta), 893 (c)
 Oropharyngeal volumes (Drouet, Fargnoli & Coppo: Newcombe & Russell), 685 (c)
 Oropharyngeal volumes (Newcombe & Russell) (Erratum), 185
 Orotracheal intubation, fiberoptic, a modified airway for (Frankel, Mizrahi & Simon), 249 (c)
 Orotracheal intubation, X-ray guided, in cases of impossible direct laryngoscopy (Innocente, Ori & Giron), 675 (f)
 Orotracheal tube, paediatric, with laryngeal hooks (MacNeil), 176 (c)
 Outpatient anaesthesia, opisthotonus and other unusual sequelae after (Saunders & Harris), 552
 Outpatient, flumazenil in; study following midazolam as sedation for upper gastrointestinal endoscopy (Andrews, Wright & Lamont), 445
 Oximetry in pulseless disease (Chawla *et al.*), 992 (c)
 Oximetry, pulse *see* Pulse oximetry,

- Oxygen analyser: an inappropriate use of tape (Denman & Collier), 794 (c)
 Oxygen and air entrainment, combined; effect on the percentage output of fixed performance masks (Lyew, Holland & Metcalf), 732
 Oxygen concentrators and water (Carter: Fenton), 68 (c)
 Oxygen consumption, cerebral, effects of midazolam on (Knudsen *et al.*), 1016
 Oxygen flush device, failure of (Akhtar), 176 (c)
 Oxygen pipeline failure, extraordinary (Black), 599 (c)
 Oxygen saturation, arterial, during induction of anaesthesia (Thorpe & Gauntlett), 1012
 Oxygen saturation is overestimated by nasal pulse oximetry (Rosenberg & Pedersen), 1070
 Oxygen sensor, location of (Wilson), 697 (c)
 Oxygen, supplementary, and the laryngeal mask airway (Broadway & Royle), 792 (c)
- Pacemakers, rate-responsive, and anaesthesia; consideration of possible implications (Andersen & Madsen), 472
 Paediatric anaesthesia and the laryngeal mask airway (Johnston *et al.*), 924
 Paediatric cardiac surgical patient, adverse haemodynamic effects of high-dose aprotinin in (Böhrer *et al.*), 853
 Paediatric orotracheal tube with laryngeal hooks (MacNeil), 176 (c)
 Paediatric postoperative analgesia. A comparison of rectal diclofenac with caudal bupivacaine after inguinal herniotomy (Moores, Wandless & Fell), 156 (f)
 Paediatric pulse oximetry—another problem (Marks & Heath), 344 (c)
 Paediatric tracheal tube connector, creasing of (Sansome), 343 (c)
 Pain after laparoscopy (Boheimer, Thomas & Bowen-Simpkins), 253 (c)
 Pain and awareness during surgery (Henshaw), 491 (c)
 Pain and awareness without negligence, in Caesarean section. Anaesthesia and the law (Braahms), 161
 Pain caused by intradermal injection of lignocaine, and pH-adjustment (Martin), 975 (f)
 Pain in the neck (Munro), 173 (c)
 Pain, injection, in adults; relief with EMLA cream (Nott & Peacock), 772 (f)
 Pain management: implications of nervous system plasticity: editorial (McQuay & Dickenson), 101
 Pain management, peri-operative, effective, in cancer patients (Searle: Notcutt), 253 (c)
 Pain on injection of propofol in children, abolition of (Morton), 70 (c)
 Pain on injection of propofol: the effect of injectate temperature (McCrick & Hunter), 443
 Pain on injection of propofol: the effect of injectate temperature (Baczowski: McCrick & Hunter), 1090 (c)
 Pain on injection of propofol. Methods of alleviation (Johnson *et al.*), 439
 Pain, postoperative, dental, effect of diclofenac and nefopam on (Goucke *et al.*), 329 (f)
 Painful onset of intrathecal blockade (Read & Dye), 460
 Pain *see also* Postoperative pain,
 Papaveretum and midazolam compared with propofol for long-term sedation in the intensive care unit (Harris *et al.*), 366
 Papaveretum/hyoscine or temazepam premedication; comparison of postoperative sore throat (Valentine, McVey & Coe), 306
 Paraesthesia with lumbar epidural catheters. A comparison of air and saline in a loss-of-resistance technique (Sarna, Smith & James), 1077 (f)
 Parental presence and the behaviour of small children before induction (Page & Morgan-Hughes), 821
 Parturients, pharmacokinetics of glycopyrronium in (Ali-Melkkilä *et al.*), 634
 Patent application; history (Masson), 334 (c)
 Patient-controlled analgesia, antireflux valves in (Kluger & Owen), 1057
 Patient-controlled analgesia, bradypnoea during (Stack & Massey), 683 (c)
 Patient-controlled analgesia for postoperative pain: introduction into a district general hospital (Notcutt & Morgan), 401 (f)
 Patient-controlled analgesia in children (Lawrie *et al.*), 1074 (f)
 Patient-controlled analgesia, long-term, in children (Mowbray & Gaukroger), 941
 Patient-controlled analgesia, patients' expectations of (Kluger & Owen), 1072 (f)
 Patient-controlled analgesia: relevance of bolus dose size to supplement a background infusion (Owen, Kluger & Plummer), 619
 Patient-controlled analgesia used in evaluation of two formulations of dihydrocodeine (Aitken *et al.*), 535
 Patient-controlled analgesia variables; test of an infusion-demand system using alfentanil (Owen *et al.*), 452
 Patient-controlled analgesia with fentanyl, a disposable device for (Notcutt), 422 (c)
 Patients, ill, transport of (Runcie *et al.*), 66 (c)
 Patients, septic, management of supraventricular tachycardia in (Bowles *et al.*), 787 (c)
 Patient's view of anaesthesia in a Netherlands' teaching hospital, a postoperative analysis of (van Wijk & Smalhout), 679 (f)
 Patients, young, 25- or 26-G needles for spinal anaesthesia in? (Calleesen & Fonnest), 1099 (c)
 Perforation of oesophagus by tracheal tube during resuscitation (Eldor, Ofek & Abramowitz), 70 (c)
 Peri-ocular technique in local anaesthesia for eye surgery (Fry & Henderson), 14
 Peri-operative care in restrictive respiratory disease (Patrick *et al.*), 390
 Peri-operative effective pain management in cancer patients (Searle: Notcutt), 253 (c)
 Peri-operative measurement of intra-ocular pressure; Keeler Pulsair tonometer compared with Perkins tonometer (Bricker, McGalliard & Mostafa), 36
 Perkins hand-held applanation tonometer compared with the Keeler Pulsair tonometer for peri-operative measurement of intra-ocular pressure (Bricker, McGalliard & Mostafa), 36
 Permission to publish (Coniam & Diamond: Stuart-Taylor & Crosse), 423 (c)
 Personnel, operation theatre, cytogenetic damage in (Natarajan & Santhiya), 574 (f)
 pH, conversion to H⁺ concentration in nmol/litre (Hope & Farling), 699 (c)
 pH-adjustment and discomfort caused by the intradermal injection of lignocaine (Martin), 975 (f)
 Phaeochromocytoma, Caesarean section in a patient with haemoglobin SC disease and (Pattison *et al.*), 958
 Pharmacokinetic and pharmacodynamic study of pregnanolone emulsion (Carl *et al.*), 189
 Pharmacokinetic study of propofol sedation after open heart surgery (McMurray *et al.*), 322 (f)
 Pharmacokinetics of glycopyrronium in parturients (Ali-Melkkilä *et al.*), 634
 Phenytoin therapy, acute versus chronic, and neuromuscular blockade (Baumgardner & Bagshaw), 493 (c)
 Phonation affects Mallampati class (Oates *et al.*), 984 (c)
 Pipeline, gas, failure, an unusual cause of (Ewart), 498 (c)
 Pipeline, oxygen, failure, extraordinary (Black), 599 (c)
 Plasma catecholamine concentration changes after field block for inguinal herniorrhaphy using lignocaine with adrenaline (Hayse-Gregson, Achola & Smith), 7
 Plasma cholinesterase, low, inheritance of (Evans: Whittaker, Berry & Britten), 57 (c)
 Plasma levels of epidurally administered lignocaine, effects of famotidine and cimetidine on (Kishikawa *et al.*), 719

- Platelet function after intramuscular diclofenac (Power *et al.*), 916
- Pneumatocoeles, empyema and Job's syndrome, spinal anaesthesia in a child with (Tapper & Giesecke), 378
- Pneumonia, aspiration, and the laryngeal mask airway (Griffin & Hatcher), 1039
- Pneumonia, *Haemophilus influenzae*, that developed under anaesthesia (Campbell), 561
- Pneumothorax after interpleural block in a spontaneously breathing patient (Ananthanarayan & Kashtan), 342 (c)
- Pneumothorax caused by minitracheostomy (Vernon), 172 (c)
- Pneumothorax, tension, contralateral, during thoracotomy for lung resection (Gabbott & Carter), 229
- Porphyria, propofol and epilepsy (Parr & Hayden-Smith), 594 (c)
- Porphyrias, acute, propofol in (Hughes), 415 (c)
- Portex epidural 18-G needle, too long plastic obturator for (Eldor & Guedj: Green), 1098 (c)
- Portex epidural injection simulator in comparison of pressure generated during insertion of lumbar epidurals (Langton & Meiklejohn), 1055
- Postdural puncture headache; Sprotte needle for intrathecal anaesthesia for Caesarean section (Cesarini *et al.*), 656
- Postdural puncture headache with 29-gauge spinal needles (Fitzgibbon & Gardiner), 593 (c)
- Posterior fossa surgery, respiratory obstruction after (Howard, Mahoney & Thurlow), 222
- Posterior tibial artery, cannulation of (Rawle), 589 (c)
- Postmortem findings after epidural anaesthesia (Wulf & Striepling), 357
- Postoperative analgesia in children who have genito-urinary surgery. A comparison between caudal buprenorphine and bupivacaine (Girotra, Kumar & Rajendran), 406 (f)
- Postoperative analgesia in children, taking the sting out of (Jordan & Griffiths), 413 (c)
- Postoperative analgesia, paediatric; comparison of rectal diclofenac with caudal bupivacaine after inguinal herniotomy (Moores, Wandless & Fell), 156 (f)
- Postoperative analysis of the patient's view of anaesthesia in a Netherlands' teaching hospital (van Wijk & Smalhout), 679 (f)
- Postoperative dental pain, effect of diclofenac and nefopam on (Goucke *et al.*), 329 (f)
- Postoperative emesis and electro-acupuncture (Ho *et al.*), 327 (f)
- Postoperative emesis, and electro-acupuncture (Dundee), 789 (c)
- Postoperative hypoxaemia; mechanisms and time course (Jones, Sapsford & Wheatley), 566
- Postoperative hypoxia (Fawcett & Allt-Graham: Hicks), 886 (c)
- Postoperative nausea and vomiting after major gynaecological surgery, effect of ginger root on (Bone *et al.*), 669 (f)
- Postoperative nefopam and diclofenac. Evaluation of their morphine-sparing effect after upper abdominal surgery (Moffat, Kenny & Prentice), 302
- Postoperative pain: comparison of intramuscular ketorolac and morphine after laparotomy (Powell, Smallman & Morgan), 538
- Postoperative pain: interpleural analgesia after cholecystectomy (Lee *et al.*), 1028
- Postoperative pain: is it suppressed by pre-operative intravenous diclofenac sodium? (Campbell, Kendrick & Patterson), 763 (f)
- Postoperative pain, patient-controlled analgesia for; introduction into a district general hospital (Notcutt & Morgan), 401 (f)
- Postoperative pain: patient-controlled analgesia in children (Lawrie *et al.*), 1074 (f)
- Postoperative pain: patients' expectations of patient-controlled analgesia (Kluger & Owen), 1072 (f)
- Postoperative pain relief, comparison of epidural sufentanil plus clonidine with sufentanil alone for (Vercauteren *et al.*), 531
- Postoperative sore throat. A comparison after premedication with papaveretum/hyoscine or temazepam (Valentine, McVey & Coe), 306
- Postoperative sore throat: topical hydrocortisone (Stride), 968 (f)
- Postpartum thrombosis of the great vein of Galen (Krenz & Power), 643
- Postspinal headache (Brimacombe & Spargo), 414 (c)
- Postspinal headache, late, treated with epidural morphine (Eldor *et al.*), 1099 (c)
- Postspinal headache (Weksler & Ovadia) (Erratum), 1002 (c)
- Posture and epidural catheter insertion (Stone, Kilpatrick & Thorburn), 920
- Posture, and trauma in epidural veins (Shearer), 788 (c)
- Potassium, serum, and pre-operative anxiety (McCleane & Watters), 583 (f)
- Potassium, serum, and pre-operative anxiety (Crofts *et al.*: McCleane), 1101 (c)
- Pregnancy associated with Gorlin's syndrome (Yoshizumi, Vaughan & Jasani), 1046
- Pregnanolone emulsion. A preliminary pharmacokinetic and pharmacodynamic study of a new intravenous anaesthetic agent (Carl *et al.*), 189
- Pregnant population, the intensive care support requirement for (Hughes: Yau *et al.*), 65 (c)
- Pregnant population, the requirement of intensive care support for (de Mello & Restall), 888 (c)
- Pre-induction behaviour in children (Bedford & Thompson), 994 (c)
- Pre-induction behaviour of children. A review of placebo-controlled trials of sedatives (Morgan-Hughes & Bangham), 427
- Premedication and postoperative sore throat; comparison of papaveretum/hyoscine with temazepam (Valentine, McVey & Coe), 306
- Premedication for children, and hypoxaemia (Wilson), 782 (c)
- Premedication, oral, in children; comparison of trimeprazine with a trimeprazine, droperidol and methadone mixture (Phillips *et al.*), 870 (f)
- Premedication, triclofos, and the behaviour of small children before induction (Page & Morgan-Hughes), 821
- Pre-operative anxiety and serum potassium (McCleane & Watters), 583 (f)
- Pre-operative anxiety and serum potassium (Crofts *et al.*: McCleane), 1101 (c)
- Pre-operative anxiety, effect of metoprolol and diazepam (Jakobsen *et al.*), 40 (f)
- Pre-operative anxiety, the nature of (McCleane & Cooper), 153 (f)
- Pre-operative intravenous diclofenac sodium, does it suppress postoperative pain? (Campbell, Kendrick & Patterson), 763 (f)
- Pre-oxygenation, a novel method of (Cheema & Evans), 1103 (c)
- Pressor responses to tracheal intubation after sublingual captopril. A pilot study (McCarthy *et al.*), 243 (f)
- Pressure, airway, minimum; weaning (Tan, Chakrabarti & Whitam), 237
- Pressure, airway, minimum; weaning (Smith: Tan, Chakrabarti & Whitam), 688 (c)
- Pressure, epidural (Harrison: Johnston, Rodgers & Tunstall), 336 (c)
- Pressure generated during insertion of lumbar epidurals. A comparison with the Portex epidural injection simulator (Langton & Meiklejohn), 1055
- Pressure line, obstruction in (Thomas: Pursell), 897 (c)
- Preventive medicine in association with anaesthesia (Hughes), 497 (c)
- Prilocaine, alkalised, for intravenous regional anaesthesia (Armstrong, Brockway & Wildsmith), 11
- Prilocaine, alkalised, for intravenous regional anaesthesia. Suitability for clinical use (Armstrong, Watters & Whitfield), 935
- Propofol, a portable computerised infusion system for (Kenny & White), 692 (c)
- Propofol, abolition of injection pain due to, in children (Morton), 70 (c)
- Propofol anaesthesia, opioid supplementation during (Inbasegaran *et al.*), 891 (c)
- Propofol and buprenorphine, total intravenous anaesthesia with (Kamal, Khan & Khan), 865 (f)

- Propofol and cocaine, convulsions after (Hendley), 788 (c)
- Propofol and convulsions (Shearer), 255 (c)
- Propofol and lignocaine in children (Hopkins & Albanese), 502 (c)
- Propofol compared with midazolam antagonised by flumazenil in day-case anaesthesia (Norton & Dundas), 198
- Propofol compared with thiopentone, in electroconvulsive therapy (Boey & Lai), 623
- Propofol, cost of (Stokes: Millar), 254 (c)
- Propofol costs in day surgery (correction) (McWilliam), 76 (c)
- Propofol, coughing and bronchospasm with (Thompson & Davies), 690 (c)
- Propofol, dilution of (Wright & Filshie), 421 (c)
- Propofol: effect on forearm circulation (McKeating, Howe & McArdle), 294
- Propofol for Caesarean section (Gin & Gregory: Moore & Bill), 165 (c)
- Propofol for long-term sedation in the intensive care unit. A comparison with papaveretum and midazolam (Harris *et al.*), 366
- Propofol for patients with Huntington's chorea? (Kaufman & Erb), 889 (c)
- Propofol in acute porphyrias (Hughes), 415 (c)
- Propofol in day surgery, costs of (Scott), 174 (c)
- Propofol infusion for control of status epilepticus (Mackenzie, Kapada & Grant), 1043
- Propofol infusion, withdrawal syndrome after (Au, Walker & Scott), 741
- Propofol infusions: correlation is not regression; prediction is not achievement (Goodman), 882 (c)
- Propofol intravenous anaesthesia using a computerised infusion system (White & Kenny), 204
- Propofol, neurological sequelae after (Saunders & Harris), 552
- Propofol, neurological sequelae after (Mather: Edwards & Biswas), 1096 (c)
- Propofol or thiopentone anaesthesia, day-case; comparison of recovery (Heath, Ogg & Gilks), 911
- Propofol, pain on injection of; methods of alleviation (Johnson *et al.*), 439
- Propofol, pain on injection of; the effect of injectate temperature (McCirrick & Hunter), 443
- Propofol, pain on injection of; the effect of injectate temperature (Baczowski: McCirrick & Hunter), 1090 (c)
- Propofol, porphyria and epilepsy (Parr & Hayden-Smith), 594 (c)
- Propofol, preparation and use of (Patterson, Hopkins & Albanese), 1002 (C)
- Propofol sedation after open heart surgery. A clinical and pharmacokinetic study (McMurray *et al.*), 322 (f)
- Propofol: successful use in status epilepticus (Chilvers & Laurie), 995 (c)
- Propofol, thiopentone and midazolam compared in anaesthesia for cardioversion (Gupta *et al.*), 872 (f)
- Prostaglandin E₂, severe hypotension due to intramyometrial injection of (Kilpatrick & Thorburn), 848
- Prostate, painless loss of vision after transurethral resection of (Russell), 218
- Prostate, visual disturbance after transurethral resection of (Cashman), 691 (c)
- Psychomotor performance: effects of hypnotics; double-blind randomised study of lorazepam, midazolam and zopiclone (Rettig *et al.*), 1079 (f)
- Publish, permission to (Coniam & Diamond: Stuart-Taylor & Crosse), 423 (c)
- Pulmonary artery catheter occlusion (Marsh & Salib), 895 (c)
- Pulmonary embolism, intra-operative, after intravesical instillation of formalin (Oshima, Maeda & Matsuki), 638
- Pulmonary embolism, intra-operative; detection by pulse oximetry (Michael, Fraser & Reilly), 225
- Pulmonary fibrosis, isolated lung transplantation for (Conacher *et al.*), 971 (f)
- Pulmonary hypertension, life-threatening complications during anaesthesia in a patient with ventriculo-atrial shunt and (Butler, Wheeler & Spargo), 946
- Pulmonary oedema, noncardiogenic, after attempted suicide by hanging (Mantha & Rao), 993 (c)
- Pulse oximeter, a dangerous failure of (Broome: Reynolds), 166 (c)
- Pulse oximeter artifact, unusual (Marks & Heath), 501 (c)
- Pulse oximeter: erroneous explanation for an erroneous reading (Oyston & Ordman), 258 (c)
- Pulse oximetry and methylene blue (Robinson & McFadzean), 884 (c)
- Pulse oximetry, delayed detection of hypoxic events by; computer simulations (Verhoeff & Sykes), 103
- Pulse oximetry, detection of intra-operative pulmonary embolism by (Michael, Fraser & Reilly), 225
- Pulse oximetry in methaemoglobinemia (Oeseberg: Rieder, Thomson & Zbinden), 56 (c)
- Pulse oximetry, nasal, overestimates oxygen saturation (Rosenberg & Pedersen), 1070
- Pulse oximetry: Ohmeda Oxicap 4700 (Duncan: Thuillier), 1093 (c)
- Pulse oximetry, spurious, and nitrobenzene poisoning (Kumar *et al.*), 949
- Pulse oximetry—another problem (Marks & Heath), 344 (c)
- Pulseless disease, oximetry in (Chawla *et al.*), 992 (c)
- Pumps *see* Syringe pumps,
- Purity of cylinder nitrous oxide (Snowdon & Head-Rapson: Henrys), 1084 (c)
- Quality assurance, standards and accreditation: editorial (Baldock), 617
- Quality of life after intensive care (Ridley & Wallace), 808
- Race and Apgar scores (Petrikovsky, Diana & Baker), 988 (c)
- Radioallergosorbent tests for IgE antibodies to muscle relaxants and thiopentone, value of, and anaphylactic anaesthetic reactions (Assem), 1032
- Radiotherapy, CT, use of a laryngeal mask airway for (Waite & Filshie), 894 (c)
- Radiotherapy in children, the laryngeal mask for (Taylor & Child), 690 (c)
- Ranitidine and omeprazole (Salmon), 1101 (c)
- Ranitidine and omeprazole, a comparison of their effects on gastric secretion in women undergoing elective Caesarean section (Ewart *et al.*), 527
- Rapid inhalational induction using isoflurane in children (Mackenzie), 256 (c)
- Recovery after day-case anaesthesia. A 24-hour comparison of recovery after thiopentone or propofol anaesthesia (Heath, Ogg & Gilks), 911
- Recovery and intravenous fluid load; double-blind comparison in gynaecological patients who had day-case laparoscopy (Cook *et al.*), 826
- Recovery from thyroid adenoma removal using acupuncture anaesthesia (Kho *et al.*), 480 (f)
- Recovery from two different intravenous induction techniques in identical twins (Mackenzie), 69 (c)
- Rectal diclofenac compared with caudal bupivacaine for paediatric analgesia after inguinal herniotomy (Moores, Wandless & Fell), 156 (f)
- Rectal versus intramuscular administration of lytic cocktail in children (Laub *et al.*), 110
- Regional anaesthesia, intravenous, alkalisation of prilocaine for; suitability for clinical use (Armstrong, Watters & Whitfield), 935
- Regional anaesthesia must be properly managed (Wildsmith: Aitkenhead: Wulf & Striepling), 984 (c)

- Regional anaesthesia see also Intravenous regional anaesthesia,
 Relaxants, muscle, anaphylaxis to; predictive tests (Moneret-Vautrin & Laxenaire), 246 (c)
 Relaxants, muscle, value of paper radioallergosorbent tests for IgE antibodies to, and anaphylactic anaesthetic reactions (Assem), 1032
 Renal failure, prolonged neuromuscular blockade with vecuronium in a neonate with (Haynes & Morton), 743
 Research in anaesthesia, and ethics (Drummond), 909
 Resistance to fluid flow through two spinal needles (Toomey), 751
 Respiratory arrest after caudal bupivacaine (Lee & Collins), 63 (c)
 Respiratory depression after epidural morphine, doxapram for (Thangathurai, Nelson & Cheung), 64 (c)
 Respiratory disease, restrictive, peri-operative care in (Patrick *et al.*), 390
 Respiratory function and myotonic dystrophy (Branthwaite), 250 (c)
 Respiratory monitor, new, design and evaluation of (Doyle & Volgyesi), 492 (c)
 Respiratory obstruction after posterior fossa surgery (Howard, Mahoney & Thurlow), 222
 Respiratory tract, a jet nebuliser for delivery of topical anaesthesia to, for fiberoptic bronchoscopy (Isaac *et al.*), 46 (f)
 Respiratory tract infection and anaesthesia. *Haemophilus influenzae* pneumonia that developed under anaesthesia (Campbell), 561
 Respiratory tract infection, exacerbation of (Mettam: Campbell), 1086 (c)
 Restrictive respiratory disease, peri-operative care in (Patrick *et al.*), 390
 Resuscitation, oesophageal perforation by tracheal tube during (Eldor, Ofek & Abramowitz), 70 (c)
 Resuscitation procedures (Baskett, Chamberlain & Zideman), 62 (c)
 Resuscitation procedures (Braid), 409 (c)
 Retrobulbar block, grand mal seizure after (Fletcher & O'Sullivan), 696 (c)
 Reversal, inadequate, laryngeal mask airway for (Kumar), 792 (c)
 Reversal, inadequate, laryngeal mask airway for (Caddy), 1102 (c)
- Safety Action Bulletins, 185, 349, 424, 524, 1005
 Safety in numbers (Lunn), 1007
 Safety of patients, and checklists (Charlton), 425
 Sage infusion pumps (Hazard Notice), 270, 524
 Scavenging systems, contamination of (Gil-Rodriguez, Harrop-Griffiths & Maddocks), 499 (c)
 Sedation, benzodiazepine, unpleasant sequelae of (Dundee), 336 (c)
 Sedation, benzodiazepine, unpleasant sequelae of (Roelofse & Joubert), 890 (c)
 Sedation, long-term, in the intensive care unit; comparison of propofol with papaveretum and midazolam (Harris *et al.*), 366
 Sedation, midazolam, for outpatient upper gastrointestinal endoscopy, a study of flumazenil following (Andrews, Wright & Lamont), 445
 Sedation, monitoring during (Frankell, Karraam & Simon), 786 (c)
 Sedation or anaesthesia, amorous behaviour and sexual fantasy following (Boheimer & Thomas), 699 (c)
 Sedation, propofol, after open heart surgery; a clinical and pharmacokinetic study (McMurray *et al.*), 322 (f)
 Sedatives, a review of placebo-controlled trials of, in pre-induction behaviour of children (Morgan-Hughes & Bangham), 427
 Selectatec block, another failure of (Wraight), 795 (c)
 Selectatec switch malfunction, another (Cudmore & Keogh), 754
 Sepsis and vecuronium (Irita), 889 (c)
 Servo ventilator malfunction in manual mode (Owens & Keogh), 999 (c)
 Sexual fantasy and amorous behaviour following anaesthesia or sedation (Boheimer & Thomas), 699 (c)
 Shivering and ketamine (Sharma & Thakur), 252 (c)
 Sick sinus syndrome, latent, recurrent bradycardia due to (Levy), 488 (c)
 Sickle cell disease, Caesarean section in a patient with phaeochromocytoma and (Pattison *et al.*), 958
 Silencer, CPAP (Penfold & Lowe), 73 (c)
 Simulators and training devices in anaesthesia (Good), 525
 Single breath induction of anaesthesia (Lee), 491 (c)
 Sinus see Sick sinus syndrome,
 Skin grafting allowed by technique that uses axillary catheter in continuous brachial plexus blockade (Randalls), 143
 Sleep: effects of hypnotics; double-blind randomised study of lormetazepam, midazolam and zopiclone (Rettig *et al.*), 1079 (f)
 Spasticity, muscle (Fry), 67 (c)
 Spina bifida, spinal catheter anaesthesia for Caesarean section in a patient with (Nuyten & Gielen), 846
 Spinal anaesthesia, crystalloid preloading in (Hutchison: Elton & Howell: Coe), 785 (c)
 Spinal anaesthesia for Caesarean section, evaluation of 30-gauge needle for (Lesser *et al.*), 767 (f)
 Spinal anaesthesia in a child with Job's syndrome, pneumatoceles and empyema (Tapper & Giesecke), 378
 Spinal anaesthesia in obstetrics: headache and special needles (Thomas: Noble & Thomas), 1100 (c)
 Spinal anaesthesia in the elderly, is crystalloid preloading useful in? (Coe & Revanäs), 241 (f)
 Spinal anaesthesia in young patients, 25- or 26-G needles for? (Callesen & Fonnest), 1099 (c)
 Spinal anaesthesia, meningitis after (McHale & Clark: Roberts), 987 (c)
 Spinal anaesthesia, obstetric, meningitis after (Roberts & Petts), 376
 Spinal anaesthesia, unilateral, and prolonged femoral nerve block (Hutchison & Barthram), 987 (c)
 Spinal artery, precautions against injection into, during coeliac plexus block (Bowen Wright: Woodham & Hanna), 247 (c)
 Spinal catheter anaesthesia for Caesarean section in a patient with spina bifida (Nuyten & Gielen), 846
 Spinal catheters, 32-gauge, through 26-gauge needles (Nagle, McQuay & Glynn), 1052
 Spinal needle, 29-gauge, device to maintain the position of (Simsa), 593 (c)
 Spinal needle, Whitacre, in obstetric anaesthesia: a re-evaluation (Thomas & Noble), 489 (c)
 Spinal needles, 25- and 26-gauge, use in intrathecal anaesthesia for day-care surgery (Sarma & Boström), 769 (f)
 Spinal needles, 29-gauge, postdural puncture headache with (Fitzgibbon & Gardiner), 593 (c)
 Spinal needles, two, resistance to fluid flow through (Toomey), 751
 Spinal needles, Whitacre and pencil-point: some points to consider (Carrie), 1097 (c)
 Spouse, general anaesthesia in the presence of (Bogod), 422 (c)
 Sprotte needle for intrathecal anaesthesia for Caesarean section: incidence of postdural puncture headache (Cesarini *et al.*), 656
 Staff, anaesthetic and related, blood contamination of (Harrison, Rogers & Rosen), 831
 Statistics, cold (Baczowski: Hunter & McCrerrick), 1090 (c)
 Stellate ganglion block, attempted, dural puncture during (Stannard, Glynn & Smith), 952
 Stenosis, subglottic, acute infectious airway obstruction associated with (Phillips & Sansome), 34
 Sterility of lubricant jelly used on tracheal tubes (Broome & Goulding), 177 (c)
 Stoekel, Walter (1871-1961): a pioneer of regional analgesia in obstetrics (Danman), 468

- Strain gauge transducer, other information from (Pina & Castro Tavares), 602 (c)
- Subarachnoid anaesthesia, unilateral (Brimacombe), 414 (c)
- Subcutaneous bupivacaine injection, intra-operative, femoral nerve block after (Chan & Davidson), 163 (c)
- Subcutaneous narcotics (Davenport), 413 (c)
- Subdural space: the third place to go astray (Reynolds & Speedy), 120
- Subglottic stenosis, acute infective airway obstruction associated with (Phillips & Sansome), 34
- Sublingual captopril, pressor responses to tracheal intubation after; a pilot study (McCarthy *et al.*), 243 (f)
- Suction, bronchial (Kubota, Toyoda & Kubota), 592 (c)
- Sufentanil plus clonidine, epidural, compared with epidural sufentanil alone for postoperative pain relief (Vercauteren *et al.*), 531
- Suicide, attempted, by hanging, noncardiogenic pulmonary oedema after (Mantha & Rao), 993 (c)
- Supraclavicular and elbow blocks, combined (Lee & Ben-David: Smith), 337 (c)
- Supraglottic oropharyngeal airway (Mehta), 893 (c)
- Supraventricular tachycardia in septic patients, management of (Bowles *et al.*), 787 (c)
- Surgery, coronary artery bypass grafting, impairment of left ventricular diastolic function during (Wehlage, Böhler & Ruffmann), 549
- Surgery, awareness and pain during (Henshaw), 491 (c)
- Surgery, cardiac, enoximone management of low cardiac output syndrome after (White, Latimer & Oduro), 386
- Surgery, cardiac, paediatric; adverse haemodynamic effects of high-dose aprotinin (Böhler *et al.*), 853
- Surgery, cardiac, recovery of bowel motility after high dose fentanyl or morphine anaesthesia (Yukioka, Tanaka & Fujimori), 353
- Surgery, cardiac, volume therapy with hypertonic saline hydroxyethyl starch solution in (Boldt *et al.*), 928
- Surgery, cataract, anaesthesia; time for change? (Rubin), 717
- Surgery, elective, omeprazole for prophylaxis of acid aspiration in (Wingtin *et al.*), 436
- Surgery, eye, peri-ocular local anaesthesia for (Fry & Henderson), 14
- Surgery, genito-urinary, in children; postoperative analgesia; comparison between caudal buprenorphine and bupivacaine (Girotra, Kumar & Rajendran), 406 (f)
- Surgery, gynaecological, major, the effect of ginger root on postoperative nausea and vomiting (Bone *et al.*), 669 (f)
- Surgery, joint replacement, maintenance of body temperature in elderly patients; comparison between heat and moisture exchanger and heated humidifier (Ip Yam & Carli), 563
- Surgery, open heart, and desmopressin (Manners & Spargo), 413 (c)
- Surgery, open heart, propofol sedation after; a clinical and pharmacokinetic study (McMurray *et al.*), 322 (f)
- Surgery, posterior fossa, respiratory obstruction after (Howard, Mahoney & Thurlow), 222
- Surgery, prostate transurethral resection, painless loss of vision after (Russell), 218
- Surgery, upper abdominal, evaluation of the morphine-sparing effect of nefopam and diclofenac after (Moffat, Kenny & Prentice), 302
- Surgery, varicose vein; unusual complication (Brighouse & McQuillan), 68 (c)
- Surgery *see also* Daycase; Neurosurgery; Outpatient,
- Suxamethonium, hyperkalaemia, cardiac arrest and intensive care (Hemming, Charlton & Kelly), 990 (c)
- Suxamethonium myalgias, attenuation of; effect of midazolam and vecuronium (Mingus, Herlich & Eisenkraft), 834
- Syringe pump, Ohmeda 9000, the first of a new generation of syringe drivers (Stokes *et al.*), 1062
- Syringe pumps, Fresenius Injectomat: misalignment of control knobs (Safety Action Bulletin), 424
- Tachycardia, supraventricular, in septic patients, management of (Bowles *et al.*), 787 (c)
- Tamponade, cardiac, unexpected, hypotension due to (Cyna, Rodgers & McFarlane), 140
- Tamponade, cardiac, unusual presentation of (Bellamy, Natarajan & Lenz), 135
- Tape, an inappropriate use of (Denman & Collier), 794 (c)
- Tea, hot, aspiration of (Mazrooa & Sissi), 884 (c)
- Teaching fibreoptic nasotracheal intubation (Towey & Lethbridge), 420 (c)
- Teaching hospital, 10-year analysis of accidents, near accidents and complications during anaesthesia in (Chopra, Bovill & Spierdijk), 3
- Technicians, doctor, the interpretation of results by (Verma, Dhond & Lawler), 412 (c)
- Technicians, doctor, the interpretation of results by (Heining), 887 (c)
- Teeth, absence of, and obesity, a difficult tracheal intubation as a result of; anaesthesia and the law (Brahams), 586
- Teeth protection during laryngoscopy (Leadbeater & Nott), 343 (c)
- Temazepam or papaveretum/hyoscine premedication; comparison of postoperative sore throat (Valentine, McVey & Coe), 306
- Temperature, body, and heat and moisture exchangers (Zuck), 991 (c)
- Temperature, body, maintenance in elderly patients who have joint replacement surgery; comparison between heat and moisture exchanger and heated humidifier (Ip Yam & Carli), 563
- Temperature of local anaesthetic solutions: effect of warming on the latency of onset of brachial plexus block (Heath, Brownlie & Herrick), 297
- Temperature of propofol injectate: effect of pain on injection (McCrick & Hunter), 443
- Temperature of propofol injectate: effect of pain on injection (Baczowski: McCrick & Hunter), 1090 (c)
- Tetraparesis, monitoring of curarisation in patients with (Fiacchino, Bricchi & Lasio), 128
- Theatre pipeline system, failure of nitrous oxide supply to (Francis), 880 (c)
- 'Thermal ceiling' warming and cardiac output monitoring by thermodilution principle; a possible hazard (Gupta & Pederzen), 342 (c)
- Thiopentone compared with propofol, in electroconvulsive therapy (Boey & Lai), 623
- Thiopentone: effect on forearm circulation (McKeating, Howe & McArdle), 294
- Thiopentone or propofol anaesthesia, daycase; comparison of recovery (Heath, Ogg & Gilks), 911
- Thiopentone, propofol and midazolam compared in anaesthesia for cardioversion (Gupta *et al.*), 872 (f)
- Thiopentone, value of paper radioallergosorbent tests for IgE antibodies to, and anaphylactic anaesthetic reactions (Assem), 1032
- Thoracotomy for lung resection, contralateral tension pneumothorax during (Gabbott & Carter), 229
- Throat, sore, postoperative; comparison after premedication with papaveretum/hyoscine or temazepam (Valentine, McVey & Coe), 306
- Throat, sore, postoperative; topical hydrocortisone (Stride), 968 (f)
- Thrombosis, postpartum, of the great vein of Galen (Krenz & Power), 643
- Thyroid adenoma removal, use of acupuncture anaesthesia for (Kho *et al.*), 480 (f)
- Thyroid, lingual, and difficult tracheal intubation (Fogarty), 251 (c)
- Tonometer, Keeler Pulsair, compared with the Perkins tonometer for peri-operative measurement of intra-ocular pressure (Bricker, McGalliard & Mostafa), 36
- Tonometer, Keeler Pulsair; method-comparison studies (Moseley & Shaw: Mostafa, Bricker & Percy), 595 (c)
- Tonometer, Perkins, compared with the Keeler Pulsair tonometer for peri-operative measurement of intra-ocular pressure (Bricker, McGalliard & Mostafa), 36
- Topical anaesthesia, respiratory tract, for fibreoptic bronchoscopy, a jet nebuliser for delivery of (Isaac *et al.*), 46 (f)

- Topical lignocaine; ? toxic lignocaine (Luntley & Van Hasselt), 61 (c)
 Topical lignocaine; ? toxic lignocaine (Marks), 502 (c)
 Tourniquet, limb, deflation, problems associated with (de Mello), 422 (c)
 Tracheal intubation *see* Intratracheal; Intubation,
 Tracheal placement of a gum elastic bougie using the laryngeal mask airway (Allison & McCrory), 419 (c)
 Tracheal tube connector, paediatric, creasing of (Sansome), 343 (c)
 Tracheal tube, oesophageal perforation by, during resuscitation (Eldor, Ofek & Abramowitz), 70 (c)
 Tracheal tube placement over a gum-elastic bougie (Dogra, Falconer & Latto), 774 (f)
 Tracheal tubes, correct placement of (Lynch), 1092 (c)
 Tracheal tubes, sterility of lubricant jelly used on (Broome & Goulding), 177 (c)
 Tracheoscopy, fiberoptic, complications and follow-up with, after minitracheotomy (Randell, Kalli & Lindgren), 875 (f)
 Tracheostomy, airway obstruction after (Leach), 417 (c)
 Tracheostomy, emergency, in a neonate, laryngeal mask airway for (Denny, Desilva & Webber), 895 (c)
 Training devices in anaesthesia (Good), 525
 Train-of-four stimulation, relationship to double-burst stimulation (Gill, Donati & Bevan), 543
 Transfer, aeromedical, monitoring during (Mulrooney), 256 (c)
 Transfusion, incidence and range of carboxyhaemoglobin in blood for (Freeman & Perks), 581 (f)
 Transplantation, heart and heart-lung, management of donors for (Ghosh *et al.*), 672 (f)
 Transplantation, lung, isolated, for pulmonary fibrosis (Conacher *et al.*), 971 (f)
 Transport, blood pressure measurements during; a comparison of direct and oscillotonometric readings in critically ill patients (Runcie *et al.*), 659
 Transport of ill patients (Runcie *et al.*), 66 (c)
 Transurethral resection of the prostate, painless loss of vision after (Russell), 218
 Transurethral resection of the prostate, visual disturbance after (Cashman), 691 (c)
 Trauma and anaesthetists (Baskett), 805
 Trauma in epidural veins: the role of posture (Shearer), 788 (c)
 Trauma to the uvula, anaesthetic morbidity from (Stubbing: McVey, Valentine & Coe), 886 (c)
 Triclofos premedication and the behaviour of small children before induction (Page & Morgan-Hughes), 821
 Trilite inhaler. An historical review and performance assessment (Tweedie & Snowdon), 757
 Trimeprazine compared with a trimeprazine, droperidol and methadone mixture, for oral premedication in children (Phillips *et al.*), 870 (f)
 Tube, nasogastric, as guide during difficult oesophagoscopy (Williamson), 259 (c)
 Tube, orotracheal, paediatric, with laryngeal hooks (MacNeil), 176 (c)
 Tube placement after difficult intubation (Huggins, Smith & Jewkes), 420 (c)
 Tubes *see also* Double-lumen tubes; Tracheal tubes,
 Tumour, cerebral, unmasking of? (Hodgson), 693 (c)
 Tumour of the oesophagus, a complication of (Banerjee, Kiran & Ghambeer), 494 (c)
 TUR syndrome prevention by detection of trace ethanol in the expired breath (Hahn), 577 (f)
 Tussive effect of a fentanyl bolus administered through a central venous catheter (Böhrer, Fleischer & Werning), 18
 Tussive effect of fentanyl (Ananthanarayan: Böhrer), 595 (c)
 Twins, identical, recovery from two different intravenous induction techniques in (Mackenzie), 69 (c)
- Unexpected airway obstruction (McEwan & Cashman), 998 (c)
 Unexpected cardiac tamponade, hypotension due to (Cyna, Rodgers & McFarlane), 140
 Unexpectedly extensive conduction blocks in obstetric epidural analgesia (Morgan), 148
 Upper abdominal surgery *see* Abdominal,
 Upper airway *see* Airway,
 Upper gastrointestinal endoscopy *see* Gastrointestinal endoscopy,
 Uvula, trauma to, and anaesthetic morbidity (Stubbing: McVey, Valentine & Coe), 886 (c)
- Valve, expiratory, visible (Monro), 419 (c)
 Valve failure in a Bain system: a dangerous design? (Breen: Denyer), 417 (c)
 Valves, antireflux, in patient-controlled analgesia (Kluger & Owen), 1057
 Valves, expiratory, modifications to (Welsh), 257 (c)
 Vapor vaporizer, problem with (Driessen, Eerens & van Hoonacker: Falb, Rattke & Siegel), 597 (c)
 Vaporizer, Vapor, problem with (Driessen, Eerens & van Hoonacker: Falb, Rattke & Siegel), 597 (c)
 Vaporizers, free-standing, reversed connexions of (Rosewarne & Duncan), 338 (c)
 Varicose vein surgery; unusual complication (Brighouse & McQuillan), 68 (c)
 Vecuronium and atracurium, chronotropic effect of acetylcholine in the presence of; an isolated perfused rabbit heart study (Bellis, Day & Barnes), 118
 Vecuronium and McArdle's disease (Tzabar & Ross), 697 (c)
 Vecuronium and midazolam: effect on suxamethonium myalgias (Mingus, Herlich & Eisenkraft), 834
 Vecuronium and sepsis (Irita), 889 (c)
 Vecuronium 'overdose' (Forrest & Vanner), 997 (c)
 Vecuronium, prolonged neuromuscular blockade with, in a neonate with renal failure (Haynes & Morton), 743
 Vein cannulation, route for (Ryan *et al.*: Punt: Powell & Beechey), 1086 (c)
 Vein, jugular, internal, right, a difficult cannulation of (Mehta, Bhavani & Sharma), 1087 (c)
 Veins, epidural, trauma in; the role of posture (Shearer), 788 (c)
 Venepuncture, local application of EMLA and glyceryl trinitrate ointment before (Gunawardene & Davenport), 52 (f)
 Venepuncture, local application of EMLA and glyceryl trinitrate ointment before (Gunawardene & Davenport) (Erratum), 524
 Venesection in patients in the Intensive Therapy Unit, a survey; iatrogenic anaemia? (Tarpey & Lawler), 396 (f)
 Ventilation, controlled; a comparative study of the Bain, ADE, and Enclosed Magill breathing systems (Criswell *et al.*), 113
 Ventilation, controlled, of the lungs in the elderly (Cook: Leigh), 497 (c)
 Ventilation, mechanical, during low-flow anaesthesia; experience with an alternative to the bag-in-bottle (Berntman, Luttrupp & Werner), 855
 Ventilation, spontaneous, a new technique; anaesthesia in the field (Restall *et al.*), 965 (f)
 Ventilator, Manley, a test for (Graham), 491 (c)
 Ventilators, Manley, damage to (Stubbing, Tordoff & Skivington: Aron), 74 (c)
 Ventilator, Servo, malfunction; in manual mode (Owens & Keogh), 999 (c)

- Ventriculo-atrial shunt and pulmonary hypertension, life-threatening complications during anaesthesia in a patient with (Butler, Wheeler & Spargo), 946
- Vials, multidose, damage to (Vernon), 75 (c)
- Vickers Medical IP3 Syringe Pump (89) (91) (Safety Action Bulletin), 349
- Vickers Medical Travenol Treonic C30 Infusion Controller Model 110 (Safety Action Bulletin), 349
- Video nasties and ketamine (Shaw & Moffett), 422 (c)
- Viral myocarditis, acute; a death associated with anaesthesia (Brampton & Jago), 215
- Viral myocarditis, acute? (Rittoo & Rittoo: Stewart: Brampton & Jago), 882 (c)
- Vision loss, painless, after transurethral resection of the prostate (Russell), 218
- Visual disturbance after transurethral resection of the prostate (Cashman), 691 (c)
- Volatile agent use (Noble & Martin: Lawler & Tarpey), 339 (c)
- Volume therapy with hypertonic saline hydroxyethyl starch solution in cardiac surgery (Boldt *et al.*), 928
- Volumes, oropharyngeal (Drouet, Fargnoli & Coppo: Newcombe & Russell), 685 (c)
- Vomiting, postoperative, after major gynaecological surgery, effect of ginger root on (Bone *et al.*), 669 (f)
- von Recklinghausen's disease, neuromuscular blockade in (McCarthy, McLoughlin & Mirakhur), 340 (c)
- Von Willebrand's disease and epidural anaesthesia (Milaskiewicz, Holdcroft & Letsky), 462
- Warming, 'thermal ceiling', and cardiac output monitoring by thermodilution principle; a possible hazard (Gupta & Pederzen), 342 (c)
- Waste anaesthetic gas concentrations, and laryngeal mask anaesthesia (Sarma & Leman), 791 (c)
- Water and oxygen concentrators (Carter: Fenton), 68 (c)
- Weaning, drawover breathing system for (Bem & Wilson), 1102 (c)
- Weaning, minimum airway pressure (Tan, Chakrabarti & Whitwam), 237
- Weaning, minimum airway pressure (Smith: Tan, Chakrabarti & Whitwam), 688 (c)
- Whistle, simple, used in awake blind nasal intubation (Dyson, Saunders & Giesecke), 71 (c)
- Whitacre and pencil-point spinal needles: some points to consider (Carrie), 1097 (c)
- Whitacre spinal needle in obstetric anaesthesia: a re-evaluation (Thomas & Noble), 489 (c)
- Withdrawal syndrome after propofol infusion (Au, Walker & Scott), 741
- Woolley and Roe case; a reassessment (Hutter), 859
- Xenon anaesthesia, haemodynamic and neurohumoral effects of; comparison with nitrous oxide (Boomsma *et al.*), 273
- Xenon: does it deserve a prominent place in anaesthetic practice? (Power: Rupprecht), 783 (c)
- Zidovudine chemoprophylaxis and occupational exposure to HIV (Smart), 989 (c)
- Zopiclone: effect on sleep and psychomotor performance; a double-blind randomised study (Rettig *et al.*), 1079 (f)

Key word Index, Volume 45 (1990)

- Acupuncture, 327 (f)
- Aerosols, 449
- Airway, selective bronchial suction, 842
- Allergy, anaphylaxis, 1032, 1041
- Allergy, thiopentone, 1032
- Anaesthesia, audit, 679 (f), 814
- Anaesthesia, cerebrospinal fluid shunt, 946
- Anaesthesia, dental, 153 (f)
- Anaesthesia, general, 373
- Anaesthesia, liver transplantation, 726
- Anaesthesia, neurosurgical, 222, 946
- Anaesthesia, obstetric, 26, 148, 527, 767 (f), 776 (f), 1020
- Anaesthesia, ophthalmic, 14
- Anaesthesia, outpatient, 911
- Anaesthesia, paediatric, 110, 427, 561, 722, 760 (f), 1067, 1074 (f)
- Anaesthesia, paediatric, premedication, 870 (f)
- Anaesthesia, regional, intrathecal, 769 (f)
- Anaesthesia, thoracic, 229, 971 (f)
- Anaesthetic gases, nitrous oxide, 273
- Anaesthetic gases, trace concentrations, 574 (f)
- Anaesthetic gases, xenon, 273
- Anaesthetic techniques, acupuncture, 480 (f)
- Anaesthetic techniques, closed system, 855
- Anaesthetic techniques, drawover, 965 (f)
- Anaesthetic techniques, induction, 43 (f)
- Anaesthetic techniques, regional, brachial plexus block, 143, 297, 362
- Anaesthetic techniques, regional, caudal, 156 (f), 406 (f), 722
- Anaesthetic techniques, regional, coeliac plexus, 309
- Anaesthetic techniques, regional, epidural, 120
- Anaesthetic techniques, regional, epidural, lumbar, 132
- Anaesthetic techniques, regional, epidural, 148, 156 (f), 210, 285, 357, 381, 406 (f), 462, 719, 722, 920, 1055, 1077 (f)
- Anaesthetic techniques, regional, inguinal field block, 7
- Anaesthetic techniques, regional, inhalational, 210
- Anaesthetic techniques, regional, interpleural, 1028
- Anaesthetic techniques, regional, intravenous, 11, 935
- Anaesthetic techniques, regional, peri-ocular, 14

- Anaesthetic techniques, regional, spinal, 241 (f), 376, 378, 460, 640, 751, 767 (f), 846, 859
- Anaesthetic techniques, topical, 46 (f)
- Anaesthetics, intravenous, fentanyl, 18
- Anaesthetics, intravenous, ketamine, 938
- Anaesthetics, intravenous, midazolam, 198
- Anaesthetics, intravenous, pregnanolone, 189
- Anaesthetics, intravenous, propofol, 198, 204, 294, 322 (f), 366, 439, 443, 552, 623, 741, 865 (f), 872 (f), 1043
- Anaesthetics, intravenous, thiopentone, 294, 623, 872 (f)
- Anaesthetics, local, alkanilisation, 11
- Anaesthetics, local, eutectic mixture of local anaesthetics, 52 (f)
- Anaesthetics, local, eutectic mixtures, 772 (f), 821
- Anaesthetics, local, latency, 297
- Anaesthetics, local, lignocaine, 975 (f)
- Anaesthetics, local, prilocaine, 11, 935
- Anaesthetics, volatile, enflurane, 43 (f)
- Anaesthetics, volatile, ethyl alcohol, 232
- Anaesthetics, volatile, isoflurane, 22, 124, 965 (f)
- Anaesthetists, complications, 831
- Analgesia, on-demand, 619
- Analgesia, patient controlled, 1072 (f)
- Analgesia, patient-controlled, 401 (f), 619, 941
- Analgesia, postoperative, 143, 302, 941
- Analgesics, diclofenac, 156 (f), 302, 329 (f), 763 (f), 916
- Analgesics, ketorolac, 538
- Analgesics, narcotic, alfentanil, 452, 477 (f)
- Analgesics, narcotic, buprenorphine, 865 (f)
- Analgesics, narcotic, dihydrocodeine, 535
- Analgesics, narcotic, fentanyl, 285, 353, 449, 477 (f), 763 (f), 1020
- Analgesics, narcotic, morphine, 302, 353, 538
- Analgesics, narcotic, sufentanil, 531
- Analgesics, nefopam, 302, 329 (f)
- Anatomy, internal jugular vein, 850
- Anatomy, stellate ganglion, subarachnoid space, 952
- Anatomy, vertebral column, 1049
- Antagonists, benzodiazepines, flumazenil, 198, 938
- Anxiety, 583 (f)
- Ataractics, phenothiazines, chlorpromazine, 311

- Blood, carboxyhaemoglobin, 581 (f)
- Blood, coagulation, 853, 916
- Blood, flow, 294
- Blood, hydroxyethyl starch, 1041
- Blood pressure, drug effects, 243 (f)
- Blood pressure, measurement, 659
- Blood, replacement, 1041
- Blood, replacement, hydroxyethyl starch, hypertonic saline, 928
- Blood, sickle cell disease, 958
- Brain, blood flow, oxygen consumption, 1016
- Brain, brainstem function tests, 456

- Carbon dioxide, detection, 465
- Cerebral aneurysm, cerebral protection, atracurium, 383
- Circulatory arrest, cardiopulmonary bypass, 383
- Complications, 120, 357, 472, 726, 920
- Complications, accidents, 3
- Complications, air embolism, 964 (f)
- Complications, airway, 227
- Complications, airway obstruction, 222
- Complications, anxiety, 153 (f)
- Complications, apnoea, 222
- Complications, aspiration, 1009, 1039
- Complications, aspiration, prophylaxis, 776 (f)
- Complications, awareness, 279
- Complications, bradycardia, 140, 738
- Complications, bronchospasm, 373
- Complications, cardiac arrest, 3
- Complications, cardiac tamponade, 140
- Complications, cerebral venous thrombosis, 643
- Complications, Churg-Strauss syndrome, 649
- Complications, convulsions, 741
- Complications, cough, 18
- Complications, death, 215, 978 (f)
- Complications, diabetes, 1024
- Complications, Down's syndrome, 1049
- Complications, Duchenne's muscular dystrophy, 22
- Complications, dystrophia myotonica, 26
- Complications, fasciculations, 834
- Complications, fibrosis, retroperitoneal, 309

Complications, glycine, 577 (f)
 Complications, glycine absorption, 218
 Complications, Gorlin's syndrome, 1046
 Complications, haematoma, 850
 Complications, haemorrhage, 458
 Complications, headache, 656
 Complications, hydrocephalus, Dandy-Walker syndrome, 646
 Complications, hyperreflexia, 552
 Complications, hypertension, 629
 Complications, hypotension, 241 (f), 738, 853
 Complications, infection, 376
 Complications, intubation, tracheal, 675 (f)
 Complications, Job's syndrome, 378
 Complications, laryngeal oedema, 850
 Complications, low output syndrome, 386
 Complications, malignant hyperthermia, 22
 Complications, mediastinal puncture, 875 (f)
 Complications, methaemoglobinemia, 949
 Complications, misplacement, 875 (f)
 Complications, multiple sclerosis, 640
 Complications, myalgias, 834
 Complications, neurological, 552
 Complications, oesophageal intubation, 653
 Complications, opisthotonus, 552
 Complications, pain, 443, 975 (f)
 Complications, pain, recall, 439
 Complications, paraesthesia, 1077 (f)
 Complications, pneumothorax, 229
 Complications, postoperative, 826
 Complications, pulmonary embolism, 225
 Complications, rhabdomyolysis, 22
 Complications, sore throat, 306
 Complications, spina bifida, 846
 Complications, status epilepticus, 1043
 Complications, subcutaneous emphysema, 875 (f)
 Complications, tracheal stenosis, 34
 Complications, Von Willebrand's disease, 462

Education, epidural injection simulation, 235
 Electroconvulsive therapy, 623
 Embolism, thromboembolism, 638
 Enzymes, cholinesterase, 649
 Equipment, anaesthesia systems, 318
 Equipment, blood warmer, 960
 Equipment, breathing systems, 113
 Equipment, cannulae, coding, 399 (f)
 Equipment, catheters, intrathecal, 1052
 Equipment, closed systems, 314
 Equipment, computer, 204
 Equipment, deadspace, drug administration, 145
 Equipment, end-tidal carbon dioxide detector, 653
 Equipment, epidural injection simulator, 235
 Equipment, fluoroscope, 675 (f)
 Equipment, infusion pumps, 204
 Equipment, infusion systems, patient-controlled, 1057
 Equipment, laryngeal mask, 137, 629
 Equipment, laryngeal mask airway, 227, 760 (f), 924, 1039
 Equipment, laser, 944
 Equipment, machines, 746
 Equipment, minitracheotomy, 875 (f)
 Equipment, nebuliser, 46 (f)
 Equipment, needles, 656, 677 (f), 751
 Equipment, oesophageal contractility monitor, 279
 Equipment, oesophageal detector device, 1067
 Equipment, pacemakers, 472
 Equipment, pulse oximeter, 949, 1012, 1070
 Equipment, simulator, 1055
 Equipment, sphygmomanometer cuff, 666
 Equipment, suction catheters, 842
 Equipment, syringe pump, 1062
 Equipment, tonometry, 36
 Equipment, vaporizers, 754
 Equipment, ventilators, 314, 318
 Eye, blindness, 218
 Eye, intra-ocular pressure, 36, 477 (f)

Fluid balance, 826

- Gastrointestinal tract, endoscopy, 445
Gastrointestinal tract, flatus, 353
Gastrointestinal tract, gastric pH, 436
Gastrointestinal tract, gastric volume, 436
Gastrointestinal tract, stomach, pH, 527
Genetic factors, achondroplastic dwarfism, 132
- Haemorrhage, 848
Heart, arrhythmia, 118
Heart, bradycardia, 118
Heart, cardiomyopathy, 30
Heart, myocardial function, 549
Heart, myocarditis, viral, 215
Heart, tamponade, 135
Histamine, cimetidine, 719
Histamine, famotidine, 719
History, trichloroethylene inhalers, 757
History, Woolley and Roe case, 859
Hormones, corticosteroid, 273
Hormones, growth hormone, 273
Hormones, prolactin, 273
Hormones, prostaglandins, PGE₂, PGF_{2α}, 848
Hyperthermia, malignant, 124, 838
Hypnotics, benzodiazepines, diazepam, 955
Hypnotics, benzodiazepines, lorazepam, 1079 (f)
Hypnotics, benzodiazepines, midazolam, 322 (f), 872 (f), 1016, 1079 (f)
Hypnotics, benzodiazepines, zopiclone, 1079 (f)
Hypothermia, intra-operative, 563
Hypoxia, postoperative, 566
- Induction, anaesthesia, 1012
Infection, acquired immune deficiency syndrome, 831
Infection, hepatitis B, 677 (f), 831
Infection, pulmonary, 561
Intensive care, 366, 396 (f), 814
Intensive care, quality of life, 808
Intubation, difficult, 137
Intubation, tracheal, 289, 465
Intubation, tracheal, complications, 558, 968 (f)
Intubation, tracheal, difficult, 49 (f), 1024
Intubation, tracheal, difficult; gum-elastic bougie, 774 (f)
Intubation, tracheal, tracheostomy, 34
Ions, potassium, 583 (f)
- Kidney, failure, 743
- Lung, atelectasis, 566
Lung, pulmonary hypertension, 946
Lung, restrictive lung disease, 390
- Management, donors, 672 (f)
Measurement, blood loss, 396 (f)
Measurement techniques, capnography, 210
Measurement techniques, echocardiography, transoesophageal Doppler, 549
Measurement techniques, oscillometry, 659
Measurement techniques, pressure transducer, 659
Measurement techniques, pulse oximetry, 103
Monitoring, anaesthetic vapour, 232
Monitoring, blood pressure, 666
Monitoring, double-burst stimulation, 543
Monitoring, neuromuscular function, 543
Monitoring, pulse oximetry, 225
Monitoring, train-of-four stimulation, 543
Muscle, skeletal, pathology, neuroleptic malignant syndrome, 311
- Nerve, neuropathy, 456
Neuromuscular relaxants, 128
Neuromuscular relaxants, alcuronium, 1032
Neuromuscular relaxants, atracurium, 118, 543
Neuromuscular relaxants, prolonged action, 743
Neuromuscular relaxants, suxamethonium, 834, 1032
Neuromuscular relaxants, tubocurarine, 834
Neuromuscular relaxants, vecuronium, 118, 743, 834
Neuropathy, acute inflammatory, 736
- Operating rooms, contamination, 574 (f)
Oxygen, delivery systems, 732
Oxygen, hypoxaemia, 1070
Oxygen, saturation, 103

- Pain, 460
Pain, postoperative, 329 (f), 401 (f), 452, 535, 538, 619, 763 (f), 1028, 1072 (f), 1074 (f)
Parasympathetic nervous system, glycopyrronium, 634
Pharmacokinetics, 189, 634
Pharmacology, captopril, 243 (f)
Pharmacology, diltiazem, 289
Pharmacology, enoximone, 386
Pharmacology, flumazenil, 445
Pharmacology, glyceryl trinitrate, 52 (f)
Pharmacology, midazolam, 445
Pharmacology, omeprazole, 436
Pharmacology, phosphodiesterase inhibitors, 386
Pregnancy, 1046
Premedication, antisialagogues, 427
Premedication, barbiturates, 427
Premedication, benzodiazepines, 272
Premedication, diazepam, 40 (f)
Premedication, droperidol, 870 (f)
Premedication, hyoscine, 306
Premedication, lytic cocktail, 110
Premedication, methadone, 870 (f)
Premedication, opioids, 427
Premedication, papaveretum, 306
Premedication, phenothiazines, 427
Premedication, temazepam, 306
Premedication, triclofos, parental presence, 821
Premedication, trimeprazine, 870 (f)

Recovery, 911
Recovery, tests, 1079 (f)

Statistics, mortality rates, 3
Surgery, Caesarean section, 964 (f)
Surgery, cardiac, 928
Surgery, cholecystectomy, 944
Surgery, daycare, 769 (f)
Surgery, gynaecological, 669 (f)
Surgery, laparoscopy, 944, 1009
Surgery, liver transplantation, 726
Surgery, lung transplantation, 971 (f)
Surgery, otological, 924
Surgery, paediatric, 924, 941
Surgery, pheochromocytoma, 958
Surgery, prostate, 577 (f)
Surgery, urological, 638
Sympathetic nervous system, adrenaline, 7, 273
Sympathetic nervous system, alpha adrenergic agonist, clonidine, 531
Sympathetic nervous system, beta-adrenergic antagonists, metoprolol, 40 (f)
Sympathetic nervous system, beta-adrenergic antagonists, esmolol, 736
Sympathetic nervous system, dopamine, 273
Sympathetic nervous system, noradrenaline, 7, 273
Sympathetic nervous system, pharmacology, 7

Temperature, body, monitoring, 563
Toxicity, chloroquine, 955
Transfusion, 581 (f)
Transplantation, heart, heart-lung, 672 (f)

Veins, cannulation, 458
Veins, jugular, 458
Ventilation, artificial, 855
Ventilation, high frequency, weaning, 237
Ventilation, mechanical, 390
Ventilation, negative pressure, 390
Vomiting, antiemetics, 327 (f), 669 (f)
Vomiting, incidence, 327 (f)